



CHENXI


OUTDOOR PRODUCTS

2026-2027 CATALOG



INDEX

FFP Rifle Scopes	-----	2
Tactical Rifle Scopes	-----	6
Hunting Rifle Scopes	-----	10
8x Rifle Scopes	-----	13
Rifle Scope Cover	-----	15
Laser Bore Sighter	-----	16
Dot Sights	-----	17
Mounting System Ring--Steel	-----	23
Integral & Cantilever Mounts	-----	30
Mounting System Ring--Alum.	-----	33
Bubble Level Ring	-----	39
2-Piece Construction Integral Rings	-----	40
Rails and Mounts	-----	44
Rails and Bases	-----	49
Picatinny Blank Rail	-----	57
Saddle Mounts	-----	58
Bipods	-----	59
Sling Swivels & Accessories	-----	79
Mounts & Accessories	-----	80
Punch Tool & Torque Screw Driver	-----	83
Gun Lock & Chamber Brushes	-----	84
Cleaning Brushes,Kits & Accessories	-----	85



First Focal Plane Rifle Scopes

True 8x Magnification: Ideal for versatile hunting and precision shooting.

First Focal Plane: Reticle size adjusts with zoom, perfect for consistent aiming.

ED Glass: Delivers sharp, clear images with excellent color fidelity.

Fast Focus System: Quick and easy target acquisition.

Super High Light Transmission: Great performance in low-light conditions.


Wide Field of View: Excellent for fast target spotting.

Side Focus: Essential for long-range accuracy through parallax adjustment.

Illuminated Reticle: Enhances visibility in various lighting conditions.

1000g Recoil Test: Proves its durability and ruggedness.

Weatherproofing: Reliable in challenging outdoor conditions.



7.5-60 x56



Item No.	SCP-F756056si
Magnification	7.5X~60X
Tube Diameter(mm)	34
Objective (mm)	56
Focal Plane	First
Reticle Type	Glass Etched Reticle, customized
Illuminated Reticle	Red
FOV@LX (ft.@100yds)	13.94
FOV@HX (ft.@100yds)	1.88
Eye Relief @ LX (mm)	95
Eye Relief @HX (mm)	97
Exit Pupil@ LX (mm)	9.7
Exit Pupil@ HX (mm)	0.93
W/E Clicks	0.125 MOA
Elevation Adjustment Range (MOA)	80
Windage Adjustment Range (MOA)	80
Side Focus	10yds - infinity
Weight (oz/g)	37.46 / 1060

First Focal Plane Rifle Scopes



Item No.	SCP-F1824i-W	SCP-F1251030i	SCP-F151224i	SCP-F2251832aoi	SCP-F252050esi	SCP-F252050si
Magnification	1X~8X	1.25X~10X	1.5X~12X	2.25X~18X	2.5X~20X	2.5X~20X
Tube Diameter(mm)	34	34	34	34	34	34
Objective (mm)	24	30	24	32	50	50
Focal Plane	First	First	First	First	First	First
Reticle Type	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Red	Red	Red	Red	Red
FOV@LX (ft.@100yds)	123.00	86.80	79.50	51.66	42.70	49.70
FOV@HX (ft.@100yds)	14.12	10.46	9.94	6.66	5.39	6.30
Eye Relief @ LX (mm)	92.00	92.00	98.00	95.00	91.00	91.00
Eye Relief @HX (mm)	96.00	96.00	98.00	97.00	96.00	94.00
Exit Pupil@ LX (mm)	10.10	9.80	8.30	9.70	9.80	9.70
Exit Pupil@ HX (mm)	3.02	2.90	2.10	1.75	2.50	2.65
W/E Clicks	0.1mil	0.1mil	0.1mil	0.25moa	0.1mil	0.1mil
Elevation Adjustment Range (MOA)	150	120	150	100	100	100
Windage Adjustment Range (MOA)	150	120	150	100	80	80
Side Focus	No	No	No	10yds-infinity	15yds-infinity	15yds-infinity
Weight (oz/g)	27.28/772	27.20/770	720g	29.28/830	32.63/925	32.69/925
Catagory	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical



1-8 x24



5-40 x56

First Focal Plane Rifle Scopes



5-25 x56



3-15 x50



4-20 x50

Item No.	SCP-F31550si	SCP-F31850si	SCP-F352850si	SCP-F42050si	SCP-F453656si	SCP-F52556si
Magnification	3X~15X	3X~18X	3.5X~28X	4X~20X	4.5X~36X	5X~25X
Tube Diameter(mm)	30	34	34	30	34	34
Objective (mm)	50	50	50	50	56	56
Focal Plane	First	First	First	First	First	First
Reticle Type	Glass Etched Reticle,Multi-x	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle,Multi-x	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red,Green	Red	Red	Red or Green	Red	Red
FOV@LX (ft.@100yds)	36.61	37.00	31.80	25.80	23.50	21.00
FOV@HX (ft.@100yds)	7.20	8.27	4.10	5.17	3.20	4.23
Eye Relief @ LX (mm)	99.00	95.00	95.00	93.00	97.00	92.00
Eye Relief @HX (mm)	88.00	97.00	95.00	88.00	95.00	88.00
Exit Pupil@ LX (mm)	15.20	9.70	10.05	12.50	9.70	11.20
Exit Pupil@ HX (mm)	3.33	2.70	1.75	2.50	1.50	2.24
W/E Clicks	0.1mil	0.1mil	0.1mil	0.1mil	0.1 mil	0.05mil
Elevation Adjustment Range (MOA)	90	80	80	80	80	90
Windage Adjustment Range (MOA)	60	80	70	80	60	60
Side Focus	10m-infinity	10yds-infinity	15yds-infinity	10m-infinity	12yds-infinity	10m-infinity
Weight (oz/g)	31.32/888	900g	36.01/1030	34.92/990	N/A	37.04/1050
Catagory	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical

First Focal Plane Rifle Scopes


Item No.	SCP-F53056si	SCP-F554456si	SCP-F63656si	SCP-F73556si	SCP-F73556si	SCP-F756056si
Magnification	5X~30X	5.5X~44X	6X~36X	7X~35X	7X~35X	7.5X~60X
Tube Diameter(mm)	34	34	34	34	34	34
Objective (mm)	56	56	56	56	56	56
Focal Plane	First	First	First	First	First	First
Reticle Type	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Red	Red,Green	Red & Green	Red	Red
FOV@LX (ft.@100yds)	23.50	19.87	17.70	17.30	17.30	13.94
FOV@HX (ft.@100yds)	3.80	2.88	3.20	3.50	3.50	1.88
Eye Relief @ LX (mm)	114.00	93.00	97.00	94.00	94.00	95.00
Eye Relief @HX (mm)	88.00	97.00	95.00	90.00	90.00	97.00
Exit Pupil@ LX (mm)	11.20	10.20	9.30	8.00	8.00	9.70
Exit Pupil@ HX (mm)	1.86	1.36	1.50	1.60	1.60	0.93
W/E Clicks	0.1mil	0.25moa	0.25moa	0.1mil	0.1mil	0.125moa
Elevation Adjustment Range (MOA)	90	80	80	120	120	80
Windage Adjustment Range (MOA)	50	80	60	100	100	80
Side Focus	10m-infinity	10yds-infinity	10yds-infinity	25yds-infinity	25yds-infinity	10yds-infinity
Weight (oz/g)	41.62/1180	37.39/1060	35.27/1000	41.27/1170	38.45/1090	37.46/1060
Catagory	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical

7-35 x56



10_x**1-10x26****12_x****1-12x26**

Item No.	SCP-11026i	SCP-11226i
Magnification	1X~10X	1X~12X
Tube Diameter(mm)	34	34
Objective (mm)	26	26
Focal Plane	Second	Second
Reticle Type	CQB/4A Dot/BDC	CQB/4A Dot/BDC
Illuminated Reticle	Red/Green	Red/Green
FOV@LX (ft.@100yds)	99.00	94.00
FOV@HX (ft.@100yds)	9.90	7.90
Eye Relief @ LX (mm)	120.00	120.00
Eye Relief @HX (mm)	90.00	89.00
Exit Pupil@ LX (mm)	8.00	8.00
Exit Pupil@ HX (mm)	2.60	2.16
W/E Clicks	1/10mil	1/10mil
Elevation Adjustment Range (MOA)	100	100
Windage Adjustment Range (MOA)	100	100
Side Focus	No	No
Weight (oz/g)	N/A	N/A
Catagory	Tactical / Airgun	Tactical / Airgun




Tactical

Rifle Scopes



**1-12x26**

Item No.	SCP-1824i-W
Magnification	1X~8X
Tube Diameter(mm)	30
Objective (mm)	24
Focal Plane	Second
Reticle Type	CQB/4A Dot/BDC
Illuminated Reticle	Red
FOV@LX (ft.@100yds)	123.00
FOV@HX (ft.@100yds)	15.17
Eye Relief @ LX (mm)	92.00
Eye Relief @HX (mm)	96.00
Exit Pupil@ LX (mm)	10.10
Exit Pupil@ HX (mm)	3.00
W/E Clicks	0.5moa
Elevation Adjustment Range (MOA)	150
Windage Adjustment Range (MOA)	150
Side Focus	No
Weight (oz/g)	493g
Catagory	Tactical / Airgun

Tactical Rifle Scopes



1-8x24



Your choice Our Care

Our tactical rifle scope is an ideal choice for short to medium range shooting. With the features of quick target acquisition and fast focus eyepiece, it fills the requirement of the law enforcement and hunters who need a quick-sighting system at ranges of 5 yards to infinite. A large eyepiece provides the shooter an increased vertical and horizontal, forward and backward movement behind the scopes. If you are tired of massive heavy scope yet still insist upon outstanding performance, take our tactical rifle scope.

Tactical Rifle Scopes

Item No.	SCP-1624i-W	SCP-251032i	SCP-31250si	SCP-31850si	SCP-351450si	SCP-352556esi
Magnification	1X~6X	2.5X~10X	3X~12X	3X~18X	3.5X~14X	3.5X~25X
Tube Diameter(mm)	30	30	30	34	30	35
Objective (mm)	24	32	50	50	50	56
Focal Plane	Second	Second	Second	Second	Second	Second
Reticle Type	CQB/4A Dot/BDC	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Red	Red	Red	Red,Green	Red, Green
FOV@LX (ft.@100yds)	123.00	43.96	34.00	37.00	31.48	31.00
FOV@HX (ft.@100yds)	20.12	11.00	8.34	8.27	7.80	4.30
Eye Relief @ LX (mm)	92.00	105.00	99.00	95.00	100.00	125.00
Eye Relief @HX (mm)	96.00	98.00	88.00	97.00	92.00	90.00
Exit Pupil@ LX (mm)	10.10	12.80	15.20	9.70	14.20	16.00
Exit Pupil@ HX (mm)	4.00	3.20	3.33	2.70	3.57	2.20
W/E Clicks	0.5moa	0.25moa	0.25moa	0.1mil	0.25moa	0.1mil
Elevation Adjustment Range (MOA)	150	100	90	80	80	90
Windage Adjustment Range (MOA)	150	100	60	80	80	65
Side Focus	No	No	10yds-infinity	10yds-infinity	10yds-infinity	20yds-infinity
Weight (oz/g)	493g	599g	29.28/830	900g	27.34/775	34.92/990
Catagory	Tactical / Airgun	Tactical / Airgun	Tactical / Airgun	Tactical / Airgun	Tactical / Airgun	Tactical / Airgun



3.5-14 x 50






Tactical Rifle Scopes

5-25x56

Item No.	SCP-3940i	SCP-42450si	SCP-52556si	SCP-53056si	SCP-62556si	SCP-73556si	SCP-104056si	SCP-1050i
Magnification	3X~9X	4X~24X	5X~25X	5X~30X	6X~25X	7X~35X	10X~40X	10x
Tube Diameter(mm)	30	30	34	30	35	34	34	30
Objective (mm)	40	50	56	56	56	56	56	50
Focal Plane	Second	Second	Second	Second	Second	Second	Second	Second
Reticle Type	Metal Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Red/Green	Red	Red	Red & Green	Red	Red	Red
FOV@LX (ft.@100yds)	38.10	29.50	21.00	23.50	17.30	17.30	11.50	11.00
FOV@HX (ft.@100yds)	12.50	4.94	4.23	3.80	4.36	3.50	2.90	/
Eye Relief @ LX (mm)	112.00	106.00	92.00	114.00	98.00	94.00	97.50	95.00
Eye Relief @HX (mm)	90.00	88.00	88.00	88.00	90.00	90.00	85.00	/
Exit Pupil@ LX (mm)	13.20	12.50	11.20	11.20	9.30	8.00	5.60	5.00
Exit Pupil@ HX (mm)	4.40	2.08	2.24	1.86	2.35	1.60	1.40	/
W/E Clicks	0.1mil	1/8moa	0.05mil	0.25moa	0.25moa	0.1mil	0.1mil	0.25moa
Elevation Adjustment Range (MOA)	50	60	90	70	110	120	110	80
Windage Adjustment Range (MOA)	50	60	90	70	110	100	110	80
Side Focus	No	25yds-infinity	10m-infinity	10yds-infinity	10yds-infinity	25yds-infinity	10yds-infinity	No
Weight (oz/g)	20.63/585	30.90/876	35.27/1000	41.62/1180	34.57/980	41.27/1170	930g	27.37/776
Category	Tactical / Airgun	Tactical / Airgun	Tactical	Tactical / Airgun	Tactical / Airgun	Tactical	Tactical	Tactical / Airgun




Hunting

Rifle Scopes

Item No.	SCP-1424i	SCP-1624i	SCP-1824i	SCP-1250526i	SCP-150642i
Magnification	1X~4X	1X~6X	1X~8X	1.25X~5X	1.5X~6X
Tube Diameter(mm)	30	30	30	30	30
Objective (mm)	24	24	24	26	42
Focal Plane	Second	Second	Second	Second	Second
Reticle Type	CQB/4A Dot/BDC	CQB/4A Dot/BDC	CQB/4A Dot/BDC	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Green	Red	Red	Red
FOV@LX (ft.@100yds)	104.00	99.30	104.60	84.70	65.90
FOV@HX (ft.@100yds)	26.00	16.60	13.10	21.20	16.50
Eye Relief @ LX (mm)	120.00	110.00	110.00	135.00	110.10
Eye Relief @ HX (mm)	90.00	88.00	91.00	95.50	90.50
Exit Pupil@ LX (mm)	16.00	16.00	16.60	16.40	17.90
Exit Pupil@ HX (mm)	6.00	4.00	3.00	5.20	7.00
W/E Clicks	0.5moa	0.5moa	0.1mil	1/2moa	0.25moa
Elevation Adjustment Range (MOA)	120	100	100	120	100
Windage Adjustment Range (MOA)	120	100	100	120	100
Side Focus	No	No	No	No	No
Weight (oz/g)	N/A	571g	17.43/494	N/A	611g
Catagory	Hunting / Airgun	Hunting	Hunting / Airgun	Hunting / Airgun	Hunting / Airgun

1-8 x 24





Hunting

Rifle Scopes



1.5-12 x 24

Item No.	SCP-151224i	SCP-1750632i	SCP-251040i	SCP-251550si	SCP-3942i
Magnification	1.5X~12X	1.75X~6X	2.5X~10X	2.5X~15X	3X~9X
Tube Diameter(mm)	30	30	30	30	30
Objective (mm)	24	32	40	50	42
Focal Plane	Second	Second	Second	Second	Second
Reticle Type	Glass Etched Reticle	Glass Etched Reticle	Metal Reticle	CQB/4A Dot/BDC	Metal Reticle
Illuminated Reticle	Red	Red	Red	Red/Green	Red
FOV@LX (ft.@100yds)	79.50	61.40	42.90	40.00	42.00
FOV@HX (ft.@100yds)	9.94	17.70	11.00	6.80	13.94
Eye Relief @ LX (mm)	98.00	99.60	95.00	115.00	112.00
Eye Relief @HX (mm)	98.00	89.00	85.00	88.00	90.00
Exit Pupil@ LX (mm)	8.30	17.10	14.00	10.00	14.00
Exit Pupil@ HX (mm)	2.10	5.30	4.00	3.30	4.67
W/E Clicks	0.1mil	0.25moa	0.34moa	1/4moa	0.25moa
Elevation Adjustment Range (MOA)	150	100	90	70	90
Windage Adjustment Range (MOA)	150	100	90	70	90
Side Focus	No	No	No	10yds-infinity	No
Weight (oz/g)	720g	611g	18.8/533	26.28/745	18.34/520
Catagory	Hunting / Airgun	Hunting / Airgun	Hunting / Airgun	Hunting / Airgun	Hunting / Airgun





Hunting

Rifle Scopes



1.5-5 x 32

Item No.	SCP-41240	SCP-41240i	SCP-41640s	SCP-62444s	SP-150532i	SP-3944i
Magnification	4X~12X	4X~12X	4X~16X	6X~24X	1.5X~5X	3X~9X
Tube Diameter(mm)	30	30	30	30	25.4	25.4
Objective (mm)	40	40	40	44	32	44
Focal Plane	Second	Second	Second	Second	Second	Second
Reticle Type	Metal Reticle	Metal Reticle	Metal Reticle	Metal Reticle	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	No	Red	No	No	Red	Red
FOV@LX (ft.@100yds)	25.60	25.60	23.00	17.20	68.00	41.00
FOV@HX (ft.@100yds)	8.40	8.40	5.80	4.30	21.00	14.70
Eye Relief @ LX (mm)	95.00	95.00	112.00	93.00	138.00	90.00
Eye Relief @HX (mm)	95.00	95.00	90.00	80.00	98.00	78.00
Exit Pupil@ LX (mm)	10.00	10.00	10.00	7.30	16.00	12.00
Exit Pupil@ HX (mm)	3.33	3.33	2.50	1.83	6.40	4.40
W/E Clicks	0.1mil	0.1mil	0.1mil	0.1mil	0.25moa	0.25moa
Elevation Adjustment Range (MOA)	60	80	60	60	90	50
Windage Adjustment Range (MOA)	60	80	60	60	90	50
Side Focus	No	No	10yds-infinity	10yds-infinity	No	No
Weight (oz/g)	532g	18.77/532	597g	21.38/606	N/A	552g
Catagory	Hunting / Airgun	Hunting / Airgun	Hunting	Hunting / Airgun	Hunting / Airgun	Hunting / Airgun





Rifle Scopes



2.5-20 x 50

Item No.	SCP-F1824i-W	SCP-F1251030i	SCP-F151224i	SCP-F2251832aoi	SCP-F252050esi	SCP-F252050si
Magnification	1X~8X	1.25X~10X	1.5X~12X	2.25X~18X	2.5X~20X	2.5X~20X
Tube Diameter(mm)	34	34	34	34	34	34
Objective (mm)	24	30	24	32	50	50
Focal Plane	First	First	First	First	First	First
Reticle Type	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Red	Red	Red	Red	Red
FOV@LX (ft.@100yds)	123.00	86.80	79.50	51.66	42.70	49.70
FOV@HX (ft.@100yds)	14.12	10.46	9.94	6.66	5.39	6.30
Eye Relief @ LX (mm)	92.00	92.00	98.00	95.00	91.00	91.00
Eye Relief @HX (mm)	96.00	96.00	98.00	97.00	96.00	94.00
Exit Pupil@ LX (mm)	10.10	9.80	8.30	9.70	9.80	9.70
Exit Pupil@ HX (mm)	3.02	2.90	2.10	1.75	2.50	2.65
W/E Clicks	0.1mil	0.1mil	0.1mil	0.25moa	0.1mil	0.1mil
Elevation Adjustment Range (MOA)	150	120	150	100	100	100
Windage Adjustment Range (MOA)	150	120	150	100	80	80
Side Focus	No	No	No	10yds-infinity	15yds-infinity	15yds-infinity
Weight (oz/g)	27.28/772	27.20/770	720g	29.28/830	32.63/925	32.69/925
Catagory	Tactical	Tactical	Tactical	Tactical	Tactical	Tactical





Rifle Scopes



5.5-44 x 56

Item No.	SCP-F453656si	SCP-F554456si	SCP-F756056si	SCP-1824i	SCP-1824i-W	SCP-151224i
Magnification	4.5X~36X	5.5X~44X	7.5X~60X	1X~8X	1X~8X	1.5X~12X
Tube Diameter(mm)	34	34	34	30	30	30
Objective (mm)	56	56	56	24	24	24
Focal Plane	First	First	First	Second	Second	Second
Reticle Type	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle	CQB/4A Dot/BDC	CQB/4A Dot/BDC	Glass Etched Reticle
Illuminated Reticle	Red	Red	Red	Red	Red	Red
FOV@LX (ft.@100yds)	23.50	19.87	13.94	104.60	123.00	79.50
FOV@HX (ft.@100yds)	3.20	2.88	1.88	13.10	15.17	9.94
Eye Relief @ LX (mm)	97.00	93.00	95.00	110.00	92.00	98.00
Eye Relief @HX (mm)	95.00	97.00	97.00	91.00	96.00	98.00
Exit Pupil@ LX (mm)	9.70	10.20	9.70	16.60	10.10	8.30
Exit Pupil@ HX (mm)	1.50	1.36	0.93	3.00	3.00	2.10
W/E Clicks	0.1 mil	0.25moa	0.125moa	0.1mil	0.5moa	0.1mil
Elevation Adjustment Range (MOA)	80	80	80	100	150	150
Windage Adjustment Range (MOA)	60	80	80	100	150	150
Side Focus	12yds-infinity	10yds-infinity	10yds-infinity	No	No	No
Weight (oz/g)	N/A	37.39/1060	37.46/1060	17.43/494	493g	720g
Catagory	Tactical	Tactical	Tactical	Hunting / Airgun	Tactical / Airgun	Hunting / Airgun



Rifle Scope Cover



RSSS-01

RSSS-02

RSSS-03



RSSS-04


RSSS-05

Specifications:

Item	Jacket Length Front Diameter	Scope Length	Scope Objective
RSSS-01	10" x 3.5mm	10.5"-11.5"	Up to 33mm
RSSS-02	10.25" x 4.5mm	10.5"-12"	Up to 43mm
RSSS-03	11.5" x 5.0mm	12"-14"	Up to 50mm
RSSS-04	13.5" x 5.2mm	13"-15.5"	Up to 56mm
RSSS-05	14.5" x 5.6mm	14"-16.5"	Up to 60mm



Laser Bore Sighter



Item No	Material	Specifications
LBS-001U	Plastic + Copper	Cal.: 4.5, 5.5, 6, 8, 9, 10, 14 & 16mm
LBS-5439	Copper	Cal.: 5.4mm x 39mm
LBS-6555	Copper	Cal.: 6.50mm x 55mm
LBS-7	Copper	Cal.: 7mm
LBS-757	Copper	Cal.: 7mm x 57mm Rem
LBS-76239	Copper	Cal.: 7.62 x 39mm
LBS-76254	Copper	Cal.: 7.62 x 54mm, REM
LBS-8	Copper	Cal.: 8mm
LBS-857	Copper	Cal.: 8mm x 57mm JS
LBS-857R	Copper	Cal.: 8mm x 57mm JRS
LBS-9	Copper	Cal.: 9mm
LBS-9362	Copper	Cal.: 9.3mm x 62mm
LBS-222	Copper	Cal. 222 Rem
LBS-223	Copper	Cal.: .223 Rem
LBS-30	Copper	Cal.: .30
LBS-300	Copper	Cal.: 300 Win
LBS-3006	Copper	Cal.: .30-06 / .25-06 / .270 Win
LBS-303	Copper	Cal.: .303
LBS-3030	Copper	Cal.: .30-30 Win (.30-30/.25-06/.270)
LBS-308	Copper	Cal.: .308 Rem
LBS-38	Copper	Cal.: .38
LBS-40	Copper	Cal.: .40
LBS-40	Copper	Cal.: .40 S&W
LBS-45	Copper	Cal.: .45
LBS-45	Copper	Cal.: .45ACP
LBS-45	Copper	Cal.: .45 COLT
LBS-458	Copper	Cal.: .458 Socom
LBS-12	Copper	Cal.: 12GA
LBS-50	Copper	Cal.: .50 BMG

DOT SIGHT

Model	RD-21001
Magnification	1X
Reflex Lens Coating:	Red Film
Clear Aperture:	19.50mm
Light Transmission:	70%
Dot Size:	2 moa-5 moa
Click Value:	1 moa
W/E Adjustment Range:	≥ 45 moa (Up, down, right & left)
Parallax:	≤ 2 moa
Free Parallax Setting:	50 or 100 Yards
Brightness Setting:	10 settings; Push & hold 3 seconds to shot down; Power off memory
Battery Model:	CR2032
Battery Life:	≥ 5000 hours @ middle setting
Operation Temperature Range:	-20°C~-60°C/-4°F~+140°F
Water Proof:	Yes
Shock Proof:	Yes
Fogging Proof:	Yes



RD-21001



RD-20000

Model	RD-20000
Magnification	1x
Reflex Lens Coating:	Red Film
Clear Aperture:	20mm
Light Transmission:	≥70%
Dot Size:	2moa
Click Value:	1moa
W/E Adjustment Range :	>120moa
Parallax:	≤2moa
Parallax Free Setting:	50 or 100yard
Brightness Setting:	6 settings
Battery Model:	AAA Battery (Not included)
Extra Solar Panel:	Yes
Mounting System:	Picatinny/Weaver
Water Proof:	Yes
Fogging Proof:	Yes
Shock Proof:	Yes

Model	RD-21002
Magnification	1x
Reflex Lens Coating:	Red Film
Clear Aperture:	21mm
Light Transmission:	≥70%
Dot Size:	2moa
Click Value:	1moa
W/E Adjustment Range:	>120moa
Parallax:	≤2moa
Parallax Free Setting:	50 or 100yard
Brightness Setting:	Red & Green(5 settings each)
Battery Model:	CR2032
Extra Solar Panel:	No
Mounting System:	Picatinny/Weaver
Water Proof:	Yes
Fogging Proof:	Yes
Shock Proof:	Yes



RD-21002



RD-21003

Model	RD-21003
Magnification	1x
Reflex Lens Coating:	Red Film
Clear Aperture:	21mm
Light Transmission:	≥70%
Dot Size:	2moa
Click Value:	1moa
W/E Adjustment Range:	>120moa
Parallax:	≤2moa
Parallax Free Setting:	50 or 100yard
Brightness Setting:	12 settings
Battery Model:	CR2032
Extra Solar Panel:	No
Mounting System:	Picatinny/Weaver
Water Proof:	Yes
Fogging Proof:	Yes
Shock Proof:	Yes

Model	RD-21004
Magnification	1x
Reflex Lens Coating:	Red Film
Clear Aperture:	21mm
Light Transmission:	≥70%
Dot Size:	2moa
Click Value:	1moa
W/E Adjustment Range:	>120moa
Parallax:	≤2moa
Parallax Free Setting:	50 or 100yard
Brightness Setting:	12 settings
Battery Model:	CR2032
Extra Solar Panel:	No
Mounting System:	Picatinny/Weaver
Water Proof:	Yes
Fogging Proof:	Yes
Shock Proof:	Yes



RD-21004

Model	RD-25001
Magnification	1X
Reflex Lens Coating:	Red Film
Clear Aperture:	23.50mm
Light Transmission:	70%
Dot Size:	2 moa-5 moa
Click Value:	1 moa
W/E Adjustment Range:	≥ 45 moa (Up, down, right & left)
Parallax:	≤ 2 moa
Free Parallax Setting:	50 or 100 Yards
Brightness Setting:	10 settings; Push & hold 3 seconds to shot down; Power off memory
Battery Model:	CR2032
Battery Life:	≥ 5000 hours @ middle setting
Operation Temperature Range:	-20°C~+60°C/-4°F~+140°F
Water Proof:	Yes
Shock Proof:	Yes
Fogging Proof:	Yes



RD-25001



RD-29001



Model	RD-29001
Magnification	1X
Reflex Lens Coating:	Red Film
Clear Aperture:	27.00mm
Light Transmission:	70%
Dot Size:	2 moa-5 moa
Click Value:	0.5 moa
W/E Adjustment Range:	≥ 45 moa (Up, down, right & left)
Parallax:	≤ 2 moa
Free Parallax Setting:	50 or 100 Yards
Brightness Setting:	10 settings; Push & hold 3 seconds to shot down; Power off memory
Battery Model:	CR2032
Battery Life:	≥ 2000 hours @ middle setting
Operation Temperature Range:	-20°C~+60°C/-4°F~+140°F
Water Proof:	Yes
Shock Proof:	Yes
Fogging Proof:	Yes

Model	RX-1002
Magnification	1X
Reflex Lens Coating:	Red Film
Window Size:	24 x 17mm
Light Transmission:	70%
Dot Size:	3 moa
Click Value:	x
W/E Adjustment Range:	≥ 45 moa (Up, down, right & left)
Parallax:	≤ 2 moa
Free Parallax Setting:	50 or 100 Yards
Brightness Setting:	10 settings; Push & hold 3 seconds to shot down; Power off memory
Battery Model:	CR2032
Battery Life:	≥ 2000hours @ middle setting
Operation Temperature Range:	-20°C~+60°C/-4°F~+140°F
Water Proof:	Yes
Shock Proof:	Yes
Fogging Proof:	Yes



RX-1001

Model	RX-1001
Magnification	1X
Reflex Lens Coating:	Red Film
Window Size:	24 x 17mm
Light Transmission:	70%
Dot Size:	3 moa-5 moa
Click Value:	x
W/E Adjustment Range:	≥ 45 moa (Up, down, right & left)
Parallax:	≤ 2 moa
Free Parallax Setting:	50 or 100 Yards
Brightness Setting:	10 settings; Push & hold 3 seconds to shot down; Power off memory
Battery Model:	CR2032
Battery Life:	≥ 2000hours @ middle setting
Operation Temperature Range:	-20°C~+60°C/-4°F~+140°F
Water Proof:	Yes
Shock Proof:	Yes
Fogging Proof:	Yes

Model	RX-1003
Magnification	1X
Reflex Lens Coating:	Red Film
Window Size:	20 x 16.50mm
Light Light Transmission:	85%
Dot Size:	2 moa
Click Value:	x
W/E Adjustment Range:	≥ 45 moa (Up, down, right & left)
Parallax:	≤ 1.5 moa
Free Parallax Setting:	50 or 100 Yards
Brightness Setting:	10 settings; Push & hold 3 seconds to shot down; Power off memory
Battery Model:	CR2032
Battery Life:	High-light:50 hours,Low-light:500 hours
Operation Temperature Range:	-20°C~+60°C/-4°F~+140°F
Water Proof:	Yes
Shock Proof:	Yes
Fogging Proof:	Yes



RX-1002




RX-1003


Model	RX-1012
Magnification	1X
Reflex Lens Coating	Red Film
Window Size	24 x 20 mm
Light Transmission	90%
Dot Size	3 MOA
Click Value	N/A
W/E Adjustment Range	90 MOA / 90 MOA
Parallax	≤2MOA
Free Parallax Setting	100 yards
Brightness Setting	8 daytime + 2 NV
Mount Base	RMR Base
Battery Model	CR1632. Side load
Battery Life	Low level 50,000 hrs +
Operation Temperature Range	-20 °C ~ 40 °C (-4 °F ~ 104 °F)
Water Proof	IPX7 (1M, 30min)
Shock Proof	1000Gs, 300Circles
Fogging Proof	Yes
Shake Awake Function	Yes





Model	RX-1011
Magnification	1X
Reflex Lens Coating	Red Film
Window Size	26 x 23 mm
Light Transmission	90%
Dot Size	3 MOA
Click Value	N/A
W/E Adjustment Range	90 MOA / 90 MOA
Parallax	≤2MOA
Free Parallax Setting	100 yards
Brightness Setting	8 daytime + 2 NV
Mount Base	RMR Base
Battery Model	CR1632. Side load
Battery Life	Low level 50,000 hrs +
Operation Temperature Range	-20 °C ~ 40 °C (-4 °F ~ 104 °F)
Water Proof	IPX7 (1M, 30min)
Shock Proof	1000Gs, 300Circles
Fogging Proof	Yes
Shake Awake Function	Yes

Model	RX-1019
Magnification	1X
Reflex Lens Coating	Red Film
Window Size	22mm Diameter
Light Transmission	70%
Dot Size	3-4MOA
Click Value	1MOA
W/E Adjustment Range	±30MOA
Parallax	NO
Free Parallax Setting	50 yards
Brightness Setting	R/7 Levels
Mount Base	N/A
Battery Model	CR2032
Battery Life	N/A
Operation Temperature Range	-40 °C ~ 50 °C (-40 °F ~ 122 °F)
Water Proof	Yes
Shock Proof	Yes
Fogging Proof	Yes
Shake Awake Function	No





RD-0004



RL-0001R

Model	RD-0004	RL-0001R
Magnification	1x	1x
Objective Lens Dia.	35x24mm	33mm
Net Weight	117g	198g
Length	83mm	85mm
Eye Relief	unlimited	unlimited
Material	Aluminum	Aluminum
Battery	CR2032	CR2032



1"/30mm

Picatinny/Weaver

Steel Ring

- ◆ Durable solid steel assures exceptional strength
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Different height available from Low , Medium and High profile
- ◆ Matte black surface treatment

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-1001WL	Steel	1"	Low	18mm	22.00mm	2	Matte
SR-1001WM	Steel	1"	Medium	18mm	25.80mm	2	Matte
SR-1001WH	Steel	1"	High	18mm	28.80mm	2	Matte
SR-3001WL	Steel	30mm	Low	18mm	24.30mm	2	Matte
SR-3001WM	Steel	30mm	Medium	18mm	28.10mm	2	Matte
SR-3001WH	Steel	30mm	High	18mm	31.90mm	2	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1001WL	Steel	1"	Low	18.00mm	22.00mm	2	Matte
SR-Q1001WM	Steel	1"	Medium	18.00mm	25.80mm	2	Matte
SR-Q1001WH	Steel	1"	High	18.00mm	28.80mm	2	Matte
SR-Q3001WL	Steel	30mm	Low	18.00mm	24.30mm	2	Matte
SR-Q3001WM	Steel	30mm	Medium	18.00mm	28.10mm	2	Matte
SR-Q3001WH	Steel	30mm	High	18.00mm	31.90mm	2	Matte

QD Steel Ring

Picatinny/Weaver


1"/30mm

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1002WL	Steel	1"	Low	15.88mm	17.12mm	4	Matte
SR-Q1002WM	Steel	1"	Medium	15.88mm	21.30mm	4	Matte
SR-Q1002WH	Steel	1"	High	15.88mm	27.10mm	4	Matte
SR-Q3002WL	Steel	30mm	Low	15.88mm	19.50mm	4	Matte
SR-Q3002WM	Steel	30mm	Medium	15.88mm	21.70mm	4	Matte
SR-Q3002WH	Steel	30mm	High	15.88mm	27.50mm	4	Matte
SR-Q3002WEXH	Steel	30mm	Extra High	15.88mm	30.00mm	4	Matte



HOT

- 1.Durable Steel Construction
- 2.Torx Screws Installation
- 3.Non-slip bump
- 4.Square recoil lug
- 5.Lever for quick attach & detach



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1018WL	Steel	1"	Low	18.00mm	17.10mm	4	Matte
SR-Q1018WM	Steel	1"	Medium	18.00mm	21.30mm	4	Matte
SR-Q1018WH	Steel	1"	High	18.00mm	27.10mm	4	Matte
SR-Q3018WL	Steel	30mm	Low	18.00mm	19.50mm	4	Matte
SR-Q3018WM	Steel	30mm	Medium	18.00mm	21.70mm	4	Matte
SR-Q3018WH	Steel	30mm	High	18.00mm	27.50mm	4	Matte
SR-Q3018WEXH	Steel	30mm	Extra High	18.00mm	30.00mm	4	Matte



Mounting System Ring 24



1" / 30mm

Picatinny/Weaver

Steel Ring

- ◆ Durable solid steel assures exceptional strength
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Different height available from Low ,Medium and High profile
- ◆ Matte black surface treatment
- ◆ Standard two and four screws version, tough, utterly precise, perfect match for riflescopes

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1003WL	Steel	1"	Low	15.88mm	17.10mm	4	Matte
SR-Q1003WM	Steel	1"	Medium	15.88mm	21.30mm	4	Matte
SR-Q1003WH	Steel	1"	High	15.88mm	27.10mm	4	Matte
SR-Q3003WL	Steel	30mm	Low	15.88mm	19.50mm	4	Matte
SR-Q3003WM	Steel	30mm	Medium	15.88mm	21.70mm	4	Matte
SR-Q3003WH	Steel	30mm	High	15.88mm	27.50mm	4	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1004WL	Steel	1"	Low	15.88mm	16.87mm	4	Matte
SR-Q1004WM	Steel	1"	Medium	15.88mm	21.07mm	4	Matte
SR-Q1004WH	Steel	1"	High	15.88mm	26.87mm	4	Matte
SR-Q3004WL	Steel	30mm	Low	15.88mm	19.17mm	4	Matte
SR-Q3004WM	Steel	30mm	Medium	15.88mm	21.22mm	4	Matte
SR-Q3004WH	Steel	30mm	High	15.88mm	27.57mm	4	Matte



34/35/36mm

Picatinny / Weaver **Steel** Ring

- ◆ Most durable and solid steel construction assure the exceptional strength.
- ◆ Well applied for all standard picatinny/weaver rails.
- ◆ Perfect fit for riflescopes in 34mm, 35mm & 36mm tubes.
- ◆ 4-screws rings provides more clamping force and perfect for heavy recoil rifles.
- ◆ Matte black surface treatment.

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q3404WL	Steel	34mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3404WM	Steel	34mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3404WH	Steel	34mm	High	15.88mm	40.00mm	4	Matte
SR-Q3504WL	Steel	35mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3504WM	Steel	35mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3504WH	Steel	35mm	High	15.88mm	40.00mm	4	Matte
SR-Q3604WL	Steel	36mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3604WM	Steel	36mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3604WH	Steel	36mm	High	15.88mm	40.00mm	4	Matte

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q3402WL	Steel	34mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3402WM	Steel	34mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3402WH	Steel	34mm	High	15.88mm	40.00mm	4	Matte
SR-Q3502WL	Steel	35mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3502WM	Steel	35mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3502WH	Steel	35mm	High	15.88mm	40.00mm	4	Matte
SR-Q3602WL	Steel	36mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3602WM	Steel	36mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3602WH	Steel	36mm	High	15.88mm	40.00mm	4	Matte



Mounting System Ring 26

Steel Ring for **Tikka**

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1012NH	Steel	1"	High	15.88mm	30.00mm	4	Matte
SR-Q1012NM	Steel	1"	Medium	15.88mm	24.50mm	4	Matte
SR-Q3012NH	Steel	30mm	High	15.88mm	30.00mm	4	Matte
SR-Q3012NM	Steel	30mm	Medium	15.88mm	27.00mm	4	Matte

Features:

Quick Detachable
Well applied for most Tikka rails or 16.50/17.00mm Dovetail
Matte black surface treatment
4-screw rings provide more clamping force
Perfect for heavy recoil rifles



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1013NH	Steel	1"	High	15.88mm	30.00mm	4	Matte
SR-Q1013NM	Steel	1"	Medium	15.88mm	24.50mm	4	Matte
SR-Q3013NH	Steel	30mm	High	15.88mm	30.00mm	4	Matte
SR-Q3013NM	Steel	30mm	Medium	15.88mm	27.00mm	4	Matte

Features:

Well applied for most Tikka rails or 16.50/17.00mm Dovetail
Matte black surface treatment
4-screw rings provide more clamping force
Perfect for heavy recoil rifles



1"/30mm Air Gun Ring



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-1002NL	Steel	1"	Low	15.88mm	19.10mm	2	Matte
SR-1002NM	Steel	1"	Medium	15.88mm	22.70mm	2	Matte
SR-1002NH	Steel	1"	High	15.88mm	26.10mm	2	Matte
SR-3002NL	Steel	30mm	Low	15.88mm	22.40mm	2	Matte
SR-3002NM	Steel	30mm	Medium	15.88mm	25.40mm	2	Matte
SR-3002NH	Steel	30mm	High	15.88mm	31.40mm	2	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-1001NL	Steel	1"	Low	15.88mm	23.10mm	2	Matte
SR-1001NM	Steel	1"	Medium	15.88mm	25.40mm	2	Matte
SR-1001NH	Steel	1"	High	15.88mm	31.50mm	2	Matte
SR-3001NL	Steel	30mm	Low	15.88mm	25.20mm	2	Matte
SR-3001NM	Steel	30mm	Medium	15.88mm	27.70mm	2	Matte
SR-3001NH	Steel	30mm	High	15.88mm	33.80mm	2	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1002NL	Steel	1"	Low	15.88mm	20.10mm	4	Matte
SR-Q1002NM	Steel	1"	Medium	15.88mm	22.70mm	4	Matte
SR-Q1002NH	Steel	1"	High	15.88mm	29.10mm	4	Matte
SR-Q3002NL	Steel	30mm	Low	15.88mm	22.40mm	4	Matte
SR-Q3002NM	Steel	30mm	Medium	15.88mm	25.40mm	4	Matte
SR-Q3002NH	Steel	30mm	High	15.88mm	31.40mm	4	Matte

Turn-in STEEL RING

Steel bar machined turn-in steel rings are precision engineered to match up with 1-piece or 2-piece bases. Rear ring is secured by windage adjustment screws.

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	See-Through	Weaver Rail	.22 Dovetail	Finish
SR-1001L	Steel	1"	Low	15.88mm	19.58mm	2	No	No	No	Matte
SR-1001M	Steel	1"	Medium	15.88mm	22.88mm	2	No	No	No	Matte
SR-1001H	Steel	1"	High	15.88mm	25.92mm	2	No	No	No	Matte
SR-3001L	Steel	30mm	Low	15.88mm	23.15mm	2	No	No	No	Matte
SR-3001M	Steel	30mm	Medium	15.88mm	27.47mm	2	No	No	No	Matte
SR-3001H	Steel	30mm	High	15.88mm	33.72mm	2	No	No	No	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	See-Through	Weaver Rail	.22 Dovetail	Finish
SR-1003L	Steel	1"	Low	15.88mm	19.58mm	2	No	No	No	Matte
SR-1003M	Steel	1"	Medium	15.88mm	22.88mm	2	No	No	No	Matte
SR-1003H	Steel	1"	High	15.88mm	25.92mm	2	No	No	No	Matte
SR-3003L	Steel	30mm	Low	15.88mm	23.15mm	2	No	No	No	Matte
SR-3003M	Steel	30mm	Medium	15.88mm	27.47mm	2	No	No	No	Matte
SR-3003H	Steel	30mm	High	15.88mm	33.72mm	2	No	No	No	Matte

30mm/34mm

**Hunting/DQ Style Integral Mounts
with/without Bubble Level**

Picatinny/Weaver

Aluminum Ring

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
ARG-3018WH	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-3018WM	T6 Alum.	30.00mm	0 moa	25.40mm	34.05mm	12	Matte
ARG-B3018WH (with bubble level)	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-Q3018WH	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-Q3018WM	T6 Alum.	30.00mm	0 moa	25.40mm	34.05mm	12	Matte
ARG-QB3018WH (with bubble level)	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-3418WH	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte
ARG-B3418WH (with bubble level)	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte
ARG-Q3418WH	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte
ARG-QB3418WH (with bubble level)	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte



ARG-QB3418WH



ARG-3018WM



ARG-Q3018WH

Integral Mounting System 30

QD Cantilever Mounts


1"/30mm Picatinny/Weaver
Aluminum Ring



ARG-Q3008WH



ARG-Q1008WH



- ◆ Available in **20moa**, **30moa** and **45moa** for long range precision shooting
- ◆ Extremely sturdy one-piece construction scope mounts
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Matte black surface treatment
- ◆ Non-slip bump, Square recoil lug
- ◆ Lever for quick attach and detach

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
ARG-Q1008WH	T6 Alum.	1"	High	18.00mm	40.50mm	8	Matte
ARG-Q3008WH	T6 Alum.	30mm	High	25.40mm	40.50mm	12	Matte



Tactical One-Piece

Integral Mounting System Picatinny/Weaver

1"/30/34/35/mm

- ◆ Available in **20moa, 30moa and 45moa** for long range precision shooting
- ◆ Extremely sturdy one-piece construction scope mounts
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Matte black surface treatment

Model	Material	Description	Diameter	Width	Saddle Height	Screws Per Ring	Finish
ARG-1008WH	T6 Alum.	0moa High	1"	18.00mm	38.00mm	8	Matte
ARG-3008WH	T6 Alum.	0moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3008WH20	T6 Alum.	20moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3008WH30	T6 Alum.	30moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3008WH45	T6 Alum.	45moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3412WH	T6 Alum.	0moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3412WH20	T6 Alum.	20moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3412WH30	T6 Alum.	30moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3412WH45	T6 Alum.	45moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3512WH	T6 Alum.	0moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-3512WH20	T6 Alum.	20moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-3512WH30	T6 Alum.	30moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-3512WH45	T6 Alum.	45moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-B1008WH with bubble level	T6 Alum.	0moa High	1"	18.00mm	38.00mm	8	Matte
ARG-B3008WH with bubble level	T6 Alum.	0moa High	30mm	25.40mm	40.50mm	12	Matte



1"/30mm

QD Aluminum Ring Picatinny/Weaver

NEW




- ◆ Strong and durable aluminum alloy
- ◆ Mounts to any Picatinny-style rail
- ◆ Non-slip bump, Square recoil lug
- ◆ Lever for quick attach and detach

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-Q1022WL	T6 Alum.	1"	Low	22.00mm	23.25mm	6	Matte
AR-Q1022WM	T6 Alum.	1"	Medium	22.00mm	27.25mm	6	Matte
AR-Q1022WH	T6 Alum.	1"	High	22.00mm	35.25mm	6	Matte
AR-Q3022WL	T6 Alum.	30mm	Low	22.00mm	27.70mm	6	Matte
AR-Q3022WM	T6 Alum.	30mm	Medium	22.00mm	34.05mm	6	Matte
AR-Q3022WH	T6 Alum.	30mm	High	22.00mm	40.40mm	6	Matte


1"/30mm

Aluminum Scope Ring Picatinny/Weaver



- ◆ Heavy duty rings with six clamping screws.
- ◆ An oversized nut to hold any scope tightly.

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1003WL	T6 Alum.	1"	Low	25.40mm	19.00mm	6	Matte
AR-1003WM	T6 Alum.	1"	Medium	25.40mm	25.40mm	6	Matte
AR-1003WH	T6 Alum.	1"	High	25.40mm	31.70mm	6	Matte
AR-1003WEXH	T6 Alum.	1"	Extra High	25.40mm	38.20mm	6	Matte
AR-3003WL	T6 Alum.	30mm	Low	25.40mm	21.30mm	6	Matte
AR-3003WM	T6 Alum.	30mm	Medium	25.40mm	27.70mm	6	Matte
AR-3003WH	T6 Alum.	30mm	High	25.40mm	34.00mm	6	Matte
AR-3003WEXH	T6 Alum.	30mm	Extra High	25.40mm	40.40mm	6	Matte



- ◆ Strong and durable aluminum alloy
- ◆ Bubble level on rear ring for maximum accuracy and consistency
- ◆ Mounts to any Picatinny-style rail

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-B3003WL	Alum.	30mm	Low	25.40mm	27.70mm	6	Matte
AR-B3003WM	Alum.	30mm	Medium	25.40mm	34.00mm	6	Matte
AR-B3003WH	Alum.	30mm	High	25.40mm	40.40mm	6	Matte

- ◆ Heavy duty rings constructed from lightweight T6 aluminum alloy with six clamping screws.
- ◆ An oversized nut to hold any scope tightly
- ◆ Perfect for the heaviest recoiling rifles

1"/30mm

Picatinny/Weaver Aluminum Ring


- ◆ Easily detaches and remount
- ◆ T6 Aluminum construction to assure best performance
- ◆ Fits all standard Picatinny/Weaver rails

Model	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1001WL	1"	Low	18.00mm	21.60mm	4	Matte
AR-1001WM	1"	Medium	18.00mm	25.40mm	4	Matte
AR-1001WH	1"	High	18.00mm	29.20mm	4	Matte
AR-3001WL	30mm	Low	18.00mm	23.90mm	4	Matte
AR-3001WM	30mm	Medium	18.00mm	27.70mm	4	Matte
AR-3001WH	30mm	High	18.00mm	31.50mm	4	Matte




Model	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1002WL	1"	Low	21.00mm	22.70mm	4	Matte
AR-1002WM	1"	Medium	21.00mm	26.70mm	4	Matte
AR-1002WH	1"	High	21.00mm	34.70mm	4	Matte
AR-3002WL	30mm	Low	21.00mm	25.00mm	4	Matte
AR-3002WM	30mm	Medium	21.00mm	29.00mm	4	Matte
AR-3002WH	30mm	High	21.00mm	37.00mm	4	Matte

Model	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1004WL	1"	Low	18.00mm	22.50mm	4	Matte
AR-1004WM	1"	Medium	18.00mm	31.20mm	4	Matte
AR-1004WH	1"	High	18.00mm	37.20mm	4	Matte
AR-3004WL	30mm	Low	18.00mm	24.80mm	4	Matte
AR-3004WM	30mm	Medium	18.00mm	33.50mm	4	Matte
AR-3004WH	30mm	High	18.00mm	39.50mm	4	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1013WH	T6 Alum.	1"	High	18.00mm	38.10mm	4	Matte
AR-1013WL	T6 Alum.	1"	Low	18.00mm	25.40mm	4	Matte
AR-1013WM	T6 Alum.	1"	Medium	18.00mm	31.70mm	4	Matte
AR-3013WH	T6 Alum.	30mm	High	18.00mm	40.40mm	4	Matte
AR-3013WL	T6 Alum.	30mm	Low	18.00mm	27.70mm	4	Matte
AR-3013WM	T6 Alum.	30mm	Medium	18.00mm	34.00mm	4	Matte




Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-3413WH	T6 Alum.	34mm	High	18.00mm	40.30mm	8	Matte
AR-3413WL	T6 Alum.	34mm	Low	18.00mm	29.60mm	8	Matte
AR-3413WM	T6 Alum.	34mm	Medium	18.00mm	33.80mm	8	Matte



1"/30mm/34mm

Picatinny/Weaver

Aluminum Ring



1"/30mm



Picatinny/Weaver

Aluminum Ring



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-R1006WL	T6 Alum.	1"	Low	18.00mm	25.4mm	4	Matte
AR-R1006WM	T6 Alum.	1"	Medium	18.00mm	27.70mm	4	Matte
AR-R1006WH	T6 Alum.	1"	High	18.00mm	34.00mm	4	Matte
AR-R3006WL	T6 Alum.	30mm	Low	18.00mm	27.7mm	4	Matte
AR-R3006WM	T6 Alum.	30mm	Medium	18.00mm	29.00mm	4	Matte
AR-R3006WH	T6 Alum.	30mm	High	18.00mm	36.00mm	4	Matte

Model	AR-1014WH	AR-3014WH
Material	T6 Alum.	T6 Alum.
Diameter	1"	30mm
Height	High	High
Width	18.00mm	18.00mm
Saddle Height	38.10mm	38.10mm
Screws Per Ring	8	8
Finish	Matte	Matte



Model	AR-3015WH
Material	T6 Alum.
Diameter	30mm
Height	High
Width	18.00mm
Saddle Height	39.40mm
Screws Per Ring	8
Finish	Matte

Mounting System Ring-Alum 37


.22/Air Gun Ring

- ◆ Precision machined from **aluminum** alloy
- ◆ Anodized Matte black finish
- ◆ Fit on 11mm rails with Airgun/.22 dovetail dimensions
- ◆ Different height available from Low profile ,Medium profile and high profile



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1001NL	Alum.	1"	Low	18.00mm	23.10mm	2	Matte
AR-1001NM	Alum.	1"	Medium	18.00mm	25.40mm	2	Matte
AR-1001NH	Alum.	1"	High	18.00mm	31.50mm	2	Matte
AR-3001NL	Alum.	30mm	Low	18.00mm	25.20mm	2	Matte
AR-3001NM	Alum.	30mm	Medium	18.00mm	27.70mm	2	Matte
AR-3001NH	Alum.	30mm	High	18.00mm	33.80mm	2	Matte

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1002NL	Alum.	1"	Low	21.00mm	22.70mm	4	Matte
AR-1002NM	Alum.	1"	Medium	21.00mm	26.70mm	4	Matte
AR-1002NH	Alum.	1"	High	21.00mm	34.70mm	4	Matte
AR-3002NL	Alum.	30mm	Low	21.00mm	25.00mm	4	Matte
AR-3002NM	Alum.	30mm	Medium	21.00mm	29.00mm	4	Matte
AR-3002NH	Alum.	30mm	High	21.00mm	37.00mm	4	Matte



- ◆ Precision machined from aircraft aluminum alloy
- ◆ Integral one-piece construction provides a strong mount which withstands the bumps and knocks of heavy use.
- ◆ Ring base with hex head locking screws to tightly fit on rails with Airgun .22 dovetail dimension.

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
ARG-1007NH	Alum.	1"	High	21.00mm	34.70mm	8	Matte
ARG-1006NH	Alum.	1"	High	21.00mm	36.70mm	8	Matte
ARG-3007NH	Alum.	1" / 30mm	High	21.00mm	37.00mm	8	Matte

Mounting System Ring-Alum 38

Bubble Level Ring

- ◆ CNC machined from high strength quality T6 Aluminum Alloy or steel billet
- ◆ Integral, One-Piece construction
- ◆ Quality anadization, matte finish
- ◆ Using the bubble level to ensure that the rifle scope is perfectly vertical.
- ◆ Bubble Level Ring For 1"/30mm /34mm Tube Scope
- ◆ Water Proof * Fogging Proof * Shock Proof



Model	Material	Diameter	Width	Screws Per Ring	Bubble Diameter	Bubble Level Color
BL-A1002	T6 Alum	1"	11.50mm	2	9.50mm	Brown
BL-A3002	T6 Alum	30mm	11.50mm	2	9.50mm	Brown
BL-A3402	T6 Alum	34mm	11.50mm	2	9.50mm	Brown
BL-S1002	Steel	1"	11.50mm	2	9.50mm	Brown
BL-S3002	Steel	30mm	11.50mm	2	9.50mm	Brown
BL-S3402	Steel	34mm	11.50mm	2	9.50mm	Brown

Model	Material	Diameter	Width	Screws Per Ring	Bubble Diameter	Bubble Level Color
BL-A1001	T6 Alum	1"	9.50mm	2	8.00mm	Green
BL-A3001	T6 Alum	30mm	9.50mm	2	8.00mm	Green
BL-A3401	T6 Alum	34mm	9.50mm	2	8.00mm	Green
BL-S1001	Steel	1"	9.50mm	2	8.00mm	Green
BL-S3001	Steel	30mm	9.50mm	2	8.00mm	Green
BL-S3401	Steel	34mm	9.50mm	2	8.00mm	Green




1" / 30mm Aluminum Integral Ring

- ◆ Unique scope mount made of one-piece construction
- ◆ Lightweight unitized design eliminates the possibility of an "out of alignment "interface or "loose connection "between the rings and base of traditional two piece designs
- ◆ More strength and durability
- ◆ Precision CNC machining



Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
ART-ASZ101L	T6 Alum.	1"	Low	21.76mm	36.96	21.84	12.70	12.70	6	Matte	Anschutz54,64,153,1400,1500
ART-ASZ101M	T6 Alum.	1"	Medium	24.83mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ101H	T6 Alum.	1"	High	24.75mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ301L	T6 Alum.	30mm	Low	28.13mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ301M	T6 Alum.	30mm	Medium	28.40mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ301H	T6 Alum.	30mm	High	32.72mm	36.96	21.84	12.70	12.70	6	Matte	
ART-BRN101L	T6 Alum.	1"	Low	21.89mm	39.12	41.01	21.84	21.84	6	Matte	Browning A-Bolt L/A & S/A, A-Bolt .22
ART-BRN101M	T6 Alum.	1"	Medium	24.96mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN101H	T6 Alum.	1"	High	28.26mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN301L	T6 Alum.	30mm	Low	24.88mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN301M	T6 Alum.	30mm	Medium	28.53mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN301H	T6 Alum.	30mm	High	32.85mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN102L	T6 Alum.	1"	Low	24.97mm	30.70	39.11	14.20	21.84	6	Matte	Browning A Bolt WSSM
ART-BRN102M	T6 Alum.	1"	Medium	28.04mm	30.70	39.11	14.20	21.84	6	Matte	
ART-BRN102H	T6 Alum.	1"	High	31.34mm	30.70	39.11	14.20	21.84	6	Matte	
ART-BRN302L	T6 Alum.	30mm	Low	26.96mm	30.70	39.11	14.20	21.84	6	Matte	
ART-BRN302M	T6 Alum.	30mm	Medium	30.61mm	30.70	39.11	14.20	21.84	6	Matte	
ART-BRN302H	T6 Alum.	30mm	High	33.93mm	30.70	39.11	14.20	21.84	6	Matte	



Integral Ring

Precision CNC machining

Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
					Front	Rear	Front	Rear			
ART-CLT101L	T6 Alum.	1"	Low	21.89mm	36.07	36.07	21.84	21.84	6	Matte	Colt Sauer; Sauer90, 200(Sigarms)
ART-CLT101M	T6 Alum.	1"	Medium	24.96mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT101H	T6 Alum.	1"	High	28.26mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT301L	T6 Alum.	30mm	Low	24.88mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT301M	T6 Alum.	30mm	Medium	28.53mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT301H	T6 Alum.	30mm	High	32.85mm	36.07	36.07	21.84	21.84	6	Matte	
ART-HOW101L	T6 Alum.	1"	Low	23.44mm	37.90	32.00	21.93	15.24	6	Matte	Howa 1500 inter-arms M1500
ART-HOW101M	T6 Alum.	1"	Medium	26.61mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW101H	T6 Alum.	1"	High	29.81mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW301L	T6 Alum.	30mm	Low	26.43mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW301M	T6 Alum.	30mm	Medium	30.08mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW301H	T6 Alum.	30mm	High	34.40mm	37.90	32.00	21.93	15.24	6	Matte	
ART-MAU101L	T6 Alum.	1"	Low	21.06mm	40.00	20.83	21.84	12.70	6	Matte	Actions Colt57, Interarms Mark X, Marlin 455, Weatherby FN Actions
ART-MAU101M	T6 Alum.	1"	Medium	24.13mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU101H	T6 Alum.	1"	High	27.43mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU301L	T6 Alum.	30mm	Low	24.05mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU301M	T6 Alum.	30mm	Medium	27.70mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU301H	T6 Alum.	30mm	High	32.02mm	40.00	20.83	21.84	12.70	6	Matte	

Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
					Front	Rear	Front	Rear			
ART-REM101L	T6 Alum.	1"	Low	21.89mm	32.00	38.00	21.84	15.37	6	Matte	Remington 4,6,74,7400,7600
ART-REM101M	T6 Alum.	1"	Medium	24.96mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM101H	T6 Alum.	1"	High	28.26mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM301L	T6 Alum.	30mm	Low	24.88mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM301M	T6 Alum.	30mm	Medium	28.53mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM301H	T6 Alum.	30mm	High	32.85mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM102L	T6 Alum.	1"	Low	21.66mm	31.50	41.40	21.84	15.37	6	Matte	Remington 700L/A, S/A, Ruger M77 (Round Receiver)
ART-REM102M	T6 Alum.	1"	Medium	24.73mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM102H	T6 Alum.	1"	High	28.03mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM302L	T6 Alum.	30mm	Low	24.65mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM302M	T6 Alum.	30mm	Medium	28.30mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM302H	T6 Alum.	30mm	High	32.62mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM103L	T6 Alum.	1"	Low	21.76mm	45.00	41.00	21.90	15.40	6	Matte	Remington 700L/A, S/A,Rev. Front,Ruger M77 (Round Receiver)
ART-REM103M	T6 Alum.	1"	Medium	24.83mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM103H	T6 Alum.	1"	High	28.13mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM303L	T6 Alum.	30mm	Low	24.75mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM303M	T6 Alum.	30mm	Medium	28.40mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM303H	T6 Alum.	30mm	High	32.72mm	45.00	41.00	21.90	15.40	6	Matte	
ART-SAV101L	T6 Alum.	1"	Low	21.89mm	31.00	40.00	21.84	21.84	6	Matte	Savage 110,110C,L/A & S/A, 111L/A, 112V S/A
ART-SAV101M	T6 Alum.	1"	Medium	24.96mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV101H	T6 Alum.	1"	High	28.26mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV301L	T6 Alum.	30mm	Low	24.88mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV301M	T6 Alum.	30mm	Medium	28.53mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV301H	T6 Alum.	30mm	High	32.85mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV102L	T6 Alum.	1"	Low	23.44mm	36.00	40.00	21.84	21.84	6	Matte	Savage 110
ART-SAV102M	T6 Alum.	1"	Medium	26.51mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV102H	T6 Alum.	1"	High	29.81mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV302L	T6 Alum.	30mm	Low	26.43mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV302M	T6 Alum.	30mm	Medium	30.08mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV302H	T6 Alum.	30mm	High	34.40mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV103L	T6 Alum.	1"	Low	22.61mm	30.50	52.00	21.80	21.90	6	Matte	Savage 110
ART-SAV103M	T6 Alum.	1"	Medium	25.68mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV103H	T6 Alum.	1"	High	28.95mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV303L	T6 Alum.	30mm	Low	25.60mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV303M	T6 Alum.	30mm	Medium	29.25mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV303H	T6 Alum.	30mm	High	33.57mm	30.50	52.00	21.80	21.90	6	Matte	

Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
ART-TIK101L	T6 Alum.	1"	Low	24.61mm	32.00	32.00	21.84	21.84	6	Matte	Tikka
ART-TIK101M	T6 Alum.	1"	Medium	27.68mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK101H	T6 Alum.	1"	High	30.98mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK301L	T6 Alum.	30mm	Low	27.6mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK301M	T6 Alum.	30mm	Medium	30.75mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK301H	T6 Alum.	30mm	High	34.00mm	32.00	32.00	21.84	21.84	6	Matte	
ART-WEA101L	T6 Alum.	1"	Low	21.42mm	37.00	37.00	21.84	15.37	6	Matte	Weatherby Mark V. Mag cal
ART-WEA101M	T6 Alum.	1"	Medium	24.49mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA101H	T6 Alum.	1"	High	27.79mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA301L	T6 Alum.	30mm	Low	24.41mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA301M	T6 Alum.	30mm	Medium	28.10mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA301H	T6 Alum.	30mm	High	32.42mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WIN101L	T6 Alum.	1"	Low	20.93mm	35.00	40.00	21.84	21.84	6	Matte	Winchester70 (Rear Hoe Spacing 860) L/A & S/A, Browning BBR L/A & S/A
ART-WIN101M	T6 Alum.	1"	Medium	24.00mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN101H	T6 Alum.	1"	High	27.30mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN301L	T6 Alum.	30mm	Low	23.92mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN301M	T6 Alum.	30mm	Medium	27.57mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN301H	T6 Alum.	30mm	High	31.89mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN102L	T6 Alum.	1"	Low	20.93mm	35.00	30.00	21.84	11.05	6	Matte	Win 70 Pre 64
ART-WIN102M	T6 Alum.	1"	Medium	24.00mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN102H	T6 Alum.	1"	High	27.30mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN302L	T6 Alum.	30mm	Low	23.92mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN302M	T6 Alum.	30mm	Medium	27.57mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN302H	T6 Alum.	30mm	High	31.89mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN103L	T6 Alum.	1"	Low	22.39mm	30.50	40.00	21.84	11.00	6	Matte	Winchester 70 Rev. Rear Pre 64
ART-WIN103M	T6 Alum.	1"	Medium	25.46mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN103H	T6 Alum.	1"	High	28.76mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN303L	T6 Alum.	30mm	Low	25.38mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN303M	T6 Alum.	30mm	Medium	29.03mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN303H	T6 Alum.	30mm	High	33.35mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN104L	T6 Alum.	1"	Low	21.11mm	46.00	40.00	21.84	21.84	6	Matte	Winchester 70 Rev. F&R Pre 64
ART-WIN104M	T6 Alum.	1"	Medium	24.18mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN104H	T6 Alum.	1"	High	27.48mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN304L	T6 Alum.	30mm	Low	24.10mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN304M	T6 Alum.	30mm	Medium	27.75mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN304H	T6 Alum.	30mm	High	32.07mm	46.00	40.00	21.84	21.84	6	Matte	

Steel & Aluminum Picatinny Rails

Remington 700 and Savage 110 and Winchester 70 and Howa 1500



Long action






Short action



Side View



Bird View



Gun Screws #6-48 UNF

Model	Material	Overall Length (mm)	C to C Distance (mm)			Model	Material	Screws per Unit	Designed For	Finish
			AB	BC	CD					
MNT-1509	T6 Alum.	155.50	14.30	108.00		S-1509	Steel	2	Picatinny Rail to accept STANAG diemensions	Matte
MNT-BRN BAR	T6 Alum.	150.00		92.20	21.84	S-BRN BAR	Steel	4	Browning Bar	Matte
MNT-BRN BLR LAUH	T6 Alum.	130.00	12.70	80.95	12.70	S-BRN BLR LAUH	Steel	4	Browning Lever Action,Long Action,0 moa	Matte
MNT-BRN BLR SAUH	T6 Alum.	130.00	12.70	71.40	12.70	S-BRN BLR SAUH	Steel	4	Browning Lever Action,Short Action,0 moa	Matte
MNT-BRN BLR STLA	T6 Alum.	180.00	39.20	76.00		S-BRN BLR STLA	Steel	3	Browning BLR Scout Style,long action.Take-down	Matte
MNT-BRN BLR STSA	T6 Alum.	180.00	39.20	100.00		S-BRN BLR STSA	Steel	3	Browning BLR Scout Style,short action.Take-down	Matte
MNT-BRNXBLAUH	T6 Alum.	187.85	17.78	93.85	17.78	S-BRNXBLAUH	Steel	8	Browning X-Bolt,long action,right &left hand	Matte
MNT-BRNXBLAUH20	T6 Alum.	187.85	17.78	93.85	17.78	S-BRNXBLAUH20	Steel	8	Browning X-Bolt,long action,right &left hand,20moa	Matte
MNT-BRNXBSAUH	T6 Alum.	167.85	17.78	74.70	17.78	S-BRNXBSAUH	Steel	8	Browning X-Bolt,short action,right &left hand	Matte
MNT-BRNXBSAUH20	T6 Alum.	167.85	17.78	74.70	17.78	S-BRNXBSAUH20	Steel	8	Browning X-Bolt,short action,right &left hand,20moa	Matte
MNT-BRNXBSSA	T6 Alum.	147.50	17.70	71.70	17.70	S-BRNXBSSA	Steel	8	BrowningXBolt Super Short Action	Matte
MNT-BRNXBSSA20	T6 Alum.	147.50	17.70	71.70	17.70	S-BRNXBSSA20	Steel	8	Browning X Bolt Super Short Action,20moa	Matte
MNT-HOWA LAUH	T6 Alum.	176.00	15.24	113.79	21.93	S-HOWA LAUH	Steel	4	Howa 1500 Long action right and left hand	Matte
MNT-HOWA LAUH 20	T6 Alum.	176.00	15.24	113.79	21.93	S-HOWA LAUH 20	Steel	4	Howa 1500 Long action right and left hand 20moa	Matte
MNT-HOWA MAUH	T6 Alum.	138.00	15.24	80.01	21.93	S-HOWA MAUH	Steel	4	Howa 1500 Mini action right and left hand	Matte
MNT-HOWA MAUH 20	T6 Alum.	138.00	15.24	80.01	21.93	S-HOWA MAUH 20	Steel	4	Howa 1500 Mini action right and left hand 20moa	Matte
MNT-HOWA SAUH	T6 Alum.	162.30	15.24	98.55	21.93	S-HOWA SAUH	Steel	4	Howa 1500 Short action right and left hand	Matte
MNT-HOWA SAUH 20	T6 Alum.	162.30	15.24	98.55	21.93	S-HOWA SAUH 20	Steel	4	Howa 1500 Short action right and left hand 20moa	Matte
MNT-REM700eL	T6 Alum.	200.00	15.70	113.80	21.90	S-REM700eL	Steel	4	REM700 Long action right and left hand	Matte
MNT-REM700eL20	T6 Alum.	200.00	15.70	113.80	21.90	S-REM700eL20	Steel	4	REM700 Long action right and left hand 20moa	Matte
MNT-REM700eS	T6 Alum.	200.00	15.70	91.95	21.90	S-REM700eS	Steel	4	REM700 Short action right and left hand	Matte
MNT-REM700eS20	T6 Alum.	200.00	15.70	91.95	21.90	S-REM700eS20	Steel	4	REM700 Short action right and left hand 20moa	Matte
MNT-REM700L	T6 Alum.	167.50	15.70	113.80	21.90	S-REM700L	Steel	4	REM700 Long action right and left hand	Matte
MNT-REM700L20	T6 Alum.	167.50	15.70	113.80	21.90	S-REM700L20	Steel	4	REM700 Long action right and left hand 20moa	Matte

Available in 20moa、30moa、45moa

Model	Material	Overall Length (mm)	C to C Distance (mm)			Model	Material	Screws per Unit	Designed For	Finish
			AB	BC	CD					
MNT-REM700S	T6 Alum.	167.50	15.70	91.95	21.90	S-REM700S	Steel	4	REM700 Short action right and left hand	Matte
MNT-REM700S20	T6 Alum.	167.50	15.70	91.95	21.90	S-REM700S20	Steel	4	REM700 Short action right and left hand 20moa	Matte
MNT-SAV AXIS	T6 Alum.	162.00	21.80	109.70	21.80	S-SAV AXIS	Steel	4	Savage AXIS	Matte
MNT-SAV110L	T6 Alum.	200.00	21.80	117.60	21.90	S-SAV110L	Steel	4	SAV110 Long action right and left hand	Matte
MNT-SAV110L 20	T6 Alum.	200.00	21.80	118.60	21.90	S-SAV110L 20	Steel	4	SAV110 Long action right and left hand 20moa	Matte
MNT-SAV110S	T6 Alum.	200.00	22.10	100.05	22.10	S-SAV110S	Steel	4	SAV110 Short action right and left hand	Matte
MNT-SAV110S 20	T6 Alum.	200.00	22.10	100.05	22.10	S-SAV110S 20	Steel	4	SAV110 Short action right and left hand 20moa	Matte
MNT-WIN XPR LAUH	T6 Alum.	180.00	21.84	98.11	21.90	S-WIN XPR LAUH	Steel	4	Winchester XPR Long Action 0 moa	Matte
MNT-WIN XPR LAUH 20	T6 Alum.	180.00	21.84	98.11	21.90	S-WIN XPR LAUH 20	Steel	4	Winchester XPR Long Action 20 moa	Matte
MNT-WIN XPR SAUH	T6 Alum.	170.00	21.84	84.86	21.90	S-WIN XPR SAUH	Steel	4	Winchester XPR Short Action 0 moa	Matte
MNT-WIN XPR SAUH 20	T6 Alum.	170.00	21.84	84.86	21.90	S-WIN XPR SAUH 20	Steel	4	Winchester XPR Short Action 20 moa	Matte
MNT-WIN70L	T6 Alum.	200.00	21.80	96.60	21.80	S-WIN70L	Steel	4	WIN70 Long action right and left hand	Matte
MNT-WIN70S	T6 Alum.	200.00				S-WIN70S	Steel		WIN70 Short action right and left hand	Matte
MNT-RUG M77 MK2 LAUH	T6 Alum.	146.00	X	X	X	S-RUG M77 MK2 LAUH	Steel	4	Ruger M77 Mk2,long action	Matte
MNT-RUG M77 MK2 SAUH	T6 Alum.	138.00	X	X	X	S-RUG M77 MK2 SAUH	Steel	4	Ruger M77 Mk2,short action	Matte
MNT-MAR003	T6 Alum.	136.26	12.70	47.60	12.70	S-MAR003	Steel	6	Marlin 1894	Matte
MNT-SakA7 LA	T6 Alum.	177.60	21.84	95.80	21.84	S-SakA7 LA	Steel	4	Sako A7,long action	Matte
MNT-SakA7 LA20	T6 Alum.	177.60	21.84	95.80	21.84	S-SakA7 LA20	Steel	4	Sako A7,long action,20moa	Matte
MNT-SakA7 SA	T6 Alum.	166.60	21.84	84.90	21.84	S-SakA7 SA	Steel	4	Sako A7,short action	Matte
MNT-SakA7 SA20	T6 Alum.	166.60	21.84	84.90	21.84	S-SakA7 S20	Steel	4	Sako A7,short action,20moa	Matte
MNT-602206	T6 Alum.	80.00	X	X	X	S-602206	Steel	6	Slide rail,picatinny,fits 6mm rail	Matte
MNT-602207	T6 Alum.	80.00	X	X	X	S-602207	Steel	6	Slide rail,picatinny,fits 7mm rail	Matte
MNT-602208	T6 Alum.	80.00	X	X	X	S-602208	Steel	6	Slide rail,picatinny,fits 8mm rail	Matte
MNT-ADP11002	Alum.	155.20	X	X	X	N/A	Steel	4	Adaptor , 11mm to picatinny	Matte
MNT-ADP12002	Alum.	155.20	X	X	X	N/A	Steel	4	Adaptor , 12mm to picatinny	Matte
MNT-ADP83002	Alum.	155.20	X	X	X	N/A	Steel	4	Adaptor , 3/8" to picatinny	Matte
MNT-ADP85002	Alum.	155.20	X	X	X	N/A	Steel	4	Adaptor , 5/8" to picatinny	Matte

Available in 20moa、30moa、45moa

Model	Material	Overall Length (mm)	C to C Distance (mm)			Model	Material	Screws per Unit	Designed For	Finish
			AB	BC	CD					
MNT-SAV100LA	Alum.	170.00	21.90	117.60	21.90	S-SAV100LA	Steel	4	Savage LA 100-110-120 Accu Trigger 0 MOA	Matte
MNT-SAV100SA	Alum.	163.00	21.90	109.90	21.90	S-SAV100SA	Steel	4	Savage SA 100-110-120 Accu Trigger 0 MOA	Matte
MNT-SAV120LA	Alum.	170.00	21.90	117.60	21.90	S-SAV120LA	Steel	4	Savage LA 100-110-120 Accu Trigger 0 MOA,8-40	Matte
MNT-SAV120SA	Alum.	163.00	21.90	109.90	21.90	S-SAV120SA	Steel	4	Savage SA 100-110-120 Accu Trigger 0 MOA 8-40	Matte
MNT-Krico600	Alum.	130.00	12.70	82.50	21.84	S-Krico600	Steel	4	Krico 700,0MOA	Matte
MNT-Krico700	Alum.	163.00	12.70	102.80	21.84	S-Krico700	Steel	4	KRICO 700A,0MOA	Matte
MNT-BRN AB3 LA	Alum.	157.60	21.90	98.10	21.90	N/A	Steel	4	BROWNING AB3 LONG ACTION	Matte
MNT-BRN TB	Alum.	142.20	12.70	72.60	12.70	N/A	Steel	4	BRN T-BOLT	
MNT-BRNXB2 LAUH	Alum.	182.85	17.78	99.85	17.78	S-BRNXB eL	Steel	8	Browning X-Bolt2,long action,right & left hand,0moa	Matte
MNT-BRNXB2 LAUH20	Alum.	182.85	17.78	99.85	17.78	S-BRNXB eL20	Steel	8	Browning X-Bolt2,long action,right & left hand,20moa	Matte
MNT-CZ0001	Alum.	169.00				N/A	Steel		TBD	Matte
MNT-CZ452	Alum.	137.60	10.00	80.15	10.00	N/A	Steel	6	CZ452	Matte
MNT-CZ455	Alum.	137.20	10.00	79.75	10.00	N/A	Steel	6	CZ455 9-11mm	Matte
MNT-CZ457	Alum.	150.00	59.80	45.60	21.70	N/A	Steel	4	CZ457	Matte
MNT-CZ527	Alum.	134.70	10.10	80.10	10.00	N/A	Steel	8	CZ 527	Matte
MNT-RUG CF	Alum.	174.00	X	102.10	X	N/A	Steel	2	RUG CENTERFIRE	
MNT-RUG M77	Alum.	149.00	X	109.70	X	N/A	Steel	2	RUG M77	
MNT-RUG10/22	Alum.	122.50	12.70	65.25	21.84	N/A	Steel	4	RUGER 10/22	Matte
MNT-SAV10 SA	Alum.	157.60	21.90	100.10	21.90	N/A	Steel	4	SAVAGE10 RND RCVR SA	Matte
MNT-TIKT1X	Alum.	137.20	21.84	64.00	21.84	N/A	Steel	4	Tikka T1x Mini Rail	
MNT-WEA MKV LA	Alum.	159.70	15.25	113.76	21.90	N/A	Steel	4	WEATHERBY MK V(9 LUG) & VANGUARD LA	Matte
MNT-WEA V SA	Alum.	147.80	15.25	98.50	21.90	N/A	Steel	4	WEATHERBY VANGUARD SHORT ACTION	Matte


M-LOK / K-MOD Rails

- Light weight
- Precision machined out of premium alloy black
- Precision manufactured, sturdy and durable
- Compatible with any standard M-LOK/Keymod system and picatinny rail accessories mounting
- Allows you add on any standard 1913 picatinny accessories
- Easy to install

ITEM NO.	Material	Overall Length (mm)	Description	Metal parts
MNT-KM003	T6 Alum.	40.00	K-MOD Aluminum Rail,3 Slots	included
MNT-KM005	T6 Alum.	57.50	K-MOD Aluminum Rail,5 Slots	included
MNT-KM007	T6 Alum.	77.00	K-MOD Aluminum Rail,7 Slots	included
MNT-KM008	T6 Alum.	90.00	K-MOD Aluminum Rail,8 Slots	included
MNT-KM009	T6 Alum.	100.00	K-MOD Aluminum Rail,9 Slots	included
MNT-KM011	T6 Alum.	117.30	K-MOD Aluminum Rail,11 Slots	included
MNT-KM013	T6 Alum.	137.30	K-MOD Aluminum Rail,13 Slots	included

ITEM NO.	Material	Overall Length (mm)	Description	Metal parts
MNT-ML003	T6 Alum.	40.00	M-LOK Aluminum Rail,3 Slots	included
MNT-ML005	T6 Alum.	57.50	M-LOK Aluminum Rail,5 Slots	included
MNT-ML007	T6 Alum.	77.00	M-LOK Aluminum Rail,7 Slots	included
MNT-ML008	T6 Alum.	90.00	M-LOK Aluminum Rail,8 Slots	included
MNT-ML009	T6 Alum.	100.00	M-LOK Aluminum Rail,9 Slots	included
MNT-ML011	T6 Alum.	117.30	M-LOK Aluminum Rail,11 Slots	included
MNT-ML013	T6 Alum.	137.30	M-LOK Aluminum Rail,13 Slots	included

MNT-ML003R	T6 Alum.	40.00	M-LOK Aluminum Rail,3 Slots,round	included
MNT-ML005R	T6 Alum.	57.50	M-LOK Aluminum Rail,5 Slots,round	included
MNT-ML007R	T6 Alum.	77.00	M-LOK Aluminum Rail,7 Slots,round	included
MNT-ML008R	T6 Alum.	90.00	M-LOK Aluminum Rail,8 Slots,round	included
MNT-ML009R	T6 Alum.	100.00	M-LOK Aluminum Rail,9 Slots,round	included
MNT-ML011R	T6 Alum.	117.30	M-LOK Aluminum Rail,11 Slots,round	included
MNT-ML013R	T6 Alum.	137.30	M-LOK Aluminum Rail,13 Slots,round	included





2-Piece Picatinny Scope Base





Gun Screws
#6-48 UNF

- ◆ Two-piece construction bases provide rings a solid and firm mount to your firearm without adding unnecessary weight.
- ◆ Picatinny rail Bases are matched with your choice of rings style in low, medium and high profile.
- ◆ Bases are precision fit and won't move under heavy recoil.






Picatinny Rail



Model	Material	Overall Length (mm)		C to C Distance (mm)		Model	Material	Screws per Unit	Compatible For	Finshi
		Front	Rear	Front	Rear					
PB-REM101	Steel	40.49	37.34	21.84	15.37	AB-REM101	T6 Alum.	4	Remington 700 L/A & S/A, 40X, 78,721,725	Matte
PB-ASZ101	Steel	36.96	21.84	12.70	12.70	AB-ASZ101	T6 Alum.	4	Anschutz 54,64,153,1400,1500	Matte
PB-BRN101	Steel	39.12	40.01	21.84	21.84	AB-BRN101	T6 Alum.	4	Browning A-Bolt L/A & S/A, A-Bolt.22	Matte
PB-BRN102	Steel	39.12	30.73			AB-BRN102	T6 Alum.	4	Browning A-Bolt WSSM	Matte
PB-CLT101	Steel	36.07	36.07	21.84	21.84	AB-CLT101	T6 Alum.	4	Colt Sauer,Sauer 90,200 (Sigarms)	Matte
PB-MAU101	Steel	39.62	20.83	21.84	12.70	AB-MAU101	T6 Alum.	4	FN mauser Actions.Colt 57, Interarms Mark X, Marlin 455, Weatherby FN Actions	Matte
PB-REM102	Steel	30.50	41.40	21.84	15.37	AB-REM102	T6 Alum.	4	Remington 700 L/A & S/A, Ruger M77 (Round Receiver)	Matte
PB-REM103	Steel	46.80	41.40	21.90	15.40	AB-REM103	T6 Alum.	4	Remington 700 L/A, S/A, Rev.Front, Ruger M77 (Round Receiver)	Matte
PB-SAK101	Steel	36.83	26.67			AB-SAK101	T6 Alum.	4	Sako Taperd Dovetail Receivers L/A & S/A	Matte
PB-SAV101	Steel	40.13	40.01	21.84	21.84	AB-SAV101	T6 Alum.	4	Savage 110,110C L/A & S/A, 111L/A, 112V S/A	Matte
PB-SAV102	Steel	40.13	40.01	21.84	21.84	AB-SAV102	T6 Alum.	4	Savage 110	Matte
PB-SAV103	Steel	30.50	52.00	21.80	21.90	AB-SAV103	T6 Alum.	4	Savage 10/110 Round Receiver	Matte
PB-TIK101	Steel	30.50	30.50	21.84	21.84	AB-TIK101	T6 Alum.	4	Tikka	Matte
PB-WEA101	Steel	40.49	37.34	21.84	15.37	AB-WEA101	T6 Alum.	4	Weatherby Mark V Mag cal	Matte
PB-WIN101	Steel	39.12	40.01	21.84	21.84	AB-WIN101	T6 Alum.	4	Winchester 70(Rear Hole Spacing.860) L/A & S/A, Browning BBR L/A & S/A	Matte
PB-WIN102	Steel	39.12	29.34	21.84	11.05	AB-WIN102	T6 Alum.	4	Win70 Pre64	Matte
PB-WIN103	Steel	30.50	41.40	21.84	11.00	AB-WIN103	T6 Alum.	4	Winchester 70 Rev.Rear Pre64	Matte
PB-WIN104	Steel	46.80	41.40	21.84	21.84	AB-WIN104	T6 Alum.	4	Winchester 70 Rev.Rear Pre64	Matte


1-Piece Picatinny Scope Base

- One-piece construction base provides rings a solid and firm mount to your firearm without adding unnecessary weight.
- Picatinny rail Bases are matched with your choice of rings style in low, medium and high profile.




Model	Material	Overall Length (mm)	C to C Distance (mm)			Model	Material	Screws per Unit	Designed For	Finish
			AB	BC	CD					
PB-BRN001	Steel	150.00		80.95	12.70	AB-BRN001	T6 Alum.	3	Browning Bar (semi-auto) BPR,Mark II	Matte
PB-BRN002	Steel	150.00		98.17	21.84	AB-BRN002	T6 Alum.	3	Browning A-Bolt L/A	Matte
PB-BRN003	Steel	150.00	21.84	79.12	21.84	AB-BRN003	T6 Alum.	3	Browning A-Bolt S/A	Matte
PB-HSV001	Steel	150.00		108.60	21.84	AB-HSV001	T6 Alum.	2	Husqvarna husky,norrahammer	Matte
PB-MAR001	Steel	150.00		69.85	12.70	AB-MAR001	T6 Alum.	3	Marlin 36,36A,336,444 Sportor,1895,9,922	Matte
PB-MAR002	Steel	150.00		47.63	12.70	AB-MAR002	T6 Alum.	3	Marlin 1894	Matte
PB-MAU001	Steel	150.00		108.58	21.84	AB-MAU001	T6 Alum.	3	Mauser 98	Matte
PB-MAU002	Steel	150.00		108.58	21.84	AB-MAU002	T6 Alum.	3	Mauser swedish small ring 95	Matte
PB-MAU003	Steel	150.00		109.86	21.84	AB-MAU003	T6 Alum.	3	Mauser FN	Matte
PB-REM001	Steel	150.00	15.37	52.07	21.84	AB-REM001	T6 Alum.	4	Remington 4, 6, 74, 7400, 7600	Matte
PB-REM002	Steel	150.00	15.37	41.91	21.84	AB-REM002	T6 Alum.	4	Remington 740, 742, 760	Matte
PB-REM003	Steel	150.00		113.79	21.84	AB-REM003	T6 Alum.	3	Remington 40X,72,721,725,Long actions weatherby Vanguard	Matte
PB-REM004	Steel	150.00		92.20	21.84	AB-REM004	T6 Alum.	3	Remington 700SA,722,725	Matte
PB-REM005	Steel	150.00		75.95	21.84	AB-REM005	T6 Alum.	3	Remington 788 L/A Cals:..222mag,..22-250, 30/30	Matte
PB-REM006	Steel	150.00		83.57	21.84	AB-REM006	T6 Alum.	3	Remington 788 S/A Cal:-243,6mm,-308	Matte
PB-RUG001	Steel	150.00		65.30	12.75	AB-RUG001	T6 Alum.	3	Ruger 1022	Matte
PB-SAK001	Steel	150.00	21.84	62.16	21.84	AB-SAK001	T6 Alum.	4	Sako finnwolf, winchester 88,100	Matte
PB-SAV001	Steel	150.00		117.58	21.84	AB-SAV001	T6 Alum.	3	Savage 110 series L/A	Matte
PB-SAV002	Steel	150.00		103.87	21.84	AB-SAV002	T6 Alum.	3	Savage 110 series S/A	Matte
PB-SAV003	Steel	162.00	21.84	109.7	21.84	AB-SAV003	T6 Alum.	4	Savage Axis	Matte
PB-SPR001	Steel	150.00		104.14		AB-SPR001	T6 Alum.	2	Springfield 03A3, A4	Matte
PB-SPR002	Steel	150.00		104.14	21.84	AB-SPR002	T6 Alum.	3	Springfield 03	Matte
PB-TMS001	Steel	125.70	7.95	21.26	7.95	AB-TMS001	T6 Alum.	4	Thopson Certer Encore	Matte
PB-WIN001	Steel	150.00		107.32	21.84	AB-WIN001	T6 Alum.	3	Winchester 70 (only one rear hole)	Matte
PB-WIN002	Steel	150.00		104.47	21.84	AB-WIN002	T6 Alum.	3	Winchester 70S/A	Matte
PB-WIN003	Steel	150.00		96.52	21.84	AB-WIN003	T6 Alum.	3	Winchester 70	Matte
PB-WIN004	Steel	150.00		104.47	21.84	AB-WIN004	T6 Alum.	3	Winchester 70 S/A (1984+)	Matte
PB-WIN005	Steel	150.00		95.25		AB-WIN005	T6 Alum.	2	Winchester 94 angle eject	Matte
PB-WIN006	Steel	150.00		104.80	21.84	AB-WIN006	T6 Alum.	3	Winchester 70 PRE 64 (rear hole spc.435)	Matte

Steel Bases





1-piece Construction Steel Base




Model	Material	Overall Length (mm)	C to C Distance (mm)			Screws per Unit	Compatible For.	Finish
			AB	BC	CD			
SB-REM001	Steel	128.52	15.37	52.07	21.84	4	Remington 4, 6, 74, 7400, 7600	Matte
SB-REM002	Steel	128.52	15.37	41.91	21.84	4	Remington 740, 742, 760	Matte
SB-REM003	Steel	143.36	/	113.79	21.84	3	Remington 40X,78,721,725,Long actions weatherby Vanguard	Matte
SB-REM004	Steel	123.70	/	92.20	21.84	3	Remington 700SA,722,725	Matte
SB-REM005	Steel	131.83	/	75.95	21.84	3	Reming 788 L/A Cals.:222mag.,22-250, 30/30	Matte
SB-REM006	Steel	126.49	/	83.57	21.84	3	Reming 788 S/A Cal.:243,6mm,-308	Matte
SB-WIN001	Steel	138.37	/	107.32	21.84	3	Winchester 70 (only one rear hole)	Matte
SB-WIN002	Steel	138.37	/	104.47	21.84	3	Winchester 70S/A	Matte
SB-WIN003	Steel	128.07	/	96.52	21.84	3	Winchester 70	Matte
SB-WIN004	Steel	136.14	/	104.47	21.84	3	Winchester 70 S/A (1984+)	Matte
SB-WIN005	Steel	120.65	/	95.25	/	2	Winchester 94 angle eject	Matte
SB-WIN006	Steel	135.30	/	104.80	21.84	3	Winchester 70 PRE 64 (rear hole spc.435)	Matte
SB-SPR001	Steel	141.27	/	104.14	/	2	Springfield 03A3, A4	Matte
SB-SPR002	Steel	135.23	/	104.14	21.84	3	Springfield 03	Matte
SB-BRN001	Steel	137.16	/	80.95	12.70	3	Browning Bar (semi-auto) BPR,Mark II	Matte
SB-BRN002	Steel	130.50	/	98.17	21.84	3	Browning A-Bolt L/A	Matte
SB-BRN003	Steel	133.00	21.84	79.12	21.84	4	Browning A-Bolt S/A	Matte
SB-MAU001	Steel	139.95	/	108.58	21.84	3	Mauser 98	Matte
SB-MAU002	Steel	139.83	/	108.58	21.84	3	Mauser swedish small ring 95	Matte
SB-MAU003	Steel	142.10	/	109.86	21.84	3	Mauser FN	Matte
SB-SAV001	Steel	147.95	/	117.58	21.84	3	Savage 110 series L/A	Matte
SB-SAV002	Steel	133.20	/	103.87	21.84	3	Savage 110 series S/A	Matte
SB-RUG001	Steel	116.00	/	65.30	12.75	3	Ruger 1022	Matte
SB-SAK001	Steel	132.08	21.84	62.16	21.84	4	Sako finnwolf, Winchester 88,100	Matte
SB-TMS001	Steel	85.73	7.95	21.26	7.95	4	Thompson Certer Encore	Matte
SB-HSV001	Steel	139.70	/	108.60	21.84	3	Husqvarna husky,norrahammer	Matte
SB-MAR001	Steel	135.89	/	69.85	12.70	2	Marlin 36,36A,336,444 Sportor,1895,9,922	Matte
SB-MAR002	Steel	149.23	/	47.63	12.70	3	Marlin 1894	Matte
SB-CZ452	Steel	110.00	/	87.80	/	6	CZ452	Matte
SB-CZ527	Steel	101.90	/	79.90	/	6	CZ527	Matte
SB-CZ550	Steel	129.00	/	83.40	/	6	CZ550	Matte

Steel Bases




2-piece Construction Steel Base



Model	Material	Overall Length (mm)		C to C Distance (mm)		Screws per Unit	Compatible For.	Finish
		Front	Rear	Front	Rear			
SB-REM101	Steel	40.49	37.34	21.84	15.37	4	Remington 700 L/A & S/A, 40X, 78,721,725	Matte
SB-REM102	Steel	30.50	41.40	21.84	15.37	4	Remington 700 L/A & S/A, Ruger M77 (Round Receiver)	Matte
SB-REM103	Steel	46.80	41.40	21.90	15.40	4	Remington 700 L/A, S/A, Rev.Front, Ruger M77 (Round Receiver)	Matte
SB-WIN101	Steel	39.12	40.01	21.84	21.84	4	Winchester 70 (Rear Hole Spacing.860) L/A & S/A, Browning BBR L/A & S/A	Matte
SB-WIN102	Steel	39.12	29.34	21.84	11.05	4	Win 70 Pre 64	Matte
SB-WIN103	Steel	30.50	41.40	21.84	11.00	4	Winchester 70 Rev.Rear Pre64	Matte
SB-WIN104	Steel	46.80	41.40	21.84	21.84	4	Winchester 70 Rev.F&R Pre64	Matte
SB-SAV101	Steel	40.13	40.01	21.84	21.84	4	Savage 110,110C L/A & S/A, 111L/A, 112V S/A	Matte
SB-SAV102	Steel	40.13	40.01	21.84	21.84	4	Savage 110	Matte
SB-SAV103	Steel	30.50	52.00	21.80	21.90	4	Savage 10/110 Round Receiver	Matte
SB-MAU101	Steel	39.62	20.83	21.84	12.70	4	FN mauser Actions.Colt 57, Interarms Mark X, Marlin 455, Weatherby FN Actions	Matte
SB-BRN101	Steel	39.12	41.01	21.84	21.84	4	Browning A-Bolt L/A & S/A, A-Bolt.22	Matte
SB-BRN102	Steel	39.12	30.73			4	Browning A-Bolt WSSM	Matte
SB-ASZ101	Steel	36.96	21.84	12.70	12.70	4	Anschutz 54,64,153,1400,1500	Matte
SB-CLT101	Steel	36.07	36.07	21.84	21.84	4	Colt Sauer,Sauer 90,200 (Sigarms)	Matte
SB-SAK101	Steel	36.83	26.67			4	Sako Tapered Dovetail Receivers L/A & S/A	Matte
SB-WEA101	Steel	40.49	40.49	21.84	15.37	4	Weatherby Mark V. MagCal	Matte
SB-TIK101	Steel	30.50	30.50	21.84	21.84	4	Tikka	Matte

Picatinny Blank Rail

Model	Material	Length	Height	Model	Material	Length	Height	Finish	Remarks
MNT-Rail010	T6 Alum.	101.6mm	12.3mm	S-Rail010	Steel	101.6mm	9.8mm	Matte	Blank rail, picatinny
MNT-Rail015	T6 Alum.	152.4mm	12.3mm	S-Rail015	Steel	152.4mm	9.8mm	Matte	Blank rail, picatinny
MNT-Rail020	T6 Alum.	203.2mm	12.3mm	S-Rail020	Steel	203.2mm	9.8mm	Matte	Blank rail, picatinny
MNT-Rail025	T6 Alum.	254.0mm	12.3mm	S-Rail025	Steel	254.0mm	9.8mm	Matte	Blank rail, picatinny
MNT-Rail030	T6 Alum.	304.8mm	12.3mm	S-Rail030	Steel	304.8mm	9.8mm	Matte	Blank rail, picatinny
MNT-Rail035	T6 Alum.	355.6mm	12.3mm	S-Rail035	Steel	355.6mm	9.8mm	Matte	Blank rail, picatinny
MNT-Rail040	T6 Alum.	406.4mm	12.3mm	S-Rail040	Steel	406.4mm	9.8mm	Matte	Blank rail, picatinny



◀ S-Rail020

MNT-Rail015 ▶

Saddle Mount

See-through Construction



Picatinny Rail



Model	Material	Overall Length (mm)	Designed For	Finish
MNT-MOSS500	T6 Alum	180.60mm	Mossberg 500,835 12GA	Matte
MNT-MOSS835	T6 Alum	180.00mm	Mossberg 835 12GA Blue	Matte
MNT-MOSS9200	T6 Alum	140.00mm	Mossberg 9200 12GA	Matte
MNT-REM1100	T6 Alum	186.00mm	Remington 1100,1187 12GA	Matte
MNT-REM1189	T6 Alum	155.00mm	Remington 870 1100 1189 20GA	Matte
MNT-REM870	T6 Alum	155.00mm	Remington 870,1100,1187 12GA	Matte
MNT-WIN1200	T6 Alum	189.05mm	Winchester 1200,12GA	Matte
MNT-WIN1200U	T6 Alum	189.05mm	Winchester 1200,1300,1400,1500 12GA	Matte
MNT-WIN1300	T6 Alum	172.00mm	Winchester 1300 12GA	Matte
MNT-WIN1400	T6 Alum	172.00mm	Winchester 1400,1500 12GA	Matte

Hardware Included




Side View




Heavy Duty Tactical Bipods



Picatinny Mount




Adaptors



Heavy Duty Tactical Bipods


- CNC machined from aircraft grade T6 or T7 Alum. alloy
- Bipod can be disassembled completely.
- Bipod legs can be folded backwards, downwards and forward (Bridge with 5 positions additional in 45 and 135 degrees).
- No special tools required. All screws can be tightened or loosened with a Hex-Wrench.

Model	BP-MINI	BP-RS	BP-RM	BP-RH	BP-REXH	BP-R7
Body Material	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.	T7 Alum.
Posi-Lock	Yes	Yes	Yes	Yes	Yes	Yes
Extendable Legs	Yes	Yes	Yes	Yes	Yes	Yes
Reversible Arms-Folding	Yes	Yes	Yes	Yes	Yes	Yes
Stand	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.	T7 Alum.
Center Height (Min-Max)	5.09"-6.59"	6.35"-7.37"	7.71"-9.76"	8.00"-10.60"	8.60"-11.80"	7.71"-9.76"
Leg Length (Min-Max)	5.53"-7.26"	6.61"-7.80"	8.15"-10.55"	9.50"-12.50"	10.00"-13.70"	8.15"-10.55"
Adjustable Positions	4 positions	2 positions	4 positions	5 positions	6 positions	4 positions
Adapter Option	BP-ADP011	BP-ADP001, BP-ADP001Q, BP-ADP001M, BP-ADP002				BP-ADP001z




BP-ADP001M


- 1) Picatinny Deck
- 2) Rail Clamp
- 3) Flat Spacer
- 4) Spring Gasket
- 5) Locking Nut
- 6) Cross Bolt
- 7) Picatinny to M-Lok rail



- 1) Bipod Body
- 2) Upper Leg (Female)
- 3) Cross Bolt
- 4) Adapter Locking Lever
- 5) Push Button
- 6) Lower Leg (Male)
- 7) Foot Plate Locking Screw Bolt
- 8) Foot Plate
- 9) Adapter Mount Release Lever




- 1) Bipod Body
- 2) Upper Leg (Female)
- 3) Cross Bolt
- 4) Push Button
- 5) Adapter Locking Lever
- 6) Push Button
- 7) Lower Leg (Male)
- 8) Foot Plate Locking Screw Bolt
- 9) Foot Plate
- 10) Adapter Mount Release Lever




BP-ADP001
Picatinny/Weaver, standard

- 1) Picatinny Deck
- 2) Rail Clamp
- 3) Flat Spacer
- 4) Spring Gasket
- 5) Locking Nut
- 6) Cross Bolt



BP-ADP001Q
Picatinny/Weaver, Quick-Release

- 1) Locking Screw
- 2) Fine Adjustment Nut(+/-1mm)
- 3) Picatinny Deck
- 4) Rail Clamp
- 5) Springs
- 6) Cross Bolt
- 7) Quick Detach Lever





BP-ADP002
Swivel Stud

- 1) Adapter Body
- 2) Locking Nut
- 3) Sling Swivel Hole
- 4) Locking Pin

Heavy Duty 360°Panning Bipods


NEW




- 1) Bipod Body
- 2) Upper Leg (Female)
- 3) Cross Bolt
- 4) Push Button
- 5) Resettable Adapter Locking Lever
- 6) Push Button
- 7) Lower Leg (Male)
- 8) Foot Plate Locking Screw Bolt
- 9) Foot Plate
- 10) Picatinny Deck
- 11) Metal Clamp
- 12) Screw Nut
- 13) Connecting Bolt
- 14) Cross Bolt

Model	BP-RS360	BP-RM360	BP-RH360	BP-REXH360
Body Material	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.
Posi-Lock	Yes	Yes	Yes	Yes
Extendable Legs	Yes	Yes	Yes	Yes
Reversible Arms-Folding	Yes	Yes	Yes	Yes
Stand	Metal	Metal	Metal	Metal
Center Height (Min-Max)	7.02"-8.04"	8.4"-10.47"	8.67"-11.27"	9.27"-12.47"
Leg Length (Min-Max)	6.61"-7.80"	8.15"-10.55"	9.50"-12.50"	10.00"-13.70"
Adjustable Positions	3 positions	4 positions	5 positions	6 positions


Heavy Duty Top Rail Bipods



NEW



- 1) Bipod Body
- 2) Upper Leg (Female)
- 3) Cross Bolt
- 4) Push Button
- 5) Adapter Mount Release Bolt
- 6) Push Button
- 7) Lower Leg (Male)
- 8) Foot Plate Locking Screw Bolt
- 9) Foot Plate
- 10) Picatinny Deck
- 11) Metal Clamp
- 12) Screw Nut



BP-ADP001T Adaptor

- 1) Picatinny Deck
- 2) Rail Clamp
- 3) Flat Spacer
- 4) Spring Gasket
- 5) Locking Nut
- 6) Cross Bolt

Model	BP-TS	BP-TM	BP-TH	BP-TEXH
Body Material	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.
Posi-Lock	Yes	Yes	Yes	Yes
Extendable Legs	Yes	Yes	Yes	Yes
Reversible Arms-Folding	Yes	Yes	Yes	Yes
Stand	Metal	Metal	Metal	Metal
Center Height (Min-Max)	5.88"-6.9"	7.24"-9.29"	7.53"-10.13"	8.13"-11.33"
Leg Length (Min-Max)	6.61"-7.80"	8.15"-10.55"	9.50"-12.50"	10.00"-13.70"
Adjustable Positions	3 positions	4 positions	5 positions	6 positions

Heavy Duty M-LOK Bipods

NEW



Model	BP-ML01L	BP-ML01M	BP-ML01H	BP-ML01EXL
Body Material	T6 Alum.	T6 Alum.	T6 Alum.	T6 Alum.
Posi-Lock	Yes	Yes	Yes	Yes
Extendable Legs	Yes	Yes	Yes	Yes
Reversible Arms-Folding	Yes	Yes	Yes	Yes
Stand	Metal	Metal	Metal	Metal
Center Height (Min-Max)	5.55"-6.57"	6.91"-8.96"	7.2"-9.8"	7.8"-11"
Leg Length (Min-Max)	6.61"-7.80"	8.15"-10.55"	9.50"-12.50"	10.00"-13.70"
Adjustable Positions	3 positions	4 positions	5 positions	6 positions


BP-19 Series



Fixed Head



Foldable Arms with Robust External Spring Tension Control



Adaptors (Optional)




Extendable Legs

Model	BP-19S	BP-19M	BP-19L	BP-19XL
Posi-lock	✓	✓	✓	✓
Swivel	✗	✗	✗	✗
Extendable Legs	✓	✓	✓	✓
Foldable Arms	✓	✓	✓	✓
Reversible Arms-Folding	✓	✓	✓	✓
Stand	Rubber	Rubber	Rubber	Rubber
Net Weight	452g	486g	508g	584g
Center Height(Min-Max)	6"-9"	7.87"-11.42"	10.23"-12.99"	13.38"-22.83"
Leg Length(Min-Max)	5.9"-9"	7.89"-12"	10.6"-14.17"	13.78"-24.6"

Tactical Bipods

- 1) Durable aluminum construction
- 2) Complete with three mounting systems-stud mount, weaver picatinny mount and barrel mount
- 3) Foldable arms with spring-return control
- 4) Extendable legs with individual adjustment function to fit any position



BP-29 Series



Pivot Head



BP-ADP005




BP-ADP006



BP-ADP007

Adaptors (Optional)



Foldable Arms with Robust External Spring Tension Control




Extendable Legs


Model	B-29S	BP-29M	BP-29L	BP-29XL
Posi-Lock	✓	✓	✓	✓
Swivel	✓	✓	✓	✓
Extendable Legs	✓	✓	✓	✓
Foldable Arms	✓	✓	✓	✓
Reversible Arms-Folding	✓	✓	✓	✓
Stand	Rubber	Rubber	Rubber	Rubber
Net Weight	532g	574g	594g	670g
Center Height(Min-Max)	6"-9"	7.87"-11.42"	10.23"-12.99"	13.38"-22.83"
Leg Length(Min-Max)	5.9"-9"	7.89"-12"	10.6"-14.17"	13.78"-24.6"

Tactical Bipods

- 1) Durable aluminum construction
- 2) Complete with three mounting systems-stud mount, weaver picatinny mount and barrel mount
- 3) Foldable arms with spring-return control
- 4) Extendable legs with individual adjustment function to fit any position




BP-39 Series




Model	BP-39Mini	BP-39S	BP-39M	BP-39L	BP-39XL
Posi-lock	✓	✓	✓	✓	✓
Extendable Legs	✓	✓	✓	✓	✓
Foldable Arms	✓	✓	✓	✓	✓
Reversible Arms-Folding	✓	✓	✓	✓	✓
Stand	Rubber	Rubber	Rubber	Rubber	Rubber
Net Weight	261.05g	283.75g	328g	370g	452g
Center Height(Min-Max)	6.10"-6.69"	6.69"-8.30"	8.66"-10.43"	10.83"-14.37"	14.76"-23.23"
Leg Length(Min-Max)	5.51"-6.10"	6.90"-8.46"	8.27"-10.43"	10.63"-14.37"	14.96"-24.01"

Barrel Clamp Bipods

- 1) Durable aluminum construction
- 2) Reinforced clamping adjustment wheel
- 3) Unique Posi-lock to prevent tipping
- 4) Adjustable legs and rubberized stand




BP-59 Series







Model	BP-59Mini	BP-59S	BP-59M	BP-59L	BP-59XL
Posi-lock	✓	✓	✓	✓	✓
Extendable Legs	✓	✓	✓	✓	✓
Foldable Arms	✓	✓	✓	✓	✓
Reversible Arms-Folding	✓	✓	✓	✓	✓
Stand	Rubber	Rubber	Rubber	Rubber	Rubber
Net Weight	248 g	272.4g	370g	411g	494g
Center Height(Min-Max)	6.10"-6.69"	7.10"-8.66"	8.66"-10.55"	11.02"-14.57"	14.76"-23.43"
Leg Length(Min-Max)	5.51"-6.10"	6.69"-8.30"	8.27"-10.43"	10.83"-14.57"	14.96"-24.01"

Tactical Bipods

- 1) Durable aluminum construction
- 2) Picatinny rail mount
- 3) Unique Posi-lock to prevent tipping
- 4) Adjustable legs and rubberized stand




BP-79 Series



Model	BP-79S	BP-79M	BP-79L	BP-79XL
Posi-lock	✓	✓	✓	✓
Extendable Legs	✓	✓	✓	✓
Foldable Arms	✓	✓	✓	✓
Reversible Arms-Folding	✓	✓	✓	✓
Stand	Rubber	Rubber	Rubber	Rubber
Net Weight	384g	455g	489g	566g
Center Height(Min-Max)	6.30"-7.68"	8.2"-12.80"	10.24"-13.98"	13.39"-22.83"
Leg Length(Min-Max)	5.71"-7.28"	7.87"-12.60"	10.24"-14.17"	13.31"-23.62"


Tactical Bipods

- 1) Durable aluminum construction
- 2) Picatinny rail mount
- 3) Foldable arms with spring tension control
- 4) Extendable legs with Posi-lock wheel & quick retraction button




Quick Release Tactical Bipods

- 1) Durable aluminum construction
- 2) Picatinny rail mount
- 3) Quick release lever
- 4) Foldable arms with spring tension control
- 5) Extendable legs with Posi-lock wheel & quick retraction button



- 1) Locking Screw
- 2) Adjustment Nut(+/-1mm)
- 3) Picatinny Deck
- 4) Springs
- 5) Rail Clamp
- 6) Metal Spacer
- 7) Cross Bolt
- 8) Quick Detach Lever



Model	BP-R59Mini	BP-R59S	BP-R59M	BP-R59L	BP-R59XL
Posi-Lock	Yes	Yes	Yes	Yes	Yes
Extendable Legs	Yes	Yes	Yes	Yes	Yes
Reversible Arms-Folding	Yes	Yes	Yes	Yes	Yes
Stand	Rubber	Rubber	Rubber	Rubber	Rubber
Net Weight	290	330	370	411	494
Center Height (Min-Max)	6.10"-6.69"	7.10"-8.66"	8.66"-10.55"	11.02"-14.57"	14.76"-23.43"
Leg Length (Min-Max)	5.51"-6.10"	6.69"-8.30"	8.27"-10.43"	10.83"-14.57"	14.96"-24.01"




Quick Release Tactical Bipods

- 1) Durable aluminum construction
- 2) Picatinny rail mount
- 3) Unique Posi-lock to prevent tipping
- 4) Adjustable legs and rubberized stand



Quick Release Tactical Bipods


BP-R79 Series



Model	BP-R79S	BP-R79M	BP-R79L	BP-R79XL
Posi-Lock	Yes	Yes	Yes	Yes
Extendable Legs	Yes	Yes	Yes	Yes
Reversible Arms-Folding	Yes	Yes	Yes	Yes
Stand	Rubber	Rubber	Rubber	Rubber
Net Weight	384	455	489	566
Center Height (Min-Max)	6.3"-7.68"	8.27"-12.80"	10.24"-13.98"	13.39"-22.83"
Leg Length (Min-Max)	5.71"-7.28"	7.87"-12.60"	10.24"-14.17"	13.31"-23.62"

Quick Release Tactical Bipods

- 1) Durable aluminum construction
- 2) Picatinny rail mount
- 3) Quick release lever
- 4) Foldable arms with spring tension control
- 5) Extendable legs with Posi-lock wheel & quick retraction button



BP-R Series



BP-R5 (9.5")


BP-R6 (13")

9915002 (9")

9915001 (12")

Plastic Bipods

Model	BP-R5	BP-R6	9915002	9915001
Posi-Lock	X	X	X	X
Swivel	X	X	X	X
Extendable Legs	✓	✓	X	X
Foldable Arms	X	X	X	X
Reversible Arms-Folding	✓	✓	X	X
Stand	Rubber	Rubber	Nylon	Nylon
Net Weight	150g	178g	114g	142g
Center Height(Min-Max)	6.30"-8.07"	8.66"-11.81"	6.5"	9"
Leg Length(Min-Max)	6.69"-8.86"	9.25"-12.50"	8"	11"



Sling Swivels & Accessories



MNT-SS01



MNT-SS02



QD-M01 Flat



QD-M01



MNT-SS04



MNT-SS05




MNT-SS1005

Features:

- * **Secure Locking Design**
- * **Quick-Detach Functionality**
- * **Heavy-Duty Steel Construction**
- * **Fits 1", 1.25" or 1.50" Slings and Standard Swivel Studs**
- * **Includes Mounting Hardware**

ITEM NO.	Material	Description	Size	Finish	ITEM NO.	Material	Description	Size	Finish
MNT-SS01	T6 Alum.	Quicken Detach Sling Swivel with Picatinny Base, 1.25"	1.25 "	Matte	MNT-SS1007	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc & big nuts 1pc	1"	Matte
MNT-SS02	T6 Alum.	Quicken Detach Sling Swivel with Picatinny Base, 1"	1"	Matte	MNT-SS1009	Steel	1"strap pin 2pcs, washer 1pc, long ring 1pc, Thin rings 1pc, Thick rings 1pc & machine screw 1pc	1"	Matte
MNT-SS03	T6 Alum.	Sling Swivel for Belt Sling	1"	Matte	MNT-SS1010	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc & screw cap 1pc	1"	Matte
MNT-SS04	Steel	Sling Swivel for Belt Sling, 1", 2pcs per pair, 3.5mm pin	1"	Matte	MNT-SS1011	Steel	1"strap pin 2pcs, screw 1pc, spacer 1pc & screw cap 1pc	1"	Matte
MNT-SS04M	Steel	Sling Swivel for Belt Sling, 1", 2pcs per pair, 2.90mm pin	1.25 "	Matte	MNT-SS1012	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc, Small wrench 1pc, screw cap 1pc, Thin rings 1pc, swivel 2pcs & split cloth 1pc	1"	Matte
MNT-SS05	Steel	Sling Swivel for Belt Sling, 1.25", 2pcs per pair, 3.5mm pin	1.25 "	Matte	MNT-SS1013	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc, Small wrench 1pc, screw cap 1pc, swivel 2pcs & Thin rings 1pc	1"	Matte
MNT-SS05M	Steel	Sling Swivel for Belt Sling, 1.25", 2pcs per pair, 2.90mm pin	1.25 "	Matte	MNT-SS1014	Steel	1"strap pin 2pcs, spacer 1pc, screw cap 1pc & screw 1pc	1"	Matte
MNT-SS1001	Steel	1"strap pin 2pcs, screw 1pc, spacer 1pc, long screw 1pc, Thin rings 1pc & Thick rings 1pc	1"	Matte	MNT-SS1015	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc, screw cap 1pc, long ring 1pc & spacer 1pc	1"	Matte
MNT-SS1002	Steel	1"strap pin 2pcs, screw 1pc, spacer 1pc, short screw 1pc & pin with hole 1pc	1"	Matte	MNT-SS1017	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc & screw cap 1pc	1"	Matte
MNT-SS1003	Steel	1"strap pin 2pcs, machine screw 1pc, washer 3pcs, washer 2pcs, screw 1pc, nut 1pc & long ring 1pc	1"	Matte	MNT-SS1021	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc, short swivels 1pc & oil stick 1pc	1"	Matte
MNT-SS1004	Steel	1"strap pin 2pcs & long ring 2pcs	1"	Matte	MNT-SS1022	Steel	1"strap pin 2pcs, spacer 1pc, screw 1pc, short screw 1pc, split cloth 1pc & rings 1pc	1"	Matte
MNT-SS1005	Steel	1"strap pin 2pcs, screw 1pc, spacer 2pcs, screw 1pc & screw cap 1pc	1"	Matte	MNT-SS1025	Steel	1"strap pin 2pcs, spacer 1pc, long screw 1pc, short screw 1pc, Small wrench 1pc, swivel 2pcs & screw cap 1pc	1"	Matte
MNT-SS1006	Steel	1"strap pin 1pc & swivel attachment	1"	Matte					

Mounts & Accessories



MNT-SS03

Size:1.50"x0.51"x0.75"
NW:10g



TL-M411

Size:1.97"x0.59
NW:24g



9997113

Size:1.77"x0
NW:12g



9997112

Size:1.34"x1.69"x0.35"
NW:12g

sling swivel set



MNT-SS04

Size:1"x1.34"x0.35"
NW:14g

sling swivel set



MNT-SS05

Size:1.25"x1.34"x0.35"
NW:16g

Detachable Push Button Sling Swivel



QD-M01

Size:1.50"x1.18"x0.63"
NW:26g

Detachable Push Button Sling Swivel



QD-F01

Size:2.0"x1.38"x0.63"
NW:30g

Picatinny mounts QD Swivel
Fit any picatinny/weaver rail



MNT-SS01

Size:1.64"x
NW:28g

Picatinny mounts QD Swivel
Fit any picatinny/weaver rail



MNT-SS02

Size:1.26"x0.67"x1.14"
NW:40g

FAL/STG multi-function tool
Perfect for FN/FAL grip nut



TL-FN11

Size:12"x3.94"x0.43"
NW:220g

AK sight tool
An essential tool to make the windage
and elevation adjustment to the front
sight of SKS,AK



TL-K4711

Size:2.48"x2.52"x0,
NW:120g

MOUNTS & ACCESSORIES



MNT-1501

Size: 7.44"x0.91"x1.26"
NW: 110g



MNT-1502

Size: 5.20"x0.87"x1.18"
NW: 64g



MNT-1503


Size: 5.35"x0.83"x1.30"
NW: 78g

3/4" Riser Mount With QD
Knobs For Flattop Receiver



MNT-1506

Size: 5.67"x1.69"x1.46"
NW: 170g



MNT-B0403

Length: 35mm
Barrel Diameter: 13-20mm

M14/AR15 carrying handle with Picatinny rails
Solid aluminum construction



MNT-1510C

Size: 6.93"x1.97"x1.89"
NW: 264g



MNT-1518

Size: 2.01"x0.67"x0.67"
NW: 42g

STEEL




MNT-1519

Size: 4.17"x1.42"x0.59"
NW: 108g



MNT-Mauk98

Size: 5.28"x0.83"x0.75"
NW: 58g



MNT-303EFD4

Size: 5"x0.83"x0.63"
NW: 72g




MNT-Sig550

Size: 5.28"x0.83"x0.63"
NW: 128g



MNT-1513

Length: 50mm



MNT-rail80-100-160



5/8" Low Profile Extended Riser
Mount With QD K nobs

MNT-M401

Size:7.9"x1.5"x0.9"
NW:192g




1/2" Extended Low Profile Rise
Mount With QD K nobs

MNT-M1402

Size:7.09"x1.69"x0.94"
NW:126g

Solid T6 aluminum,
a positive hold and
easy removal and
installation



MNT-M1401

Size:5.35"x1.89"x2.17"
NW:128g



MNT-Mini1401

Size:5"x2.05"x2.36"
NW:146g



MNT-K4712

Size:4.13"x0.98"x0.2"
NW:86g



MNT-VZ58

Size:4.33"x0.95"x0.36"
NW:146g



MNT-K4705

Size:7.1"x3.2"x2"
NW:422g



MNT-K4706

Size:5.08"x2.09"x3.86"
NW:226g

Quick Release



MNT-K4720

Size:5.79"x1.73"x3.58"
NW:210g

Quick Release



MNT-K4721

Size:5.79"x1.73"x3.58"
NW:190g

● **13-Piece Punch Set with Hammer in plastic case ▼**



9921513

Include one gunsmith brass hammer
 8 brass punches: 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 9/32" and 5/16"
 2 steel punches: 1/16" and 3/32"
 2 Plastic Punches: 15/64" & 3/8"

● **9-Piece Punch Set in plastic case ▼**



9921509

7 brass punches: 1/8", 1/16", 3/32", 5/32", 3/16", 7/32", 1/4"
 2 steel punches: 9/32" and 5/16"

Torque Screw Driver



8500 Series



Inch.Pound




Newton.Meter



8800 Series

Item No.	Description	Bits Q'ty	Bits Size(mm)	Extension Rod	Socket Adaptor	Remarks
TL-8500LBS	Torque Screw Driver	20	25	No	No	In-LBS
TL-8600NM	Torque Screw Driver	20	25	No	No	N.M
TL-8700LBS25	Torque Screw Driver	36	25	Yes	Yes	In-LBS
TL-8800NM25	Torque Screw Driver	36	25	Yes	Yes	N.M
TL-8700LBS40	Torque Screw Driver	36	40	Yes	Yes	In-LBS
TL-8800NM40	Torque Screw Driver	36	40	Yes	Yes	N.M

Gun Lock



▲ Cable Lock

- This cable gun locking system is designed to help you to keep your firearm stored in a safe condition.
- Universal design compatible with most long rifles and pistols
- Hardened steel alloy construction ensures maximum strength and security
- Easy installation

● Trigger Lock ▶



● Cipher Lock ▲

Chamber Brush




ITEM NO	DESCRIPTION	MATERIAL	USAGE
2614084	M14/M1A	Chamber Brush-84mm (8-32 female)	Rifle
2614095	M14/M1A	Chamber Brush-95mm (8-32 female)	Rifle
2632622	.223Cal AR15/M4	Chamber Brush-90mm (8-32 male)	Rifle
2636622	.223Cal AR15/M4	Chamber Brush-90mm (8-32 male)	Rifle
2632722	.223Cal AR15/M4	Chamber Brush-100mm (8-32 male)	Rifle
2636722	.223Cal AR15/M4	Chamber Brush-100mm (8-36 male)	Rifle
2632308	.308Cal AR308	Chamber Brush-90mm (8-32 male)	Rifle
2636308	.308Cal AR308	Chamber Brush-90mm (8-36 male)	Rifle
2632308	.308Cal AR308	Chamber Brush-100mm (8-32 male)	Rifle
2636308	.308Cal AR308	Chamber Brush-100mm (8-36 male)	Rifle

Bore Brushes

Item No	Total Length (cm)	Rope Length (cm)	Brush	Brush Size (mm)	Brush Length (mm)	Heavy BOB Size (mm)	Caliber	Fits
P9302001-.22	135cm	67cm	2	¢ 6mm	23mm	¢ 4.8X 28mm	.22	Pistol
P9302001-.30	133cm	65cm	2	¢ 8mm	22mm	¢ 4.8X 28mm	.30	Pistol
P9302001-.35	120CM	47CM	2	¢ 9.6MM	23MM	¢ 4.8X 28.5MM	.35	Pistol
R9302001-.38	130cm	67cm	2	¢ 9mm	20mm	¢ 4.8X 28mm	.38	Pistol
P9302001-.40	130cm	63cm	2	¢ 10.7mm	23mm	¢ 4.8X 28mm	.40	Pistol
P9302001-.45	128cm	70cm	2	¢ 12mm	20mm	¢ 4.8X 28mm	.45	Pistol
R9306001-.177	190cm	110cm	2	¢ 4.9mm	20mm	¢ 4X 40mm	.17	Rifle
R9306001-.204	181CM	106CM	1	¢ 6.15MM	23MM	¢ 4.8X 28.5MM	.204	Rifle
R9306001-.22	190cm	115cm	2	¢ 6mm	20mm	¢ 4.8X 28mm	.22	Rifle
R9306001-.24	182cm	109cm	1	¢ 6.5mm	40mm	¢ 4.8X 28mm	.24	Rifle
R9306001-.26	185cm	107cm	1	¢ 7mm	40mm	¢ 4.8X 28mm	.26	Rifle
R9306001-.28	192cm	112cm	1	¢ 7.5mm	40mm	¢ 4.8X 28mm	.28	Rifle
R9306001-.30	200cm	117cm	1	¢ 8mm	40mm	¢ 4.8X 28mm	.30	Rifle
R9306001-.32	190cm	117cm	1	¢ 8.7mm	40mm	¢ 4.8X 28mm	.32	Rifle
R9306001-.34	190cm	110cm	1	¢ 9mm	40mm	¢ 4.8X 28mm	.34	Rifle
R9306001-.35	190cm	111cm	1	¢ 9.6mm	40mm	¢ 4.8X 28mm	.35	Rifle
R9306001-.380-.303	180cm	103cm	1	¢ 8.3MM	43mm	¢ 4.8X 28.6MM	.30	Rifle
R9306001-.416-.460	175CM	100CM	1	¢ 11.8MM	45mm	¢ 4.8X 28.12MM	.45	Rifle
R9306001-.45	182cm	108cm	1	¢ 12mm	44mm	¢ 4.8X 28mm	.45	Rifle
S9307001-12	190cm	117cm	2	¢ 20.5mm	40mm	¢ 4.8X 28mm	12	Shotgun
S9307001-16	180cm	109cm	2	¢ 19mm	40mm	¢ 4.8X 28mm	16	Shotgun
S9307001-20	180cm	110cm	2	¢ 18mm	40mm	¢ 4.8X 28mm	20	Shotgun
S9307001-28	185cm	114cm	2	¢ 16.5mm	40mm	¢ 4.8X 28mm	28	Shotgun
S9307001-410	185cm	113cm	1	¢ 12mm	42mm	¢ 4.8X 28mm	410	Shotgun

P9302001-.22



P9302001-.30



S9307001-12

Cleaning Brushes

Sturdy & thorough durability

Phosphor Bronze Brush for rifle/pistol

Item no :U2632B (in US style)

E2632B (in Euro style)

Caliber available: .22cal/.243cal/.270/
.30cal/.32cal/.38cal/.357cal/.40cal/.45cal



Tornado/Spiral steel brush for rifle/pistol

Item no : U2832S (in US style)

E2832S(in Euro style)

caliber available: .22cal/.243cal/.270/
.30cal/.32cal/.38cal/.357cal/.40cal/.45cal



Nylon bore brush for rifle/pistol

Item no : U2232N(in US style)

E2232N(in Euro style)

caliber available: .22cal/.243cal/.270/
.30cal/.32cal/.38cal/.357cal/.40cal/.45cal



Cotton mop for rifle /pistol

Item no: U2932C(in US style)

E2932C(in Euro style)

caliber available: .22cal/.243cal/.270/
.30cal/.32cal/.38cal/.357cal/.40cal/.45cal



Phosphor Bronze Brush for shotgun

Item no :U2616B (in US style) E2616B (in Euro style)

Caliber available:410ga/28ga/20ga/16ga/12ga/10ga



Spiral steel brush for shotgun

Item no : U2816S (in US style) E2816S(in Euro style)

Caliber available:410ga/28ga/20ga/16ga/12ga/10ga



Nylon/Bristle bore brush for shotgun

Item no : U2216N(in US style) E2216N(in Euro style)

Caliber available:410ga/28ga/20ga/16ga/12ga/10ga



Cotton mop for shotgun

Item no : U2916N(in US style) E2916N(in Euro style)

Caliber available:410ga/28ga/20ga/16ga/12ga/10ga




Cleaning Brushes & Rods

Cleaning brushes with rings for rifles and pistol

Material optional : Phosphor bronze brush/brass brush/
steel brush/bristle brush /cotton mop

Caliber available: .45cal/.40cal/.38cal/9mm/.357cal/8mm/.32cal/5.6mm/.22cal/4.5mm/.17cal



Double-ended cleaning brush

Material optional: Phosphor bronze brush/brass brush/
stainless steel brush/nylon brush

Item No	DESCRIPTION
2302760	Nylon 2 in 1 OD Green Utility Brush (Double-ended)
2322760	Stainless Steel 2 in 1 OD Green Utility Brush (Double-ended)
2332760	Phosphor Bronze 2 in 1 OD Green Utility Brush (Double-ended)
2342760	Brass 2 in 1 OD Green Utility Brush (Double-ended)



Item No	DESCRIPTION
2302761	Nylon Utility Brush
2322761	Stainless Steel Utility Brush
2332761	Phosphor Bronze Utility Brush
2342761	Brass Utility Brush




Handy cleaning tool for all types of guns or maintenance chores

Solid Cleaning rods in 3-pieces set

Material optional: Steel /Brass/ Aluminum/
Plastic covered steel rods

Size optional: 4mm/5mm/6mm/7mm



Item no:

9301202(steel rod) 9301505(aluminum rod)

9301606(brass rod) 9301303(plastic-covered steel rod)



Item no:

9301212(steel rod) 9301515(aluminum rod)

9301616(brass rod)



Item no:

9302005(pistol aluminum rod)

9302006(pistol brass rod)

Cleaning Kit Set For Shotgun

Free combination of brush and rods at your choice

Cleaning kits for shotgun in plastic box

caliber available: 410ga/28ga/20ga/16ga/12ga

Brushes optional: cotton mop/nylon brush/phosphor bronze brush/steel spiral brush

3-piece set cleaning rods optional: Brass rod/aluminum rod/plastic-covered steel rods

Item no: S9307603 (with 3-piece plastic-covered rod)

S9307605 (with 3-piece aluminum rod)

S9307606 (with 3-piece brass rod)



Cleaning Kit Set For Pistol & Rifle

Free combination of brushes and rods at your choice

Pocket kit with **Rotating Rods** for Pistol

Caliber available: .22cal/.30cal/.35cal/.40cal/.45cal etc

Brushes optional: cotton mop/nylon brush/

phosphor bronze brush/steel spiral brush

Brass rod/Aluminum rod (Size 5mm Length :90mm+100mm)

Item no: P9305115 (with aluminum rod)

P9305116 (with brass rod)



Pocket kit with **Rotating Steel Cable** for Rifle

Caliber available: .22cal/.30cal/.35cal/.38cal/.40cal/.45cal etc

Steel cable with T-rod (90cm steel cable)

Brushes optional: cotton mop/nylon brush/

phosphor bronze brush/steel spiral brush

Item no: R9306507



R9306516



M16/AR-15 Butt-Stock Cleaning Kit

This kits fits right into the back end of the stock. It contains a .223 cal. T-handle, .223 cal. rod sections, .223 adaptor, .223 patch loop, .223 bore brush & .223 chamber brush. Also, double-ended gun brush, 1/2 ounce oiler and water-proof triangle pouch are available.

R9306515



M16/AR-15 Cleaning Kit

This kits contains a .223 cal. T-handle, .223 cal. rod sections, .223 adaptor, .223 patch loop, .223 bore brush & .223 chamber brush. Also, double-ended gun brush, 1/2 ounce oiler, cotton patches, clip and tactical pouch are available.

R9306539



AR-308 Cleaning Kit

This kits contains a .30 cal. T-handle, .30 cal. rod sections, 30 patch loop, .30 bore brush & .30 chamber brush. Also, double-ended gun brush, 1/2 ounce oiler, cotton patches, clip and tactical pouch are available, special for 7.62mm caliber AR-308 only.

R9306548



AK-47 Cleaning Kit

This kits contains a .30 cal. T-handle, .30 cal. rod sections, .30 patch loop, .30 bore brush & .30 chamber brush. Also, double-ended gun brush, 1/2 ounce oiler, cotton patches, clip and tactical pouch are available, special for 7.62mm caliber AK-47 only.

R9306523



FN-FAL Cleaning Kit

This kits contains a .30 cal.T-handle, .30 cal. rod sections, .30 patch loop, .30 bore brush & .30 chamber brush. Also, double-ended gun brush, 1/2 ounce oiler, cotton patches, clip and tactical pouch are available, special for 7.62mm caliber FN-FAL only.

R9306513



M1 Garand Buttstock Cleaning Kit

R9306514



M14/M1A Buttstock Cleaning Kit

9996019



9996006



9996004



9996032



9996033



Universal Cleaning Kits

Perfect for hunter and shooter



Universal cleaning kits set in aluminum box

Details of this set: 1) A universal T-handle

2) 3pcs of 5mm brass rod & 3pcs of 4mm brass rod

3) 10pcs of phosphor bronze brush for 10/12ga, 20/28ga, 410ga, .45cal, .40cal, .38cal/9mm, .17cal, .30cal, 270/280cal, .22cal

4) 5pcs of cotton mop for 10/12ga, 20/28ga, 410ga, .38cal, .22cal.

5) 3pcs of brass accessory adaptor

6) cotton patches

Item no: U9309206 (with brass rod)

U9309207(with aluminum rod)



● Re-useable Brass / Brass-chromed Snap Cap for Shotgun ▲

Patches / Cloth / Cleaning Pad ▼






● Brass & Plastic Patch Loop for Pistol / Rifle / Shotgun ▲



● Brass & Aluminum Adaptor With Male & Female Thread ▲



● Brass & Plastic Jags for Pistol / Rifle / Shotgun ▲





CHENXI★

www.99outdoor.com

www.chenxioutdoor.com