

CHENXI

OUTDOOR PRODUCTS

2024 CATALOG

First Focal Plane Rifle Scopes

True 8x Magnification: Ideal for versatile hunting and precision shooting.

First Focal Plane: Reticle size adjusts with zoom, perfect for consistent aiming.

ED Glass: Delivers sharp, clear images with excellent color fidelity.

Fast Focus System: Quick and easy target acquisition.

Super High Light Transmission: Great performance in low-light conditions.


Wide Field of View: Excellent for fast target spotting.

Side Focus: Essential for long-range accuracy through parallax adjustment.

Illuminated Reticle: Enhances visibility in various lighting conditions.

1000g Recoil Test: Proves its durability and ruggedness.

Weatherproofing: Reliable in challenging outdoor conditions.



7.5-60 x56

Item No.	SCP-F756056si
Magnification	7.5X~60X
Tube Diameter(mm)	34
Objective (mm)	56
Focal Plane	First
Reticle Type	Glass Etched Reticle, customized
Illuminated Reticle	Red
FOV@LX (ft.@100yds)	13.94
FOV@HX (ft.@100yds)	1.88
Eye Relief @ LX (mm)	95
Eye Relief @HX (mm)	97
Exit Pupil@ LX (mm)	9.7
Exit Pupil@ HX (mm)	0.93
W/E Clicks	0.125 MOA
Elevation Adjustment Range (MOA)	80
Windage Adjustment Range (MOA)	80
Side Focus	10yds - infinity
Weight (oz/g)	37.46 / 1060



First Focal Plane Rifle Scopes



Item No.	SCP-F1824si	SCP-F1251030si	SCP-F252050si	SCP-F352850si	SCP-F54056si
Magnification	1X~8X	1.25X~10X	2.5X~20X	3.5X~28X	5X~40X
Tube Diameter(mm)	34	34	34	34	34
Objective (mm)	24	30	50	50	56
Focal Plane	First	First	First	First	First
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized
Illuminated Reticle	Red	Red	Red	Red	Red
FOV@LX (ft.@100yds)	123	86.8	49.7	31.8	21
FOV@HX (ft.@100yds)	14.12	10.46	6.3	4.1	2.8
Eye Relief @ LX (mm)	92	92	91	95	95
Eye Relief @HX (mm)	96	96	94	95	95
Exit Pupil@ LX (mm)	10.1	9.8	9.7	10.05	9.7
Exit Pupil@ HX (mm)	3.02	2.9	2.65	1.75	1.4
W/E Clicks	0.1 mil	0.1 mil	0.1 mil	0.1 mil	0.25 MOA
Elevation Adjustment Range (MOA)	150	120	100	80	80
Windage Adjustment Range (MOA)	150	120	80	70	80
Side Focus	No	No	15yds - infinity	15yds - infinity	10yds - infinity
Weight (oz/g)	27.28 / 772	27.2 / 770	32.69 / 925	36.01 / 1030	37.46 / 1060



1-8 x24



5-40 x56

First Focal Plane Rifle Scopes



5-25 x52




3-15 x50



4-20 x50

Item No.	SCP-F52552si	SCP-F52556si	SCP-F53056si	SCP-F31550si	SCP-F42050si
Magnification	5X~25X	5X~25X	5X~30X	3X~15X	4X~20X
Tube Diameter(mm)	34	34	34	30	30
Objective (mm)	52	56	56	50	50
Focal Plane	First	First	First	First	First
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Multi-x	Multi-x
Illuminated Reticle	Red or Green	Red	Red or Green	Red or Green	Red or Green
FOV@LX (ft.@100yds)	22.5	21	23.5	34	25.8
FOV@HX (ft.@100yds)	4.5	4.23	3.8	6.8	5.17
Eye Relief @ LX (mm)	92	92	114	99	93
Eye Relief @HX (mm)	88	88	88	88	88
Exit Pupil@ LX (mm)	10.4	11.2	11.2	15.2	12.5
Exit Pupil@ HX (mm)	2.08	2.24	1.86	3.33	2.5
W/E Clicks	0.05MIL	0.05MIL	0.1MIL	0.1 mil	0.1mil
Elevation Adjustment Range (MOA)	70	90	90	90	80
Windage Adjustment Range (MOA)	45	60	50	60	80
Side Focus	30m-infinity	10m-infinity	10m-infinity	10m-infinity	10m-infinity
Weight (oz/g)	N/A	1050	N/A	925g	N/A





Item No.	SCP-F73556esi	SCP-F73556si	SCP-F756056si
Magnification	7X~35X	7X~35X	7.5X~60X
Tube Diameter(mm)	34	34	34
Objective (mm)	56	56	56
Focal Plane	First	First	First
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized
Illuminated Reticle	Red & Green	Red & Green	Red
FOV@LX (ft.@100yds)	17.3	17.3	13.94
FOV@HX (ft.@100yds)	3.5	3.5	1.88
Eye Relief @ LX (mm)	94	94	95
Eye Relief @HX (mm)	90	90	97
Exit Pupil@ LX (mm)	8	8	9.7
Exit Pupil@ HX (mm)	1.6	1.6	0.93
W/E Clicks	0.1MIL	0.1MIL	0.125 MOA
Elevation Adjustment Range (MOA)	120	100	80
Windage Adjustment Range (MOA)	100	80	80
Side Focus	25yds - infinity	25yds - infinity	25yds - infinity
Weight (oz/g)	1170	1090	37.46 / 1060

7-35 x56



Tactical Rifle Scopes



10x




1-10x26

12x



1-12x26

Model no	SCP-11026i	SCP-11226i
Magnification	1X-10X	1X-12X
Tube diameter	34mm	34mm
Objective diameter	26mm	26mm
Reticle	CQB/4A dot/BDC	CQB/4A dot/BDC
Field of view @100yard	99-9.9ft	94-7.9ft
Eye relief	120-90 mm	120-89 mm
Exit pupil	8-2.6mm	8-2.16mm
Click value	1/10 MIL	1/10 MIL
Side focus	no	no
Length	270mm	270mm
IR	Red/Green	Red/Green
Elevation	100 MOA	100 MOA
Windage	100 MOA	100 MOA



Tactical Rifle Scopes




1-12x26




6 Tactical Rifle Scopes

Model no	SCP-1824i
Magnification	1x-8x
Tube diameter	30mm
Objective diameter	24mm
Reticle	CQB/4A dot/BDC
Field of view @100yard	104.6-13.6ft
Eye relief	110-91mm
Exit pupil	16.6-3.2mm
Click value	1/10 MIL
Side focus	no
Length	253mm
IR	Red/Green
Elevation	100 MOA
Windage	100 MOA

Tactical Rifle Scopes




1-8x24



Your choice Our Care

Our **CCOP** hunting scope is an ideal choice for short to medium range shooting. With the features of quick target acquisition and fast focus eyepiece, it fills the requirement of the law enforcement and hunters who need a quick-sighting system at ranges of 5 yards to infinite. A large eyepiece provides the shooter an increased vertical and horizontal, forward and backward movement behind the scopes . If you are tired of massive heavy scope yet still insist upon outstanding performance, take our **CCOP** hunting scope.



Tactical & Hunting

Rifle Scopes


Item No.	SCP-1824i	SCP-1250526i	SCP-15642i	SCP-251040i	SCP-3942i	SCP-41240i
Magnification	1X~8X	1.25X~5X	1.5X~6X	2.5X~10X	3X~9X	4X~12X
Tube Diameter(mm)	30	30	30	30	30	30
Objective (mm)	24	26	42	40	42	40
Focal Plane	Second	Second	Second	Second	Second	Second
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Metal Reticle	Metal Reticle	Metal Reticle
Illuminated Reticle	Red	Red or Green	Red	Red	Red	Red
FOV@LX (ft.@100yds)	104.6	84.7	65.9	42.9	42	25.6
FOV@HX (ft.@100yds)	13.1	21.2	16.5	11	13.94	8.4
Eye Relief @ LX (mm)	110	135	110.1	95	112	95
Eye Relief @HX (mm)	91	95.5	90.5	85	90	95
Exit Pupil@ LX (mm)	16.6	16.4	17.9	14	14	10
Exit Pupil@ HX (mm)	3	5.2	7.0	4	4.67	3.33
W/E Clicks	0.1MIL	1/2 MOA	0.25MOA	0.34 MOA	0.25MOA	0.1MIL
Elevation Adjustment Range (MOA)	100	120	100	90	90	80
Windage Adjustment Range (MOA)	100	120	100	90	90	80
Side Focus	No	No	No	100yds-infinity	No	No
Weight (oz/g)	494g	N/A	611g	533g	520g	532g



2.5-10 x40



4-12 x40








7-35 x56



10-40 x56

A combination of high magnification and maximum elevation travel.



Item No.	SCP-52556si	SCP-62556si	SCP-73556si	SCP-104056si	SP-150532i	SP-3944i
Magnification	5X~25X	6X~25X	7X~35X	10X~40X	1.5X~5X	3X~9X
Tube Diameter(mm)	34	35	34	34	25.4	25.4
Objective (mm)	56	56	56	56	32	44
Focal Plane	Second	Second	Second	Second	Second	Second
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized
Illuminated Reticle	Red	Red & Green	Red	Red or Green	Red or Green	Red or Green
FOV@LX (ft.@100yds)	21	17.3	17.3	11.5	68	41
FOV@HX (ft.@100yds)	4.23	4.36	3.5	2.9	21	14.7
Eye Relief @ LX (mm)	92	98	94	97.5	138	90
Eye Relief @HX (mm)	88	90	90	85	98	78
Exit Pupil@ LX (mm)	11.2	9.3	8	5.6	16	12
Exit Pupil@ HX (mm)	2.24	2.35	1.6	1.4	6.4	4.4
W/E Clicks	0.05MIL	0.25MOA	0.1MIL	0.1MIL	0.25MOA	0.25MOA
Elevation Adjustment Range (MOA)	90	110	120	110	90	50
Windage Adjustment Range (MOA)	90	110	100	110	90	50
Side Focus	10m-infinity	10yds-infinity	25yds-infinity	10yds-infinity	No	No
Weight (oz/g)	050	980g	1170	1072g	N/A	552g



Tactical Rifle Scopes


Model no	SCP-1624i	SCP-251550si	SCP-42450si	SCP-53056si	SCP-F31850si	SCP-F53056si
Magnification	1x-6x	2.5x-15x	4x-24x	5x-30x	3X-18X	5X-30X
Tube diameter	30mm	30mm	30mm	30mm	30mm	34mm
Objective diameter	24mm	50mm	50mm	56mm	50mm	56mm
Reticle	CQB/4A dot/BDC	CQB/4A dot/BDC	mil dot	mil dot	Etched Glass Reticle	Etched Glass Reticle
Field of view @100yard	99-16.6ft	40-6.8ft	29.5-4.94ft	23.4-3.9ft	111.86-18.86ft	23.53-3.8ft
Eye relief	110-88mm	115-88mm	106-88mm	100-88mm	100mm	100-88mm
Exit pupil	16-4mm	10-3.3mm	12.5-2.08mm	11.2-1.86mm	16.2-2.7mm	11.2-1.86mm
Click value	1/2 MOA	1/4 MOA	1/8 MOA	1/8 MOA	1/10 MIL	1/10 MIL
Side focus	no	10yds-infinity	25yds-infinity	50yds-infinity	15yds-infinity	10m-infinity
Length	265mm	353mm	390mm	420mm	350mm	372 mm
IR	Red/Green	Red/Green	Red/Green	Red/Green	Red	Red/Green
Elevation	100 MOA	70 MOA	60 MOA	50 MOA	50 MOA	90 MOA
Windage	100 MOA	70 MOA	60 MOA	50 MOA	50 MOA	70 MOA




6x




4A DOT



CQB



BDC





MIL DOT

10 Tactical Rifle Scopes



Prism Scope



4 x 32mm



2.5 x 32mm



Model no	SCP-P2532i	SCP-P3032i	SCP-P4032i
Magnification	2.5x32	3x32	4x32
Reticle	CQB	CQB	CQB
Focus range	100yards	100yards	100yards
Field of view @100yard	37.5ft	31.4ft	23.6ft
Fov Degree (°)	7.2°	6°	4.5°
Fov m/100m	12.2	10.5	7.87
Eye relief	80	80	80
Exit pupil	12.4	10	8
Click value	1/2 MOA	1/2 MOA	1/2 MOA
Length	119mm	137.5mm	137.5mm
IR	Red/Green	Red/Green	Red/Green
Elevation	30 MOA	30 MOA	30 MOA
Windage	30 MOA	30 MOA	30 MOA



Rifle Scope Cover



RSSS-01



RSSS-02



RSSS-03



RSSS-04



RSSS-05



Specifications:

Item	Jacket Length Front Diameter	Scope Length	Scope Objective
RSSS-01	10" x 3 5mm	10.5"-11.5"	Up to 33mm
RSSS-02	10.25" x 4 5mm	10.5"-12"	Up to 43mm
RSSS-03	11.5" x 5 0mm	12"-14"	Up to 50mm
RSSS-04	13.5" x 5 2mm	13"-15.5"	Up to 56mm
RSSS-05	14.5" x 5 6mm	14"-16.5"	Up to 60mm