



CHENXI

OUTDOOR PRODUCTS

2025-2026 CATALOG

First Focal Plane Rifle Scopes

True 8x Magnification: Ideal for versatile hunting and precision shooting.

First Focal Plane: Reticle size adjusts with zoom, perfect for consistent aiming.

ED Glass: Delivers sharp, clear images with excellent color fidelity.

Fast Focus System: Quick and easy target acquisition.

Super High Light Transmission: Great performance in low-light conditions.


Wide Field of View: Excellent for fast target spotting.

Side Focus: Essential for long-range accuracy through parallax adjustment.

Illuminated Reticle: Enhances visibility in various lighting conditions.

1000g Recoil Test: Proves its durability and ruggedness.

Weatherproofing: Reliable in challenging outdoor conditions.



7.5-60 x56

2 FFP Rifle Scopes

Item No.	SCP-F756056si
Magnification	7.5X~60X
Tube Diameter(mm)	34
Objective (mm)	56
Focal Plane	First
Reticle Type	Glass Etched Reticle, customized
Illuminated Reticle	Red
FOV@LX (ft.@100yds)	13.94
FOV@HX (ft.@100yds)	1.88
Eye Relief @ LX (mm)	95
Eye Relief @HX (mm)	97
Exit Pupil@ LX (mm)	9.7
Exit Pupil@ HX (mm)	0.93
W/E Clicks	0.125 MOA
Elevation Adjustment Range (MOA)	80
Windage Adjustment Range (MOA)	80
Side Focus	10yds - infinity
Weight (oz/g)	37.46 / 1060



First Focal Plane Rifle Scopes



Item No.	SCP-F1824i	SCP-F1251030i	SCP-F2251832aoi	SCP-F252050esi	SCP-F252050si	SCP-F31550si
Magnification	1X~8X	1.25X~10X	2.25X~18X	2.5X~20X	2.5X~20X	3X~15X
Tube Diameter(mm)	34	34	34	34	34	30
Objective (mm)	24	30	32	50	50	50
Focal Plane	First	First	First	First	First	First
Reticle Type	Glass Etched Reticle	Glass Etched Reticle, customized	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle, customized	Multi-x
Illuminated Reticle	Red	Red	Red	Red	Red	Red,Green
FOV@LX (ft.@100yds)	123	86.8	51.66	42.7	49.7	36.61
FOV@HX (ft.@100yds)	14.12	10.46	6.66	5.39	6.3	7.2
Eye Relief @ LX (mm)	92	92	95	91	91	99
Eye Relief @HX (mm)	96	96	97	96	94	88
Exit Pupil@ LX (mm)	10.1	9.8	9.7	9.8	9.7	15.2
Exit Pupil@ HX (mm)	3.02	2.9	1.75	2.5	2.65	3.33
W/E Clicks	0.1mil	0.1mil	0.25moa	0.1mil	0.1mil	0.1mil
Elevation Adjustment Range (MOA)	150	120	100	100	100	90
Windage Adjustment Range (MOA)	150	120	100	80	80	60
Side Focus	100yds	100yds	10yds-infinity	15yds-infinity	15yds-infinity	10m-infinity
Weight (oz/g)	27.28/772	27.2/770	29.28/830	32.63/925	32.63/925	31.32/888



1-8 x24



5-40 x56

First Focal Plane Rifle Scopes



5-25 x52



3-15 x50



4-20 x50

Item No.	SCP-F31850si	SCP-F352850si	SCP-F42050si	SCP-F52552si	SCP-F52556si	SCP-F53056si
Magnification	3X~18X	3.5X~28X	4X~20X	5X~25X	5X~25X	5X~30X
Tube Diameter(mm)	30	34	30	34	34	34
Objective (mm)	50	50	50	52	56	56
Focal Plane	First	First	First	First	First	First
Reticle Type	Etched Glass Reticle	Glass Etched Reticle, customized	Multi-x	Glass Etched Reticle, customized	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red	Red	Red or Green	Red or Green	Red	Red
FOV@LX (ft.@100yds)	111.86	31.8	25.8	22.5	21	23.5
FOV@HX (ft.@100yds)	18.86	4.1	5.17	4.5	4.23	3.8
Eye Relief @ LX (mm)	100	95	93	92	92	114
Eye Relief @HX (mm)	/	95	88	88	88	88
Exit Pupil@ LX (mm)	16.2	10.05	12.5	10.4	11.2	11.2
Exit Pupil@ HX (mm)	2.7	1.75	2.5	2.08	2.24	1.86
W/E Clicks	1/10 mil	0.1mil	0.1mil	0.05mil	0.05mil	0.1mil
Elevation Adjustment Range (MOA)	50	80	80	70	90	90
Windage Adjustment Range (MOA)	50	70	80	45	60	50
Side Focus	15yds-infinity	15yds-infinity	10m-infinity	30m-infinity	10m-infinity	10m-infinity
Weight (oz/g)	N/A	36.01/1030	34.92/990	36.86/1045	37.04/1050	41.62/1180



Item No.	SCP-F54056si	SCP-F554456si	SCP-F63656si	SCP-F73556si	SCP-F73556si	SCP-F756056si
Magnification	5X~40X	5.5X~44X	6X~36X	7X~35X	7X~35X	7.5X~60X
Tube Diameter(mm)	34	34	34	34	34	34
Objective (mm)	56	56	56	56	56	56
Focal Plane	First	First	First	First	First	First
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle, customized	Glass Etched Reticle, customized	Glass Etched Reticle, customized
Illuminated Reticle	Red	Red	Red,Green	Red & Green	Red & Green	Red
FOV@LX (ft.@100yds)	21	19.87	17.7	17.3	17.3	13.94
FOV@HX (ft.@100yds)	2.8	2.88	3.2	3.5	3.5	1.88
Eye Relief @ LX (mm)	95	93	97	94	94	95
Eye Relief @HX (mm)	95	97	95	90	90	97
Exit Pupil@ LX (mm)	9.7	10.2	9.3	8	8	9.7
Exit Pupil@ HX (mm)	1.4	1.36	1.5	1.6	1.6	0.93
W/E Clicks	0.25moa	0.25moa	0.25moa	0.1mil	0.1mil	0.125moa
Elevation Adjustment Range (MOA)	80	80	80	120	100	80
Windage Adjustment Range (MOA)	80	80	60	100	80	80
Side Focus	10yds-infinity	10yds-infinity	10yds-infinity	25yds-infinity	25yds-infinity	10yds-infinity
Weight (oz/g)	37.46 / 1060	37.39/1060	35.27/1000	41.27 / 1170	38.45 / 1090	37.46 / 1060

7-35 x56



Tactical Rifle Scopes



10_x**1-10x26****12_x****1-12x26**

Item No.	SCP-11026i	SCP-11226i
Magnification	1X~10X	1X~12X
Tube Diameter(mm)	34	34
Objective (mm)	26	26
Focal Plane	Second	Second
Reticle Type	CQB/4A dot/BDC	CQB/4A dot/BDC
Illuminated Reticle	Red/Green	Red/Green
FOV@LX (ft.@100yds)	99	94
FOV@HX (ft.@100yds)	9.9	7.9
Eye Relief @ LX (mm)	120	120
Eye Relief @ HX (mm)	90	89
Exit Pupil@ LX (mm)	8	8
Exit Pupil@ HX (mm)	2.6	2.16
W/E Clicks	1/10mil	1/10mil
Elevation Adjustment Range (MOA)	100	100
Windage Adjustment Range (MOA)	100	100
Side Focus	no	no
Weight (oz/g)	N/A	N/A


Tactical

Rifle Scopes


**1-12x26****6 Tactical Rifle Scopes**

Item No.	SCP-1824i
Magnification	1X~8X
Tube Diameter(mm)	30
Objective (mm)	24
Focal Plane	Second
Reticle Type	Glass Etched Reticle, customized
Illuminated Reticle	Red
FOV@LX (ft.@100yds)	104.6
FOV@HX (ft.@100yds)	13.1
Eye Relief @ LX (mm)	110
Eye Relief @HX (mm)	91
Exit Pupil@ LX (mm)	16.6
Exit Pupil@ HX (mm)	3
W/E Clicks	0.1mil
Elevation Adjustment Range (MOA)	100
Windage Adjustment Range (MOA)	100
Side Focus	No
Weight (oz/g)	17.43/494

Tactical Rifle Scopes




1-8x24



Your choice Our Care

Our **CCOP** hunting scope is an ideal choice for short to medium range shooting. With the features of quick target acquisition and fast focus eyepiece, it fills the requirement of the law enforcement and hunters who need a quick-sighting system at ranges of 5 yards to infinite. A large eyepiece provides the shooter an increased vertical and horizontal, forward and backward movement behind the scopes . If you are tired of massive heavy scope yet still insist upon outstanding performance,take our **CCOP** hunting scope.



Tactical & Hunting

Rifle Scopes

Item No.	SCP-1624i	SCP-1250526i	SCP-15642i	SCP-251550si	SCP-31250si	SCP-31850si
Magnification	1X~6X	1.25X~5X	1.5X~6X	2.5X~15X	3X~12X	3X~18X
Tube Diameter(mm)	30	30	30	30	30	34
Objective (mm)	24	26	42	50	50	50
Focal Plane	Second	Second	Second	Second	Second	Second
Reticle Type	CQB/4A Dot/BDC	Glass Etched Reticle, customized	Glass Etched Reticle, customized	CQB/4A Dot/BDC	Glass Etched Reticle	Glass Etched Reticle
Illuminated Reticle	Red/Green	Red or Green	Red	Red/Green	Red	Red
FOV@LX (ft.@100yds)	99	84.7	65.9	40	34	31.9
FOV@HX (ft.@100yds)	16.6	21.2	16.5	6.8	8.34	5.3
Eye Relief @ LX (mm)	110	135	110.1	115	99	108
Eye Relief @HX (mm)	88	95.5	90.5	88	88	90
Exit Pupil@ LX (mm)	16	16.4	17.9	10	15.2	16.7
Exit Pupil@ HX (mm)	4	5.2	7.0	3.3	3.33	2.8
W/E Clicks	1/2MOA	1/2moa	0.25moa	1/4moa	0.25moa	0.25moa
Elevation Adjustment Range (MOA)	100	120	100	70	90	45
Windage Adjustment Range (MOA)	100	120	100	70	60	45
Side Focus	No	No	No	10yds-infinity	10yds-infinity	10m-infinity
Weight (oz/g)	17.92/508	17.81/505	21.55/611	26.28/745	29.28/830	30.58/867




3-12 x 50





A combination of high magnification and maximum elevation travel.



3.5-25 x 56




Item No.	SCP-351450si	SCP-352556esi	SCP-42450si	SCP-52556si	SCP-53056si	SCP-62556si	SCP-73556si
Magnification	3.5X~14X	3.5X~25X	4X~24X	5X~25X	5X~30X	6X~25X	7X~35X
Tube Diameter(mm)	30	35	30	34	30	35	34
Objective (mm)	50	56	50	56	56	56	56
Focal Plane	Second	Second	Second	Second	Second	Second	Second
Reticle Type	Glass Etched Reticle	Glass Etched Reticle	mil dot	Glass Etched Reticle	Glass Etched Reticle	Glass Etched Reticle, customized	Glass Etched Reticle, customized
Illuminated Reticle	Red,Green	Red, Green	Red/Green	Red	Red	Red & Green	Red
FOV@LX (ft.@100yds)	31.48	31	29.5	21	23.5	17.3	17.3
FOV@HX (ft.@100yds)	7.8	4.3	4.94	4.23	3.8	4.36	3.5
Eye Relief @ LX (mm)	100	125	106	92	114	98	94
Eye Relief @HX (mm)	92	90	88	88	88	90	90
Exit Pupil@ LX (mm)	14.2	16	12.5	11.2	11.2	9.3	8
Exit Pupil@ HX (mm)	3.57	2.2	2.08	2.24	1.86	2.35	1.6
W/E Clicks	0.25moa	0.1mil	1/8moa	0.05mil	0.25moa	0.25moa	0.1mil
Elevation Adjustment Range (MOA)	80	90	60	90	70	110	120
Windage Adjustment Range (MOA)	80	65	60	90	70	110	100
Side Focus	10yds-infinity	20yds-infinity	25yds-infinity	10m-infinity	10yds-infinity	10yds-infinity	25yds-infinity
Weight (oz/g)	27.34/775	34.92/990	30.90/876	35.27/1000	41.62/1180	34.57/980	41.27/1170



Tactical Rifle Scopes

Item No.	SCP-251040i	SCP-251042i	SCP-3940i	SCP-3942i	SCP-41240i	SCP-41640s	SCP-62444s
Magnification	2.5X~10X	2.5X~10X	3X~9X	3X~9X	4X~12X	4X~16X	6X~24X
Tube Diameter(mm)	30	30	30	30	30	30	30
Objective (mm)	40	42	40	42	40	40	44
Focal Plane	Second	Second	Second	Second	Second	Second	Second
Reticle Type	Metal Reticle	Metal Reticle	Metal Reticle	Metal Reticle	Metal Reticle	Metal Reticle	Metal Reticle
Illuminated Reticle	Red	Red	Red	Red	Red	No	No
FOV@LX (ft.@100yds)	42.9	42.9	38.1	42	25.6	23	17.2
FOV@HX (ft.@100yds)	11	11	12.5	13.94	8.4	5.8	4.3
Eye Relief @ LX (mm)	95	95	112	112	95	112	93
Eye Relief @HX (mm)	85	85	90	90	95	90	80
Exit Pupil@ LX (mm)	14	14	13.2	14	10	10	7.3
Exit Pupil@ HX (mm)	4	4	4.4	4.67	3.33	2.5	1.83
W/E Clicks	0.34moa	0.34moa	0.1mil	0.25moa	0.1mil	0.1mil	0.1mil
Elevation Adjustment Range (MOA)	90	90	50	90	80	60	60
Windage Adjustment Range (MOA)	90	90	50	90	80	60	60
Side Focus Weight (oz/g)	100yds-infinity 18.8/533	100yds-infinity 20.99/595	100yds 20.63/585	No 18.34/520	No 18.77/532	10yds-infinity 21.06/597	10yds-infinity 21.38/606

3-9 x 40



10 Tactical Rifle Scopes



Rifle Scopes



1.5-5 x 32

Item No.	SCP-104056si	SCP-1050i	SP-150532i	SP-3944i
Magnification	10X~40X	10x	1.5X~5X	3X~9X
Tube Diameter(mm)	34	30	25.4	25.4
Objective (mm)	56	50	32	44
Focal Plane	Second	Second	Second	Second
Reticle Type	Glass Etched Reticle, customized	Glass Etched Reticle	Glass Etched Reticle, customized	Glass Etched Reticle, customized
Illuminated Reticle	Red or Green	Red	Red or Green	Red or Green
FOV@LX (ft.@100yds)	11.5	11	68	41
FOV@HX (ft.@100yds)	2.9	/	21	14.7
Eye Relief @ LX (mm)	97.5	95	138	90
Eye Relief @HX (mm)	85	/	98	78
Exit Pupil@ LX (mm)	5.6	5	16	12
Exit Pupil@ HX (mm)	1.4	/	6.4	4.4
W/E Clicks	0.1mil	0.25moa	0.25moa	0.25moa
Elevation Adjustment Range (MOA)	110	80	90	50
Windage Adjustment Range (MOA)	110	80	90	50
Side Focus	10yds-infinity	100yds	No	No
Weight (oz/g)	37.81/1072	27.37/776	16.93/480	19.47 / 552

Rifle Scope Cover



Specifications:

Item	Jacket Length Front Diameter	Scope Length	Scope Objective
RSSS-01	10" x 3 5mm	10.5"-11.5"	Up to 33mm
RSSS-02	10.25" x 4 5mm	10.5"-12"	Up to 43mm
RSSS-03	11.5" x 5 0mm	12"-14"	Up to 50mm
RSSS-04	13.5" x 5 2mm	13"-15.5"	Up to 56mm
RSSS-05	14.5" x 5 6mm	14"-16.5"	Up to 60mm





CHENXi

[Http://www.chenxioutdoor.com](http://www.chenxioutdoor.com)

