



***CHENXI***

OUTDOOR PRODUCTS

**2026-2027 CATALOG**

# First Focal Plane Rifle Scopes

**True 8x Magnification:** Ideal for versatile hunting and precision shooting.

**First Focal Plane:** Reticle size adjusts with zoom, perfect for consistent aiming.

**ED Glass:** Delivers sharp, clear images with excellent color fidelity.

**Fast Focus System:** Quick and easy target acquisition.

**Super High Light Transmission:** Great performance in low-light conditions.


**Wide Field of View:** Excellent for fast target spotting.

**Side Focus:** Essential for long-range accuracy through parallax adjustment.

**Illuminated Reticle:** Enhances visibility in various lighting conditions.

**1000g Recoil Test:** Proves its durability and ruggedness.

**Weatherproofing:** Reliable in challenging outdoor conditions.



## 7.5-60 x56



| Item No.                         | SCP-F756056si                    |
|----------------------------------|----------------------------------|
| Magnification                    | 7.5X~60X                         |
| Tube Diameter(mm)                | 34                               |
| Objective (mm)                   | 56                               |
| Focal Plane                      | First                            |
| Reticle Type                     | Glass Etched Reticle, customized |
| Illuminated Reticle              | Red                              |
| FOV@LX (ft.@100yds)              | 13.94                            |
| FOV@HX (ft.@100yds)              | 1.88                             |
| Eye Relief @ LX (mm)             | 95                               |
| Eye Relief @HX (mm)              | 97                               |
| Exit Pupil@ LX (mm)              | 9.7                              |
| Exit Pupil@ HX (mm)              | 0.93                             |
| W/E Clicks                       | 0.125 MOA                        |
| Elevation Adjustment Range (MOA) | 80                               |
| Windage Adjustment Range (MOA)   | 80                               |
| Side Focus                       | 10yds - infinity                 |
| Weight (oz/g)                    | 37.46 / 1060                     |



# First Focal Plane Rifle Scopes



| Item No.                         | SCP-F1824i-W         | SCP-F1251030i        | SCP-F151224i         | SCP-F2251832aoi      | SCP-F252050esi       | SCP-F252050si        |
|----------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Magnification                    | 1X~8X                | 1.25X~10X            | 1.5X~12X             | 2.25X~18X            | 2.5X~20X             | 2.5X~20X             |
| Tube Diameter(mm)                | 34                   | 34                   | 34                   | 34                   | 34                   | 34                   |
| Objective (mm)                   | 24                   | 30                   | 24                   | 32                   | 50                   | 50                   |
| Focal Plane                      | First                | First                | First                | First                | First                | First                |
| Reticle Type                     | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red                  | Red                  | Red                  | Red                  | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 123.00               | 86.80                | 79.50                | 51.66                | 42.70                | 49.70                |
| FOV@HX (ft.@100yds)              | 14.12                | 10.46                | 9.94                 | 6.66                 | 5.39                 | 6.30                 |
| Eye Relief @ LX (mm)             | 92.00                | 92.00                | 98.00                | 95.00                | 91.00                | 91.00                |
| Eye Relief @HX (mm)              | 96.00                | 96.00                | 98.00                | 97.00                | 96.00                | 94.00                |
| Exit Pupil@ LX (mm)              | 10.10                | 9.80                 | 8.30                 | 9.70                 | 9.80                 | 9.70                 |
| Exit Pupil@ HX (mm)              | 3.02                 | 2.90                 | 2.10                 | 1.75                 | 2.50                 | 2.65                 |
| W/E Clicks                       | 0.1mil               | 0.1mil               | 0.1mil               | 0.25moa              | 0.1mil               | 0.1mil               |
| Elevation Adjustment Range (MOA) | 150                  | 120                  | 150                  | 100                  | 100                  | 100                  |
| Windage Adjustment Range (MOA)   | 150                  | 120                  | 150                  | 100                  | 80                   | 80                   |
| Side Focus                       | No                   | No                   | No                   | 10yds-infinity       | 15yds-infinity       | 15yds-infinity       |
| Weight (oz/g)                    | 27.28/772            | 27.20/770            | 720g                 | 29.28/830            | 32.63/925            | 32.69/925            |
| Catagory                         | Tactical             | Tactical             | Tactical             | Tactical             | Tactical             | Tactical             |



**1-8 x24**



**5-40 x56**

# First Focal Plane Rifle Scopes



**5-25 x56**



**3-15 x50**



**4-20 x50**

| Item No.                         | SCP-F31550si                 | SCP-F31850si         | SCP-F352850si        | SCP-F42050si                 | SCP-F453656si        | SCP-F52556si         |
|----------------------------------|------------------------------|----------------------|----------------------|------------------------------|----------------------|----------------------|
| Magnification                    | 3X~15X                       | 3X~18X               | 3.5X~28X             | 4X~20X                       | 4.5X~36X             | 5X~25X               |
| Tube Diameter(mm)                | 30                           | 34                   | 34                   | 30                           | 34                   | 34                   |
| Objective (mm)                   | 50                           | 50                   | 50                   | 50                           | 56                   | 56                   |
| Focal Plane                      | First                        | First                | First                | First                        | First                | First                |
| Reticle Type                     | Glass Etched Reticle,Multi-x | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle,Multi-x | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red,Green                    | Red                  | Red                  | Red or Green                 | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 36.61                        | 37.00                | 31.80                | 25.80                        | 23.50                | 21.00                |
| FOV@HX (ft.@100yds)              | 7.20                         | 8.27                 | 4.10                 | 5.17                         | 3.20                 | 4.23                 |
| Eye Relief @ LX (mm)             | 99.00                        | 95.00                | 95.00                | 93.00                        | 97.00                | 92.00                |
| Eye Relief @HX (mm)              | 88.00                        | 97.00                | 95.00                | 88.00                        | 95.00                | 88.00                |
| Exit Pupil@ LX (mm)              | 15.20                        | 9.70                 | 10.05                | 12.50                        | 9.70                 | 11.20                |
| Exit Pupil@ HX (mm)              | 3.33                         | 2.70                 | 1.75                 | 2.50                         | 1.50                 | 2.24                 |
| W/E Clicks                       | 0.1mil                       | 0.1mil               | 0.1mil               | 0.1mil                       | 0.1 mil              | 0.05mil              |
| Elevation Adjustment Range (MOA) | 90                           | 80                   | 80                   | 80                           | 80                   | 90                   |
| Windage Adjustment Range (MOA)   | 60                           | 80                   | 70                   | 80                           | 60                   | 60                   |
| Side Focus                       | 10m-infinity                 | 10yds-infinity       | 15yds-infinity       | 10m-infinity                 | 12yds-infinity       | 10m-infinity         |
| Weight (oz/g)                    | 31.32/888                    | 900g                 | 36.01/1030           | 34.92/990                    | N/A                  | 37.04/1050           |
| Catagory                         | Tactical                     | Tactical             | Tactical             | Tactical                     | Tactical             | Tactical             |



# First Focal Plane Rifle Scopes


| Item No.                         | SCP-F53056si         | SCP-F554456si        | SCP-F63656si         | SCP-F73556si         | SCP-F73556si         | SCP-F756056si        |
|----------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Magnification                    | 5X~30X               | 5.5X~44X             | 6X~36X               | 7X~35X               | 7X~35X               | 7.5X~60X             |
| Tube Diameter(mm)                | 34                   | 34                   | 34                   | 34                   | 34                   | 34                   |
| Objective (mm)                   | 56                   | 56                   | 56                   | 56                   | 56                   | 56                   |
| Focal Plane                      | First                | First                | First                | First                | First                | First                |
| Reticle Type                     | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red                  | Red                  | Red,Green            | Red & Green          | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 23.50                | 19.87                | 17.70                | 17.30                | 17.30                | 13.94                |
| FOV@HX (ft.@100yds)              | 3.80                 | 2.88                 | 3.20                 | 3.50                 | 3.50                 | 1.88                 |
| Eye Relief @ LX (mm)             | 114.00               | 93.00                | 97.00                | 94.00                | 94.00                | 95.00                |
| Eye Relief @HX (mm)              | 88.00                | 97.00                | 95.00                | 90.00                | 90.00                | 97.00                |
| Exit Pupil@ LX (mm)              | 11.20                | 10.20                | 9.30                 | 8.00                 | 8.00                 | 9.70                 |
| Exit Pupil@ HX (mm)              | 1.86                 | 1.36                 | 1.50                 | 1.60                 | 1.60                 | 0.93                 |
| W/E Clicks                       | 0.1mil               | 0.25moa              | 0.25moa              | 0.1mil               | 0.1mil               | 0.125moa             |
| Elevation Adjustment Range (MOA) | 90                   | 80                   | 80                   | 120                  | 120                  | 80                   |
| Windage Adjustment Range (MOA)   | 50                   | 80                   | 60                   | 100                  | 100                  | 80                   |
| Side Focus                       | 10m-infinity         | 10yds-infinity       | 10yds-infinity       | 25yds-infinity       | 25yds-infinity       | 10yds-infinity       |
| Weight (oz/g)                    | 41.62/1180           | 37.39/1060           | 35.27/1000           | 41.27/1170           | 38.45/1090           | 37.46/1060           |
| Catagory                         | Tactical             | Tactical             | Tactical             | Tactical             | Tactical             | Tactical             |

**7-35 x56**



**10<sub>x</sub>****1-10x26****12<sub>x</sub>****1-12x26**

| Item No.                         | SCP-11026i        | SCP-11226i        |
|----------------------------------|-------------------|-------------------|
| Magnification                    | 1X~10X            | 1X~12X            |
| Tube Diameter(mm)                | 34                | 34                |
| Objective (mm)                   | 26                | 26                |
| Focal Plane                      | Second            | Second            |
| Reticle Type                     | CQB/4A Dot/BDC    | CQB/4A Dot/BDC    |
| Illuminated Reticle              | Red/Green         | Red/Green         |
| FOV@LX (ft.@100yds)              | 99.00             | 94.00             |
| FOV@HX (ft.@100yds)              | 9.90              | 7.90              |
| Eye Relief @ LX (mm)             | 120.00            | 120.00            |
| Eye Relief @HX (mm)              | 90.00             | 89.00             |
| Exit Pupil@ LX (mm)              | 8.00              | 8.00              |
| Exit Pupil@ HX (mm)              | 2.60              | 2.16              |
| W/E Clicks                       | 1/10mil           | 1/10mil           |
| Elevation Adjustment Range (MOA) | 100               | 100               |
| Windage Adjustment Range (MOA)   | 100               | 100               |
| Side Focus                       | No                | No                |
| Weight (oz/g)                    | N/A               | N/A               |
| Catagory                         | Tactical / Airgun | Tactical / Airgun |



# Tactical


## Rifle Scopes

**1-12x26**





| Item No.                         | SCP-1824i-W       |
|----------------------------------|-------------------|
| Magnification                    | 1X~8X             |
| Tube Diameter(mm)                | 30                |
| Objective (mm)                   | 24                |
| Focal Plane                      | Second            |
| Reticle Type                     | CQB/4A Dot/BDC    |
| Illuminated Reticle              | Red               |
| FOV@LX (ft.@100yds)              | 123.00            |
| FOV@HX (ft.@100yds)              | 15.17             |
| Eye Relief @ LX (mm)             | 92.00             |
| Eye Relief @HX (mm)              | 96.00             |
| Exit Pupil@ LX (mm)              | 10.10             |
| Exit Pupil@ HX (mm)              | 3.00              |
| W/E Clicks                       | 0.5moa            |
| Elevation Adjustment Range (MOA) | 150               |
| Windage Adjustment Range (MOA)   | 150               |
| Side Focus                       | No                |
| Weight (oz/g)                    | 493g              |
| Catagory                         | Tactical / Airgun |

# Tactical Rifle Scopes



**1-8x24**



## Your choice Our Care

Our tactical rifle scope is an ideal choice for short to medium range shooting. With the features of quick target acquisition and fast focus eyepiece, it fills the requirement of the law enforcement and hunters who need a quick-sighting system at ranges of 5 yards to infinite. A large eyepiece provides the shooter an increased vertical and horizontal, forward and backward movement behind the scopes. If you are tired of massive heavy scope yet still insist upon outstanding performance, take our tactical rifle scope.

# Tactical Rifle Scopes

| Item No.                         | SCP-1624i-W       | SCP-251032i          | SCP-31250si          | SCP-31850si          | SCP-351450si         | SCP-352556esi        |
|----------------------------------|-------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Magnification                    | 1X~6X             | 2.5X~10X             | 3X~12X               | 3X~18X               | 3.5X~14X             | 3.5X~25X             |
| Tube Diameter(mm)                | 30                | 30                   | 30                   | 34                   | 30                   | 35                   |
| Objective (mm)                   | 24                | 32                   | 50                   | 50                   | 50                   | 56                   |
| Focal Plane                      | Second            | Second               | Second               | Second               | Second               | Second               |
| Reticle Type                     | CQB/4A Dot/BDC    | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red               | Red                  | Red                  | Red                  | Red,Green            | Red, Green           |
| FOV@LX (ft.@100yds)              | 123.00            | 43.96                | 34.00                | 37.00                | 31.48                | 31.00                |
| FOV@HX (ft.@100yds)              | 20.12             | 11.00                | 8.34                 | 8.27                 | 7.80                 | 4.30                 |
| Eye Relief @ LX (mm)             | 92.00             | 105.00               | 99.00                | 95.00                | 100.00               | 125.00               |
| Eye Relief @HX (mm)              | 96.00             | 98.00                | 88.00                | 97.00                | 92.00                | 90.00                |
| Exit Pupil@ LX (mm)              | 10.10             | 12.80                | 15.20                | 9.70                 | 14.20                | 16.00                |
| Exit Pupil@ HX (mm)              | 4.00              | 3.20                 | 3.33                 | 2.70                 | 3.57                 | 2.20                 |
| W/E Clicks                       | 0.5moa            | 0.25moa              | 0.25moa              | 0.1mil               | 0.25moa              | 0.1mil               |
| Elevation Adjustment Range (MOA) | 150               | 100                  | 90                   | 80                   | 80                   | 90                   |
| Windage Adjustment Range (MOA)   | 150               | 100                  | 60                   | 80                   | 80                   | 65                   |
| Side Focus                       | No                | No                   | 10yds-infinity       | 10yds-infinity       | 10yds-infinity       | 20yds-infinity       |
| Weight (oz/g)                    | 493g              | 599g                 | 29.28/830            | 900g                 | 27.34/775            | 34.92/990            |
| Catagory                         | Tactical / Airgun | Tactical / Airgun    | Tactical / Airgun    | Tactical / Airgun    | Tactical / Airgun    | Tactical / Airgun    |



**3.5-14 x 50**








# Tactical Rifle Scopes

**5-25x56**

| Item No.                         | SCP-3940i         | SCP-42450si          | SCP-52556si          | SCP-53056si          | SCP-62556si          | SCP-73556si          | SCP-104056si         | SCP-1050i            |
|----------------------------------|-------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Magnification                    | 3X~9X             | 4X~24X               | 5X~25X               | 5X~30X               | 6X~25X               | 7X~35X               | 10X~40X              | 10x                  |
| Tube Diameter(mm)                | 30                | 30                   | 34                   | 30                   | 35                   | 34                   | 34                   | 30                   |
| Objective (mm)                   | 40                | 50                   | 56                   | 56                   | 56                   | 56                   | 56                   | 50                   |
| Focal Plane                      | Second            | Second               | Second               | Second               | Second               | Second               | Second               | Second               |
| Reticle Type                     | Metal Reticle     | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red               | Red/Green            | Red                  | Red                  | Red & Green          | Red                  | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 38.10             | 29.50                | 21.00                | 23.50                | 17.30                | 17.30                | 11.50                | 11.00                |
| FOV@HX (ft.@100yds)              | 12.50             | 4.94                 | 4.23                 | 3.80                 | 4.36                 | 3.50                 | 2.90                 | /                    |
| Eye Relief @ LX (mm)             | 112.00            | 106.00               | 92.00                | 114.00               | 98.00                | 94.00                | 97.50                | 95.00                |
| Eye Relief @HX (mm)              | 90.00             | 88.00                | 88.00                | 88.00                | 90.00                | 90.00                | 85.00                | /                    |
| Exit Pupil@ LX (mm)              | 13.20             | 12.50                | 11.20                | 11.20                | 9.30                 | 8.00                 | 5.60                 | 5.00                 |
| Exit Pupil@ HX (mm)              | 4.40              | 2.08                 | 2.24                 | 1.86                 | 2.35                 | 1.60                 | 1.40                 | /                    |
| W/E Clicks                       | 0.1mil            | 1/8moa               | 0.05mil              | 0.25moa              | 0.25moa              | 0.1mil               | 0.1mil               | 0.25moa              |
| Elevation Adjustment Range (MOA) | 50                | 60                   | 90                   | 70                   | 110                  | 120                  | 110                  | 80                   |
| Windage Adjustment Range (MOA)   | 50                | 60                   | 90                   | 70                   | 110                  | 100                  | 110                  | 80                   |
| Side Focus                       | No                | 25yds-infinity       | 10m-infinity         | 10yds-infinity       | 10yds-infinity       | 25yds-infinity       | 10yds-infinity       | No                   |
| Weight (oz/g)                    | 20.63/585         | 30.90/876            | 35.27/1000           | 41.62/1180           | 34.57/980            | 41.27/1170           | 930g                 | 27.37/776            |
| Category                         | Tactical / Airgun | Tactical / Airgun    | Tactical             | Tactical / Airgun    | Tactical / Airgun    | Tactical             | Tactical             | Tactical / Airgun    |



# Hunting


## Rifle Scopes

| Item No.                         | SCP-1424i        | SCP-1624i      | SCP-1824i        | SCP-1250526i         | SCP-150642i          |
|----------------------------------|------------------|----------------|------------------|----------------------|----------------------|
| Magnification                    | 1X~4X            | 1X~6X          | 1X~8X            | 1.25X~5X             | 1.5X~6X              |
| Tube Diameter(mm)                | 30               | 30             | 30               | 30                   | 30                   |
| Objective (mm)                   | 24               | 24             | 24               | 26                   | 42                   |
| Focal Plane                      | Second           | Second         | Second           | Second               | Second               |
| Reticle Type                     | CQB/4A Dot/BDC   | CQB/4A Dot/BDC | CQB/4A Dot/BDC   | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red              | Green          | Red              | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 104.00           | 99.30          | 104.60           | 84.70                | 65.90                |
| FOV@HX (ft.@100yds)              | 26.00            | 16.60          | 13.10            | 21.20                | 16.50                |
| Eye Relief @ LX (mm)             | 120.00           | 110.00         | 110.00           | 135.00               | 110.10               |
| Eye Relief @ HX (mm)             | 90.00            | 88.00          | 91.00            | 95.50                | 90.50                |
| Exit Pupil@ LX (mm)              | 16.00            | 16.00          | 16.60            | 16.40                | 17.90                |
| Exit Pupil@ HX (mm)              | 6.00             | 4.00           | 3.00             | 5.20                 | 7.00                 |
| W/E Clicks                       | 0.5moa           | 0.5moa         | 0.1mil           | 1/2moa               | 0.25moa              |
| Elevation Adjustment Range (MOA) | 120              | 100            | 100              | 120                  | 100                  |
| Windage Adjustment Range (MOA)   | 120              | 100            | 100              | 120                  | 100                  |
| Side Focus                       | No               | No             | No               | No                   | No                   |
| Weight (oz/g)                    | N/A              | 571g           | 17.43/494        | N/A                  | 611g                 |
| Catagory                         | Hunting / Airgun | Hunting        | Hunting / Airgun | Hunting / Airgun     | Hunting / Airgun     |

**1-8 x 24**







# Hunting

## Rifle Scopes



**1.5-12 x 24**

| Item No.                         | SCP-151224i          | SCP-1750632i         | SCP-251040i      | SCP-251550si     | SCP-3942i        |
|----------------------------------|----------------------|----------------------|------------------|------------------|------------------|
| Magnification                    | 1.5X~12X             | 1.75X~6X             | 2.5X~10X         | 2.5X~15X         | 3X~9X            |
| Tube Diameter(mm)                | 30                   | 30                   | 30               | 30               | 30               |
| Objective (mm)                   | 24                   | 32                   | 40               | 50               | 42               |
| Focal Plane                      | Second               | Second               | Second           | Second           | Second           |
| Reticle Type                     | Glass Etched Reticle | Glass Etched Reticle | Metal Reticle    | CQB/4A Dot/BDC   | Metal Reticle    |
| Illuminated Reticle              | Red                  | Red                  | Red              | Red/Green        | Red              |
| FOV@LX (ft.@100yds)              | 79.50                | 61.40                | 42.90            | 40.00            | 42.00            |
| FOV@HX (ft.@100yds)              | 9.94                 | 17.70                | 11.00            | 6.80             | 13.94            |
| Eye Relief @ LX (mm)             | 98.00                | 99.60                | 95.00            | 115.00           | 112.00           |
| Eye Relief @HX (mm)              | 98.00                | 89.00                | 85.00            | 88.00            | 90.00            |
| Exit Pupil@ LX (mm)              | 8.30                 | 17.10                | 14.00            | 10.00            | 14.00            |
| Exit Pupil@ HX (mm)              | 2.10                 | 5.30                 | 4.00             | 3.30             | 4.67             |
| W/E Clicks                       | 0.1mil               | 0.25moa              | 0.34moa          | 1/4moa           | 0.25moa          |
| Elevation Adjustment Range (MOA) | 150                  | 100                  | 90               | 70               | 90               |
| Windage Adjustment Range (MOA)   | 150                  | 100                  | 90               | 70               | 90               |
| Side Focus                       | No                   | No                   | No               | 10yds-infinity   | No               |
| Weight (oz/g)                    | 720g                 | 611g                 | 18.8/533         | 26.28/745        | 18.34/520        |
| Catagory                         | Hunting / Airgun     | Hunting / Airgun     | Hunting / Airgun | Hunting / Airgun | Hunting / Airgun |





# Hunting

## Rifle Scopes



**1.5-5 x 32**

| Item No.                         | SCP-41240        | SCP-41240i       | SCP-41640s     | SCP-62444s       | SP-150532i           | SP-3944i             |
|----------------------------------|------------------|------------------|----------------|------------------|----------------------|----------------------|
| Magnification                    | 4X~12X           | 4X~12X           | 4X~16X         | 6X~24X           | 1.5X~5X              | 3X~9X                |
| Tube Diameter(mm)                | 30               | 30               | 30             | 30               | 25.4                 | 25.4                 |
| Objective (mm)                   | 40               | 40               | 40             | 44               | 32                   | 44                   |
| Focal Plane                      | Second           | Second           | Second         | Second           | Second               | Second               |
| Reticle Type                     | Metal Reticle    | Metal Reticle    | Metal Reticle  | Metal Reticle    | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | No               | Red              | No             | No               | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 25.60            | 25.60            | 23.00          | 17.20            | 68.00                | 41.00                |
| FOV@HX (ft.@100yds)              | 8.40             | 8.40             | 5.80           | 4.30             | 21.00                | 14.70                |
| Eye Relief @ LX (mm)             | 95.00            | 95.00            | 112.00         | 93.00            | 138.00               | 90.00                |
| Eye Relief @HX (mm)              | 95.00            | 95.00            | 90.00          | 80.00            | 98.00                | 78.00                |
| Exit Pupil@ LX (mm)              | 10.00            | 10.00            | 10.00          | 7.30             | 16.00                | 12.00                |
| Exit Pupil@ HX (mm)              | 3.33             | 3.33             | 2.50           | 1.83             | 6.40                 | 4.40                 |
| W/E Clicks                       | 0.1mil           | 0.1mil           | 0.1mil         | 0.1mil           | 0.25moa              | 0.25moa              |
| Elevation Adjustment Range (MOA) | 60               | 80               | 60             | 60               | 90                   | 50                   |
| Windage Adjustment Range (MOA)   | 60               | 80               | 60             | 60               | 90                   | 50                   |
| Side Focus                       | No               | No               | 10yds-infinity | 10yds-infinity   | No                   | No                   |
| Weight (oz/g)                    | 532g             | 18.77/532        | 597g           | 21.38/606        | N/A                  | 552g                 |
| Catagory                         | Hunting / Airgun | Hunting / Airgun | Hunting        | Hunting / Airgun | Hunting / Airgun     | Hunting / Airgun     |







# Rifle Scopes



**2.5-20 x 50**

| Item No.                         | SCP-F1824i-W         | SCP-F1251030i        | SCP-F151224i         | SCP-F2251832aoi      | SCP-F252050esi       | SCP-F252050si        |
|----------------------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|
| Magnification                    | 1X~8X                | 1.25X~10X            | 1.5X~12X             | 2.25X~18X            | 2.5X~20X             | 2.5X~20X             |
| Tube Diameter(mm)                | 34                   | 34                   | 34                   | 34                   | 34                   | 34                   |
| Objective (mm)                   | 24                   | 30                   | 24                   | 32                   | 50                   | 50                   |
| Focal Plane                      | First                | First                | First                | First                | First                | First                |
| Reticle Type                     | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle |
| Illuminated Reticle              | Red                  | Red                  | Red                  | Red                  | Red                  | Red                  |
| FOV@LX (ft.@100yds)              | 123.00               | 86.80                | 79.50                | 51.66                | 42.70                | 49.70                |
| FOV@HX (ft.@100yds)              | 14.12                | 10.46                | 9.94                 | 6.66                 | 5.39                 | 6.30                 |
| Eye Relief @ LX (mm)             | 92.00                | 92.00                | 98.00                | 95.00                | 91.00                | 91.00                |
| Eye Relief @HX (mm)              | 96.00                | 96.00                | 98.00                | 97.00                | 96.00                | 94.00                |
| Exit Pupil@ LX (mm)              | 10.10                | 9.80                 | 8.30                 | 9.70                 | 9.80                 | 9.70                 |
| Exit Pupil@ HX (mm)              | 3.02                 | 2.90                 | 2.10                 | 1.75                 | 2.50                 | 2.65                 |
| W/E Clicks                       | 0.1mil               | 0.1mil               | 0.1mil               | 0.25moa              | 0.1mil               | 0.1mil               |
| Elevation Adjustment Range (MOA) | 150                  | 120                  | 150                  | 100                  | 100                  | 100                  |
| Windage Adjustment Range (MOA)   | 150                  | 120                  | 150                  | 100                  | 80                   | 80                   |
| Side Focus                       | No                   | No                   | No                   | 10yds-infinity       | 15yds-infinity       | 15yds-infinity       |
| Weight (oz/g)                    | 27.28/772            | 27.20/770            | 720g                 | 29.28/830            | 32.63/925            | 32.69/925            |
| Catagory                         | Tactical             | Tactical             | Tactical             | Tactical             | Tactical             | Tactical             |





# Rifle Scopes



**5.5-44 x 56**

| Item No.                         | SCP-F453656si        | SCP-F554456si        | SCP-F756056si        | SCP-1824i        | SCP-1824i-W       | SCP-151224i          |
|----------------------------------|----------------------|----------------------|----------------------|------------------|-------------------|----------------------|
| Magnification                    | 4.5X~36X             | 5.5X~44X             | 7.5X~60X             | 1X~8X            | 1X~8X             | 1.5X~12X             |
| Tube Diameter(mm)                | 34                   | 34                   | 34                   | 30               | 30                | 30                   |
| Objective (mm)                   | 56                   | 56                   | 56                   | 24               | 24                | 24                   |
| Focal Plane                      | First                | First                | First                | Second           | Second            | Second               |
| Reticle Type                     | Glass Etched Reticle | Glass Etched Reticle | Glass Etched Reticle | CQB/4A Dot/BDC   | CQB/4A Dot/BDC    | Glass Etched Reticle |
| Illuminated Reticle              | Red                  | Red                  | Red                  | Red              | Red               | Red                  |
| FOV@LX (ft.@100yds)              | 23.50                | 19.87                | 13.94                | 104.60           | 123.00            | 79.50                |
| FOV@HX (ft.@100yds)              | 3.20                 | 2.88                 | 1.88                 | 13.10            | 15.17             | 9.94                 |
| Eye Relief @ LX (mm)             | 97.00                | 93.00                | 95.00                | 110.00           | 92.00             | 98.00                |
| Eye Relief @HX (mm)              | 95.00                | 97.00                | 97.00                | 91.00            | 96.00             | 98.00                |
| Exit Pupil@ LX (mm)              | 9.70                 | 10.20                | 9.70                 | 16.60            | 10.10             | 8.30                 |
| Exit Pupil@ HX (mm)              | 1.50                 | 1.36                 | 0.93                 | 3.00             | 3.00              | 2.10                 |
| W/E Clicks                       | 0.1 mil              | 0.25moa              | 0.125moa             | 0.1mil           | 0.5moa            | 0.1mil               |
| Elevation Adjustment Range (MOA) | 80                   | 80                   | 80                   | 100              | 150               | 150                  |
| Windage Adjustment Range (MOA)   | 60                   | 80                   | 80                   | 100              | 150               | 150                  |
| Side Focus                       | 12yds-infinity       | 10yds-infinity       | 10yds-infinity       | No               | No                | No                   |
| Weight (oz/g)                    | N/A                  | 37.39/1060           | 37.46/1060           | 17.43/494        | 493g              | 720g                 |
| Catagory                         | Tactical             | Tactical             | Tactical             | Hunting / Airgun | Tactical / Airgun | Hunting / Airgun     |





# Rifle Scope Cover



RSSS-01

RSSS-02

RSSS-03



RSSS-04

RSSS-05

## Specifications:

| Item    | Jacket Length<br>Front Diameter | Scope Length | Scope Objective |
|---------|---------------------------------|--------------|-----------------|
| RSSS-01 | 10" x 3.5mm                     | 10.5"-11.5"  | Up to 33mm      |
| RSSS-02 | 10.25" x 4.5mm                  | 10.5"-12"    | Up to 43mm      |
| RSSS-03 | 11.5" x 5.0mm                   | 12"-14"      | Up to 50mm      |
| RSSS-04 | 13.5" x 5.2mm                   | 13"-15.5"    | Up to 56mm      |
| RSSS-05 | 14.5" x 5.6mm                   | 14"-16.5"    | Up to 60mm      |





**CHENXI**

[www.99outdoor.com](http://www.99outdoor.com)

[www.chenxioutdoor.com](http://www.chenxioutdoor.com)