



CHENXI

OUTDOOR PRODUCTS

2025-2026 CATALOG

1"/30mm

Picatinny/Weaver

Steel Ring

- ◆ Durable solid steel assures exceptional strength
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Different height available from Low , Medium and High profile
- ◆ Matte black surface treatment

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-1001WL	Steel	1"	Low	18mm	21.60mm	4	Matte
SR-1001WM	Steel	1"	Medium	18mm	25.40mm	4	Matte
SR-1001WH	Steel	1"	High	18mm	29.20mm	4	Matte
SR-3001WL	Steel	30mm	Low	18mm	23.90mm	4	Matte
SR-3001WM	Steel	30mm	Medium	18mm	27.70mm	4	Matte
SR-3001WH	Steel	30mm	High	18mm	31.50mm	4	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1001WL	Steel	1"	Low	18.00mm	21.60mm	2	Matte
SR-Q1001WM	Steel	1"	Medium	18.00mm	25.40mm	2	Matte
SR-Q1001WH	Steel	1"	High	18.00mm	29.20mm	2	Matte
SR-Q3001WL	Steel	30mm	Low	18.00mm	23.90mm	2	Matte
SR-Q3001WM	Steel	30mm	Medium	18.00mm	27.70mm	2	Matte
SR-Q3001WH	Steel	30mm	High	18.00mm	31.50mm	2	Matte

QD Steel Ring

Picatinny/Weaver

1"/30mm

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1002WL	Steel	1"	Low	15.88mm	17.12mm	4	Matte
SR-Q1002WM	Steel	1"	Medium	15.88mm	21.30mm	4	Matte
SR-Q1002WH	Steel	1"	High	15.88mm	27.10mm	4	Matte
SR-Q3002WL	Steel	30mm	Low	15.88mm	19.50mm	4	Matte
SR-Q3002WM	Steel	30mm	Medium	15.88mm	21.70mm	4	Matte
SR-Q3002WH	Steel	30mm	High	15.88mm	27.50mm	4	Matte
SR-Q3002WEXH	Steel	30mm	Extra High	15.88mm	30.00mm	4	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1018WL	Steel	1"	Low	18.00mm	17.10mm	4	Matte
SR-Q1018WM	Steel	1"	Medium	18.00mm	21.30mm	4	Matte
SR-Q1018WH	Steel	1"	High	18.00mm	27.10mm	4	Matte
SR-Q3018WL	Steel	30mm	Low	18.00mm	19.50mm	4	Matte
SR-Q3018WM	Steel	30mm	Medium	18.00mm	21.70mm	4	Matte
SR-Q3018WH	Steel	30mm	High	18.00mm	27.50mm	4	Matte
SR-Q3018WEXH	Steel	30mm	Extra High	18.00mm	30.00mm	4	Matte



20 Mounting System Ring

1" / 30mm

Picatinny/Weaver

Steel Ring

- ◆ Durable solid steel assures exceptional strength
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Different height available from Low ,Medium and High profile
- ◆ Matte black surface treatment
- ◆ Standard two and four screws version, tough, utterly precise, perfect match for riflescopes

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1003WL	Steel	1"	Low	15.88mm	17.10mm	4	Matte
SR-Q1003WM	Steel	1"	Medium	15.88mm	21.30mm	4	Matte
SR-Q1003WH	Steel	1"	High	15.88mm	27.10mm	4	Matte
SR-Q3003WL	Steel	30mm	Low	15.88mm	19.50mm	4	Matte
SR-Q3003WM	Steel	30mm	Medium	15.88mm	21.70mm	4	Matte
SR-Q3003WH	Steel	30mm	High	15.88mm	27.50mm	4	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1004WL	Steel	1"	Low	15.88mm	16.87mm	4	Matte
SR-Q1004WM	Steel	1"	Medium	15.88mm	21.07mm	4	Matte
SR-Q1004WH	Steel	1"	High	15.88mm	26.87mm	4	Matte
SR-Q3004WL	Steel	30mm	Low	15.88mm	19.17mm	4	Matte
SR-Q3004WM	Steel	30mm	Medium	15.88mm	21.22mm	4	Matte
SR-Q3004WH	Steel	30mm	High	15.88mm	27.57mm	4	Matte



34/35/36mm

Picatinny / Weaver **Steel** Ring

- ◆ Most durable and solid steel construction assure the exceptional strength.
- ◆ Well applied for all standard picatinny/weaver rails.
- ◆ Perfect fit for riflescopes in 34mm, 35mm & 36mm tubes.
- ◆ 4-screws rings provides more clamping force and perfect for heavy recoil rifles.
- ◆ Matte black surface treatment.

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q3404WL	Steel	34mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3404WM	Steel	34mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3404WH	Steel	34mm	High	15.88mm	40.00mm	4	Matte
SR-Q3504WL	Steel	35mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3504WM	Steel	35mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3504WH	Steel	35mm	High	15.88mm	40.00mm	4	Matte
SR-Q3604WL	Steel	36mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3604WM	Steel	36mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3604WH	Steel	36mm	High	15.88mm	40.00mm	4	Matte

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q3402WL	Steel	34mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3402WM	Steel	34mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3402WH	Steel	34mm	High	15.88mm	40.00mm	4	Matte
SR-Q3502WL	Steel	35mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3502WM	Steel	35mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3502WH	Steel	35mm	High	15.88mm	40.00mm	4	Matte
SR-Q3602WL	Steel	36mm	Low	15.88mm	29.30mm	4	Matte
SR-Q3602WM	Steel	36mm	Medium	15.88mm	33.50mm	4	Matte
SR-Q3602WH	Steel	36mm	High	15.88mm	40.00mm	4	Matte



Steel Ring for **Tikka**

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1012NH	Steel	1"	High	15.88mm	30.00mm	4	Matte
SR-Q1012NM	Steel	1"	Medium	15.88mm	24.50mm	4	Matte
SR-Q3012NH	Steel	30mm	High	15.88mm	30.00mm	4	Matte
SR-Q3012NM	Steel	30mm	Medium	15.88mm	27.00mm	4	Matte

Features:

Quick Detachable
Well applied for most Tikka rails or 16.50/17.00mm Dovetail
Matte black surface treatment
4-screw rings provide more clamping force
Perfect for heavy recoil rifles



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1013NH	Steel	1"	High	15.88mm	30.00mm	4	Matte
SR-Q1013NM	Steel	1"	Medium	15.88mm	24.50mm	4	Matte
SR-Q3013NH	Steel	30mm	High	15.88mm	30.00mm	4	Matte
SR-Q3013NM	Steel	30mm	Medium	15.88mm	27.00mm	4	Matte

Features:

Well applied for most Tikka rails or 16.50/17.00mm Dovetail
Matte black surface treatment
4-screw rings provide more clamping force
Perfect for heavy recoil rifles



1"/30mm Air Gun Ring



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-1002NL	Steel	1"	Low	15.88mm	19.10mm	2	Matte
SR-1002NM	Steel	1"	Medium	15.88mm	22.70mm	2	Matte
SR-1002NH	Steel	1"	High	15.88mm	26.10mm	2	Matte
SR-3002NL	Steel	30mm	Low	15.88mm	22.40mm	2	Matte
SR-3002NM	Steel	30mm	Medium	15.88mm	25.40mm	2	Matte
SR-3002NH	Steel	30mm	High	15.88mm	31.40mm	2	Matte



24 Mounting System Ring

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-1001NL	Steel	1"	Low	15.88mm	23.10mm	2	Matte
SR-1001NM	Steel	1"	Medium	15.88mm	25.40mm	2	Matte
SR-1001NH	Steel	1"	High	15.88mm	31.50mm	2	Matte
SR-3001NL	Steel	1"	Low	15.88mm	25.20mm	2	Matte
SR-3001NM	Steel	1"	Medium	15.88mm	27.70mm	2	Matte
SR-3001NH	Steel	1"	High	15.88mm	33.80mm	2	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
SR-Q1002NL	Steel	1"	Low	15.88mm	20.10mm	4	Matte
SR-Q1002NM	Steel	1"	Medium	15.88mm	22.70mm	4	Matte
SR-Q1002NH	Steel	1"	High	15.88mm	29.10mm	4	Matte
SR-Q3002NL	Steel	30mm	Low	15.88mm	22.40mm	4	Matte
SR-Q3002NM	Steel	30mm	Medium	15.88mm	25.40mm	4	Matte
SR-Q3002NH	Steel	30mm	High	15.88mm	31.40mm	4	Matte

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
ARG-3018WH	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-3018WM	T6 Alum.	30.00mm	0 moa	25.40mm	34.05mm	12	Matte
ARG-B3018WH (with bubble level)	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-Q3018WH	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-Q3018WM	T6 Alum.	30.00mm	0 moa	25.40mm	34.05mm	12	Matte
ARG-QB3018WH (with bubble level)	T6 Alum.	30.00mm	0 moa	25.40mm	40.05mm	12	Matte
ARG-3418WH	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte
ARG-B3418WH (with bubble level)	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte
ARG-Q3418WH	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte
ARG-QB3418WH (with bubble level)	T6 Alum.	34.00mm	0 moa	25.40mm	40.30mm	12	Matte



ARG-QB3418WH



ARG-3018WM



ARG-Q3018WH

30mm/34mm

**Hunting/DQ Style Integral Mounts
with/without Bubble Level**

Picatinny/Weaver

Aluminum Ring

QD Cantilever Mounts

1"/30mm Picatinny/Weaver
Aluminum Ring

ARG-Q1008WH



ARG-Q3008WH

- ◆ Available in **20moa**, **30moa** and **45moa** for long range precision shooting
- ◆ Extremely sturdy one-piece construction scope mounts
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Matte black surface treatment
- ◆ Non-slip bump, Square recoil lug
- ◆ Lever for quick attach and detach

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
ARG-Q1008WH	T6 Alum.	1"	High	18.00mm	40.50mm	8	Matte
ARG-Q3008WH	T6 Alum.	30mm	High	25.40mm	40.50mm	12	Matte



Tactical One-Piece

Integral Mounting System Picatinny/Weaver

1"/30/34/35/mm

- ◆ Available in **20moa, 30moa and 45moa** for long range precision shooting
- ◆ Extremely sturdy one-piece construction scope mounts
- ◆ Well applied for all standard picatinny/weaver rails
- ◆ Matte black surface treatment

- ◆ One-piece construction scope mount with bubble level

Model	Material	Description	Diameter	Width	Saddle Height	Screws Per Ring	Finish
ARG-1008WH	T6 Alum.	0moa High	1"	18.00mm	38.00mm	8	Matte
ARG-3008WH	T6 Alum.	0moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3008WH20	T6 Alum.	20moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3008WH30	T6 Alum.	30moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3008WH45	T6 Alum.	45moa High	30mm	25.40mm	42.00mm	12	Matte
ARG-3412WH	T6 Alum.	0moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3412WH20	T6 Alum.	20moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3412WH30	T6 Alum.	30moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3412WH45	T6 Alum.	45moa High	34mm	25.40mm	43.00mm	12	Matte
ARG-3512WH	T6 Alum.	0moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-3512WH20	T6 Alum.	20moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-3512WH30	T6 Alum.	30moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-3512WH45	T6 Alum.	45moa High	35mm	25.40mm	43.00mm	12	Matte
ARG-B1008WH with bubble level	T6 Alum.	0moa High	1"	18.00mm	38.00mm	8	Matte
ARG-B3008WH with bubble level	T6 Alum.	0moa High	30mm	25.40mm	40.50mm	12	Matte



1"/30mm

QD Aluminum Ring Picatinny/Weaver

NEW



- ◆ Strong and durable aluminum alloy
- ◆ Mounts to any Picatinny-style rail
- ◆ Non-slip bump, Square recoil lug
- ◆ Lever for quick attach and detach

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-Q1022WL	T6 Alum.	1"	Low	22.00mm	23.25mm	6	Matte
AR-Q1022WM	T6 Alum.	1"	Medium	22.00mm	27.25mm	6	Matte
AR-Q1022WH	T6 Alum.	1"	High	22.00mm	35.25mm	6	Matte
AR-Q3022WL	T6 Alum.	30mm	Low	22.00mm	27.70mm	6	Matte
AR-Q3022WM	T6 Alum.	30mm	Medium	22.00mm	34.05mm	6	Matte
AR-Q3022WH	T6 Alum.	30mm	High	22.00mm	40.40mm	6	Matte

1"/30mm

Aluminum Scope Ring Picatinny/Weaver



- ◆ Heavy duty rings with six clamping screws.
- ◆ An oversized nut to hold any scope tightly.

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1003WL	T6 Alum.	1"	Low	25.40mm	19.00mm	6	Matte
AR-1003WM	T6 Alum.	1"	Medium	25.40mm	25.40mm	6	Matte
AR-1003WH	T6 Alum.	1"	High	25.40mm	31.70mm	6	Matte
AR-1003WEXH	T6 Alum.	1"	Extra High	25.40mm	38.20mm	6	Matte
AR-3003WL	T6 Alum.	30mm	Low	25.40mm	21.30mm	6	Matte
AR-3003WM	T6 Alum.	30mm	Medium	25.40mm	27.70mm	6	Matte
AR-3003WH	T6 Alum.	30mm	High	25.40mm	34.00mm	6	Matte
AR-3003WEXH	T6 Alum.	30mm	Extra High	25.40mm	40.40mm	6	Matte



- ◆ Strong and durable aluminum alloy
- ◆ Bubble level on rear ring for maximum accuracy and consistency
- ◆ Mounts to any Picatinny-style rail

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-B3003WL	Alum.	30mm	Low	25.40mm	27.70mm	6	Matte
AR-B3003WM	Alum.	30mm	Medium	25.40mm	34.00mm	6	Matte
AR-B3003WH	Alum.	30mm	High	25.40mm	40.40mm	6	Matte

- ◆ Heavy duty rings constructed from lightweight T6 aluminum alloy with six clamping screws.
- ◆ An oversized nut to hold any scope tightly
- ◆ Perfect for the heaviest recoiling rifles

1"/30mm

Picatinny/Weaver

Aluminum Ring

- ◆ Easily detaches and remount
- ◆ T6 Aluminum construction to assure best performance
- ◆ Fits all standard Picatinny/Weaver rails

Model	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1002WL	1"	Low	21.00mm	22.70mm	4	Matte
AR-1002WM	1"	Medium	21.00mm	26.70mm	4	Matte
AR-1002WH	1"	High	21.00mm	34.70mm	4	Matte
AR-3002WL	30mm	Low	21.00mm	25.00mm	4	Matte
AR-3002WM	30mm	Medium	21.00mm	29.00mm	4	Matte
AR-3002WH	30mm	High	21.00mm	37.00mm	4	Matte



Model	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1004WL	1"	Low	18.00mm	22.50mm	4	Matte
AR-1004WM	1"	Medium	18.00mm	31.20mm	4	Matte
AR-1004WH	1"	High	18.00mm	37.20mm	4	Matte
AR-3004WL	30mm	Low	18.00mm	24.80mm	4	Matte
AR-3004WM	30mm	Medium	18.00mm	33.50mm	4	Matte
AR-3004WH	30mm	High	18.00mm	39.50mm	4	Matte

Model	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1001WL	1"	Low	18.00mm	21.60mm	4	Matte
AR-1001WM	1"	Medium	18.00mm	25.40mm	4	Matte
AR-1001WH	1"	High	18.00mm	29.20mm	4	Matte
AR-3001WL	30mm	Low	18.00mm	23.90mm	4	Matte
AR-3001WM	30mm	Medium	18.00mm	27.70mm	4	Matte
AR-3001WH	30mm	High	18.00mm	31.50mm	4	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1013WH	T6 Alum.	1"	High	18.00mm	38.20mm	8	Matte
AR-1013WL	T6 Alum.	1"	Low	18.00mm	25.40mm	8	Matte
AR-1013WM	T6 Alum.	1"	Medium	18.00mm	31.70mm	8	Matte
AR-3013WH	T6 Alum.	30mm	High	18.00mm	40.40mm	8	Matte
AR-3013WL	T6 Alum.	30mm	Low	18.00mm	27.70mm	8	Matte
AR-3013WM	T6 Alum.	30mm	Medium	18.00mm	34.00mm	8	Matte



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-3413WH	T6 Alum.	34mm	High	18.00mm	40.30mm	8	Matte
AR-3413WL	T6 Alum.	34mm	Low	18.00mm	29.60mm	8	Matte
AR-3413WM	T6 Alum.	34mm	Medium	18.00mm	33.80mm	8	Matte



1"/30_{mm}/34_{mm}


Picatinny/Weaver Aluminum Ring

Mounting System Ring-Alum 31

1"/30mm


Picatinny/Weaver

Aluminum Ring



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-R1006WL	T6 Alum.	1"	Low	18.00mm	25.4mm	4	Matte
AR-R1006WM	T6 Alum.	1"	Medium	18.00mm	27.70mm	4	Matte
AR-R1006WH	T6 Alum.	1"	High	18.00mm	34.00mm	4	Matte
AR-R3006WL	T6 Alum.	30mm	Low	18.00mm	27.7mm	4	Matte
AR-R3006WM	T6 Alum.	30mm	Medium	18.00mm	29.00mm	4	Matte
AR-R3006WH	T6 Alum.	30mm	High	18.00mm	36.00mm	4	Matte

Model	AR-1014WH	AR-3014WH
Material	T6 Alum.	T6 Alum.
Diameter	1"	30mm
Height	High	High
Width	18.00mm	18.00mm
Saddle Height	38.10mm	38.10mm
Screws Per Ring	8	8
Finish	Matte	Matte



Model	AR-3015WH
Material	T6 Alum.
Diameter	30mm
Height	High
Width	18.00mm
Saddle Height	39.40mm
Screws Per Ring	8
Finish	Matte

.22/Air Gun Ring

- ◆ Precision machined from **aluminum** alloy
- ◆ Anodized Matte black finish
- ◆ Fit on 11mm rails with Airgun/.22 dovetail dimensions
- ◆ Different height available from Low profile ,Medium profile and high profile



Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1001NL	Alum.	1"	Low	18.00mm	23.10mm	4	Matte
AR-1001NM	Alum.	1"	Medium	18.00mm	25.40mm	4	Matte
AR-1001NH	Alum.	1"	High	18.00mm	31.50mm	4	Matte
AR-3001NL	Alum.	30mm	Low	18.00mm	25.20mm	4	Matte
AR-3001NM	Alum.	30mm	Medium	18.00mm	27.70mm	4	Matte
AR-3001NH	Alum.	30mm	High	18.00mm	33.80mm	4	Matte

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
AR-1002NL	Alum.	1"	Low	21.00mm	22.70mm	4	Matte
AR-1002NM	Alum.	1"	Medium	21.00mm	26.70mm	4	Matte
AR-1002NH	Alum.	1"	High	21.00mm	34.70mm	4	Matte
AR-3002NL	Alum.	30mm	Low	21.00mm	25.00mm	4	Matte
AR-3002NM	Alum.	30mm	Medium	21.00mm	29.00mm	4	Matte
AR-3002NH	Alum.	30mm	High	21.00mm	37.00mm	4	Matte



- ◆ Precision machined from aircraft aluminum alloy
- ◆ Integral one-piece construction provides a strong mount which withstands the bumps and knocks of heavy use.
- ◆ Ring base with hex head locking screws to tightly fit on rails with Airgun .22 dovetail dimension.



ARG-3007NH



ARG-1007NH



ARG-1006NH

Model	Material	Diameter	Height	Width	Saddle Height	Screws Per Ring	Finish
ARG-1007NH	Alum.	1"	High	21.00mm	34.70mm	8	Matte
ARG-1006NH	Alum.	1"	High	21.00mm	36.70mm	8	Matte
ARG-3007NH	Alum.	1" / 30mm	High	21.00mm	37.00mm	8	Matte

Bubble Level Ring

- ◆ CNC machined from high strength quality T6 Aluminum Alloy or steel billet
- ◆ Integral, One-Piece construction
- ◆ Quality anadization, matte finish
- ◆ Using the bubble level to ensure that the rifle scope is perfectly vertical.
- ◆ Bubble Level Ring For 1"/30mm /34mm Tube Scope
- ◆ Water Proof * Fogging Proof * Shock Proof



Model	Material	Diameter	Width	Screws Per Ring	Bubble Diameter	Bubble Level Color
BL-A1002	T6 Alum	1"	11.50mm	2	9.50mm	Brown
BL-A3002	T6 Alum	30mm	11.50mm	2	9.50mm	Brown
BL-A3402	T6 Alum	34mm	11.50mm	2	9.50mm	Brown
BL-S1002	Steel	1"	11.50mm	2	9.50mm	Brown
BL-S3002	Steel	30mm	11.50mm	2	9.50mm	Brown
BL-S3402	Steel	34mm	11.50mm	2	9.50mm	Brown

Model	Material	Diameter	Width	Screws Per Ring	Bubble Diameter	Bubble Level Color
BL-A1001	T6 Alum	1"	9.50mm	2	8.00mm	Green
BL-A3001	T6 Alum	30mm	9.50mm	2	8.00mm	Green
BL-A3401	T6 Alum	34mm	9.50mm	2	8.00mm	Green
BL-S1001	Steel	1"	9.50mm	2	8.00mm	Green
BL-S3001	Steel	30mm	9.50mm	2	8.00mm	Green
BL-S3401	Steel	34mm	9.50mm	2	8.00mm	Green



1 1/30mm Aluminum Integral Ring

- ◆ Unique scope mount made of one-piece construction
- ◆ Lightweight unitized design eliminates the possibility of an "out of alignment" interface or "loose connection" between the rings and base of traditional two piece designs
- ◆ More strength and durability
- ◆ Precision CNC machining



Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
ART-ASZ101L	T6 Alum.	1"	Low	21.76mm	36.96	21.84	12.70	12.70	6	Matte	Anschutz 54, 64, 153, 1400, 1500
ART-ASZ101M	T6 Alum.	1"	Medium	24.83mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ101H	T6 Alum.	1"	High	24.75mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ301L	T6 Alum.	30mm	Low	28.13mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ301M	T6 Alum.	30mm	Medium	28.40mm	36.96	21.84	12.70	12.70	6	Matte	
ART-ASZ301H	T6 Alum.	30mm	High	32.72mm	36.96	21.84	12.70	12.70	6	Matte	
ART-BRN101L	T6 Alum.	1"	Low	21.89mm	39.12	41.01	21.84	21.84	6	Matte	Browning A-Bolt L/A & S/A, A-Bolt .22
ART-BRN101M	T6 Alum.	1"	Medium	24.96mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN101H	T6 Alum.	1"	High	28.26mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN301L	T6 Alum.	30mm	Low	24.88mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN301M	T6 Alum.	30mm	Medium	28.53mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN301H	T6 Alum.	30mm	High	32.85mm	39.12	41.01	21.84	21.84	6	Matte	
ART-BRN102L	T6 Alum.	1"	Low	21.66mm					6	Matte	Browning A Bolt WSSM
ART-BRN102M	T6 Alum.	1"	Medium	24.73mm					6	Matte	
ART-BRN102H	T6 Alum.	1"	High	28.03mm					6	Matte	
ART-BRN302L	T6 Alum.	30mm	Low	24.65mm					6	Matte	
ART-BRN302M	T6 Alum.	30mm	Medium	28.30mm					6	Matte	
ART-BRN302H	T6 Alum.	30mm	High	32.62mm					6	Matte	



Integral Ring

Precision CNC machining

Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
					Front	Rear	Front	Rear			
ART-CLT101L	T6 Alum.	1"	Low	21.89mm	36.07	36.07	21.84	21.84	6	Matte	Colt Sauer; Sauer90, 200(Sigarms)
ART-CLT101M	T6 Alum.	1"	Medium	24.96mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT101H	T6 Alum.	1"	High	28.26mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT301L	T6 Alum.	30mm	Low	24.88mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT301M	T6 Alum.	30mm	Medium	28.53mm	36.07	36.07	21.84	21.84	6	Matte	
ART-CLT301H	T6 Alum.	30mm	High	32.85mm	36.07	36.07	21.84	21.84	6	Matte	
ART-HOW101L	T6 Alum.	1"	Low	23.44mm	37.90	32.00	21.93	15.24	6	Matte	Howa 1500 inter-arms M1500
ART-HOW101M	T6 Alum.	1"	Medium	26.61mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW101H	T6 Alum.	1"	High	29.81mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW301L	T6 Alum.	30mm	Low	26.43mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW301M	T6 Alum.	30mm	Medium	30.08mm	37.90	32.00	21.93	15.24	6	Matte	
ART-HOW301H	T6 Alum.	30mm	High	34.40mm	37.90	32.00	21.93	15.24	6	Matte	
ART-MAU101L	T6 Alum.	1"	Low	21.06mm	40.00	20.83	21.84	12.70	6	Matte	Actions Colt57, Interarms Mark X, Marlin 455, Weatherby FN Actions
ART-MAU101M	T6 Alum.	1"	Medium	24.13mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU101H	T6 Alum.	1"	High	27.43mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU301L	T6 Alum.	30mm	Low	24.05mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU301M	T6 Alum.	30mm	Medium	27.70mm	40.00	20.83	21.84	12.70	6	Matte	
ART-MAU301H	T6 Alum.	30mm	High	32.02mm	40.00	20.83	21.84	12.70	6	Matte	

Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
ART-REM101L	T6 Alum.	1"	Low	21.89mm	32.00	38.00	21.84	15.37	6	Matte	Remington 4,6,74,7400,7600
ART-REM101M	T6 Alum.	1"	Medium	24.96mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM101H	T6 Alum.	1"	High	28.26mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM301L	T6 Alum.	30mm	Low	24.88mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM301M	T6 Alum.	30mm	Medium	28.53mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM301H	T6 Alum.	30mm	High	32.85mm	32.00	38.00	21.84	15.37	6	Matte	
ART-REM102L	T6 Alum.	1"	Low	21.66mm	31.50	41.40	21.84	15.37	6	Matte	Remington 700L/A, S/A, Ruger M77 (Round Receiver)
ART-REM102M	T6 Alum.	1"	Medium	24.73mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM102H	T6 Alum.	1"	High	28.03mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM302L	T6 Alum.	30mm	Low	24.65mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM302M	T6 Alum.	30mm	Medium	28.30mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM302H	T6 Alum.	30mm	High	32.62mm	31.50	41.40	21.84	15.37	6	Matte	
ART-REM103L	T6 Alum.	1"	Low	21.76mm	45.00	41.00	21.90	15.40	6	Matte	Remington 700L/A, S/A,Rev. Front,Ruger M77 (Round Receiver)
ART-REM103M	T6 Alum.	1"	Medium	24.83mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM103H	T6 Alum.	1"	High	28.13mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM303L	T6 Alum.	30mm	Low	24.75mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM303M	T6 Alum.	30mm	Medium	28.40mm	45.00	41.00	21.90	15.40	6	Matte	
ART-REM303H	T6 Alum.	30mm	High	32.72mm	45.00	41.00	21.90	15.40	6	Matte	
ART-SAV101L	T6 Alum.	1"	Low	21.89mm	31.00	40.00	21.84	21.84	6	Matte	Savage 110,110C,L/A & S/A, 111L/A, 112V S/A
ART-SAV101M	T6 Alum.	1"	Medium	24.96mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV101H	T6 Alum.	1"	High	28.26mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV301L	T6 Alum.	30mm	Low	24.88mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV301M	T6 Alum.	30mm	Medium	28.53mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV301H	T6 Alum.	30mm	High	32.85mm	31.00	40.00	21.84	21.84	6	Matte	
ART-SAV102L	T6 Alum.	1"	Low	23.44mm	36.00	40.00	21.84	21.84	6	Matte	Savage 110
ART-SAV102M	T6 Alum.	1"	Medium	26.51mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV102H	T6 Alum.	1"	High	29.81mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV302L	T6 Alum.	30mm	Low	26.43mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV302M	T6 Alum.	30mm	Medium	30.08mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV302H	T6 Alum.	30mm	High	34.40mm	36.00	40.00	21.84	21.84	6	Matte	
ART-SAV103L	T6 Alum.	1"	Low	22.61mm	30.50	52.00	21.80	21.90	6	Matte	Savage 110
ART-SAV103M	T6 Alum.	1"	Medium	25.68mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV103H	T6 Alum.	1"	High	28.95mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV303L	T6 Alum.	30mm	Low	25.60mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV303M	T6 Alum.	30mm	Medium	29.25mm	30.50	52.00	21.80	21.90	6	Matte	
ART-SAV303H	T6 Alum.	30mm	High	33.57mm	30.50	52.00	21.80	21.90	6	Matte	

Model	Material	Diameter	Height	Saddle Height	Overall Length (mm)		C to C Distance (mm)		Screws Per Ring	Finish	Compatible For
ART-TIK101L	T6 Alum.	1"	Low	24.61mm	32.00	32.00	21.84	21.84	6	Matte	Tikka
ART-TIK101M	T6 Alum.	1"	Medium	27.68mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK101H	T6 Alum.	1"	High	30.98mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK301L	T6 Alum.	30mm	Low	27.6mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK301M	T6 Alum.	30mm	Medium	30.75mm	32.00	32.00	21.84	21.84	6	Matte	
ART-TIK301H	T6 Alum.	30mm	High	34.00mm	32.00	32.00	21.84	21.84	6	Matte	
ART-WEA101L	T6 Alum.	1"	Low	21.42mm	37.00	37.00	21.84	15.37	6	Matte	Weatherby Mark V. Mag cal
ART-WEA101M	T6 Alum.	1"	Medium	24.49mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA101H	T6 Alum.	1"	High	27.79mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA301L	T6 Alum.	30mm	Low	24.41mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA301M	T6 Alum.	30mm	Medium	28.10mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WEA301H	T6 Alum.	30mm	High	32.42mm	37.00	37.00	21.84	15.37	6	Matte	
ART-WIN101L	T6 Alum.	1"	Low	20.93mm	35.00	40.00	21.84	21.84	6	Matte	Winchester70 (Rear Hoe Spacing 860) L/A & S/A, Browning BBR L/A & S/A
ART-WIN101M	T6 Alum.	1"	Medium	24.00mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN101H	T6 Alum.	1"	High	27.30mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN301L	T6 Alum.	30mm	Low	23.92mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN301M	T6 Alum.	30mm	Medium	27.57mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN301H	T6 Alum.	30mm	High	31.89mm	35.00	40.00	21.84	21.84	6	Matte	
ART-WIN102L	T6 Alum.	1"	Low	20.93mm	35.00	30.00	21.84	11.05	6	Matte	Win 70 Pre 64
ART-WIN102M	T6 Alum.	1"	Medium	24.00mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN102H	T6 Alum.	1"	High	27.30mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN302L	T6 Alum.	30mm	Low	23.92mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN302M	T6 Alum.	30mm	Medium	27.57mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN302H	T6 Alum.	30mm	High	31.89mm	35.00	30.00	21.84	11.05	6	Matte	
ART-WIN103L	T6 Alum.	1"	Low	22.39mm	30.50	40.00	21.84	11.00	6	Matte	Winchester 70 Rev. Rear Pre 64
ART-WIN103M	T6 Alum.	1"	Medium	25.46mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN103H	T6 Alum.	1"	High	28.76mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN303L	T6 Alum.	30mm	Low	25.38mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN303M	T6 Alum.	30mm	Medium	29.03mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN303H	T6 Alum.	30mm	High	33.35mm	30.50	40.00	21.84	11.00	6	Matte	
ART-WIN104L	T6 Alum.	1"	Low	21.11mm	46.00	40.00	21.84	21.84	6	Matte	Winchester 70 Rev. F&R Pre 64
ART-WIN104M	T6 Alum.	1"	Medium	24.18mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN104H	T6 Alum.	1"	High	27.48mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN304L	T6 Alum.	30mm	Low	24.10mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN304M	T6 Alum.	30mm	Medium	27.75mm	46.00	40.00	21.84	21.84	6	Matte	
ART-WIN304H	T6 Alum.	30mm	High	32.07mm	46.00	40.00	21.84	21.84	6	Matte	



CHENXi

[Http://www.chenxioutdoor.com](http://www.chenxioutdoor.com)

